



# Phase I Environmental Site Assessment 130 Mountainview Road North, Georgetown, Ontario

Project No. 0082-002.01

February 28, 2022

Prepared for:

1273679 Ontario Inc.  
106 Kenpark Avenue  
Brampton, ON L6Z 3J8

Attn: Max Harris

Prepared by:



**BlueFrog**

Environmental Consulting Inc.  
Suite 100 - 208 Wyecroft Road  
Oakville, ON L6K 3T8  
[bluefrogconsulting.ca](http://bluefrogconsulting.ca)

## Executive Summary

1273679 Ontario Inc. retained BlueFrog Environmental Consulting Inc. (BlueFrog) to complete a Phase I Environmental Site Assessment (ESA) of a commercial property, located at 130 Mountainview Road North, Georgetown, Ontario (the Site).

The objective of the Phase I ESA was to identify potential site contamination arising from current and/or historical potentially contaminating activities (PCAs) at the Site and/or at neighbouring properties. The Phase I ESA was conducted for due diligence purposes related to a potential property transaction.

The assessment comprised a review of historical information and environmental database entries pertaining to this Site and neighbouring properties, interviews with Site representative(s) and regulatory personnel where available, a Site visit, and preparation of this report. The ESA was completed in general accordance with Canadian Standards Association (CSA) Group Standard Z768-01 (R2016) - *Phase I Environmental Site Assessment*.

The Site is approximately 3.5 hectares in size, first used in connection with the adjacent west industrial paper coating mill property circa 1930. An area of disturbed soil is present on the southwest corner of the Site, an industrial building was developed at the southeast corner of the Site circa 1930 with an access road connecting the building to the adjacent west industrial property and Mountainview road to the east. The wooded area of the Site was used for industrial lagoons circa 1969.

The original building at the southeast corner of the Site was either renovated or replaced circa 1970 and has been used for truck boom repair and installation, manufacturing of light products, a printing and labeling shop, a taxi service lot where automotive repair may have been conducted, and most recently by Atlantic Towing Company for tow trucks, and commercial storage and parking, since 2014. Related wastes were generated from 1994 to 1998.

Due to the age of the building designated substances may be present in on-site building materials; if renovation or demolition of the building is planned, designated substances must be managed in accordance with applicable regulations.

Phase I and II ESAs were completed in 2007, however, unavailable for review. A subsequent remedial cost estimate report indicated remedial action was required to disposal of approximately 20,750 m<sup>3</sup> of kaolinite waste and impacted soil, and treat and/or dispose of an unknown volume of groundwater impacted with metals, volatile organic compounds, semi-volatile organic compounds and petroleum hydrocarbons.

The Site is located in a mixed-use area first developed with a railway adjacent south of the Site circa 1900 and industrial properties west of the Site circa 1930. Residential uses are present north and east, with industrial and commercial uses south of the railway.

### Environmental Concerns

The following PCAs were identified that may contribute to Site contamination:

#### On-site:

1. Paper manufacturing and processing.
2. Commercial printing historically.
3. Petroleum storage.
4. Automotive maintenance and repair.
5. Fill material and debris.

**Off-site:**

6. Industrial and commercial uses at neighbouring and adjacent properties and related generation of hazardous wastes including: a) railway, b) paper manufacturing and processing, c) commercial printing, d) industrial manufacturing, e) automotive body shop, f) tannery, and g) machine shop.

**Conclusions and Recommendations**

Based on the review and evaluation of the Phase I ESA information, in our opinion, there is potential for contamination at the Site due to current and historical on-site and off-site activities.

A Phase II ESA is recommended to assess contaminants of concern in soil and/or groundwater at the areas of potential Site contamination related to each environmental concern listed above.

This Executive Summary is not intended to be a stand-alone document, but a summary of findings as described in the accompanying Report. It is intended to be used in conjunction with the scope of services and limitations described therein.

## Table of Contents

<b>1.0</b>	<b>Introduction and Objectives .....</b>	<b>1</b>
<b>1.1</b>	<b>Site Description.....</b>	<b>1</b>
<b>2.0</b>	<b>Scope of Work .....</b>	<b>2</b>
<b>3.0</b>	<b>Records Review.....</b>	<b>2</b>
<b>3.1</b>	<b>Physical Setting .....</b>	<b>2</b>
3.1.1	Aerial Photographs .....	2
3.1.2	Topography, Hydrogeology, and Geology .....	3
<b>3.2</b>	<b>Property Use Records .....</b>	<b>4</b>
3.2.1	Fire Insurance Records.....	4
3.2.2	City Directory Information .....	5
3.2.3	Property Use Registries .....	5
<b>3.3</b>	<b>Title Search .....</b>	<b>5</b>
<b>3.4</b>	<b>Previous Reports .....</b>	<b>6</b>
<b>3.5</b>	<b>Company Records .....</b>	<b>6</b>
<b>3.6</b>	<b>Regulatory Information.....</b>	<b>6</b>
3.6.1	TSSA.....	6
3.6.2	Databases.....	6
<b>4.0</b>	<b>Interviews .....</b>	<b>8</b>
<b>5.0</b>	<b>Site Visit .....</b>	<b>8</b>
<b>5.1</b>	<b>Surface Features.....</b>	<b>8</b>
<b>5.2</b>	<b>Buildings and Structures .....</b>	<b>9</b>
<b>5.3</b>	<b>Storage Tanks, Hazardous Materials, Waste .....</b>	<b>9</b>
<b>5.4</b>	<b>Site Operations .....</b>	<b>10</b>
<b>5.5</b>	<b>Utilities.....</b>	<b>10</b>
<b>5.6</b>	<b>Special Attention Items .....</b>	<b>10</b>
<b>5.7</b>	<b>Neighbouring Properties .....</b>	<b>11</b>
<b>6.0</b>	<b>Summary of Findings.....</b>	<b>11</b>
<b>6.1</b>	<b>Environmental Concerns.....</b>	<b>12</b>
<b>7.0</b>	<b>Conclusions and Recommendations.....</b>	<b>13</b>
<b>8.0</b>	<b>Closure .....</b>	<b>13</b>
<b>9.0</b>	<b>References .....</b>	<b>14</b>

## Figures

- Figure 1 Site Location
- Figure 2 Site and Surrounding Land Use Plan
- Figure 3 Site Plan

## Appendices

- Appendix A Site and/or Survey Plans
- Appendix B Site Photographs
- Appendix C Aerial Photographs
- Appendix D Mapping
- Appendix E Historical Records



## 1.0 Introduction and Objectives

1273679 Ontario Inc. retained BlueFrog Environmental Consulting Inc. (BlueFrog) to complete a Phase I Environmental Site Assessment (ESA) of a commercial property located at 130 Mountainview Road North, Georgetown, Ontario (the Site).

The objective of the Phase I ESA was to identify potential site contamination arising from current and/or historical potentially contaminating activities (PCAs) at the Site and/or at neighbouring properties. The Phase I ESA was conducted for due diligence purposes related to a potential property transaction.

This report has been prepared based on fieldwork and/or review of information conducted by BlueFrog, for the sole benefit and use by 1273679 Ontario Inc. In performing the work, BlueFrog relied in good faith on information provided by others and assumed that the information provided is both complete and accurate. The work was performed to current industry practice for similar environmental work, within the same regulatory jurisdiction. The findings presented herein should be considered in the context of the scope of work; further, the findings are considered valid only at the time the report was produced. The information presented herein shall not be construed as legal advice.

The conclusions, recommendations, and/or opinions presented in this report are based upon engineering and/or geoscience judgement and experience within the context of the client objectives and the applicable guidelines, regulations, and legislation existing at the time the report was produced.

### 1.1 Site Description

The Site and regional topographic features are shown on **Figure 1**. Land uses at Site and neighbouring properties are shown on **Figure 2**. Key Site features are shown on **Figure 3**.

Site and/or survey plans provided by the client are provided in **Appendix A**.

Key aspects of the Site were documented by photographs that are provided in **Appendix B**.

The Site is described as follows.

<b>Property size</b>	3.5 hectares
<b>Occupancy</b>	Occupied since 2014 by Atlantic Towing Company for tow trucks, and commercial storage and parking; a 216 m <sup>2</sup> building is located on the southeast corner of the property.
<b>Municipal address</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Property identification number (PIN)</b>	25039-0387 (LT)
<b>Legal Description</b>	PT LTS 17, 18, 19, 20, 21, 22, 23 & 24 & LTS 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35 & 36 & PT LT 40 & LTS 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55 & 56 & PT LTS 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75 & 76, PL 119 , PT RESERVE BLOCK, PL 119 ;PT MATTHEWS ST, PL 119 , AS CLOSED BY 265642 ; LANE, PL 119 , AS CLOSED BY 265642 ; PT LANE, PL 119 , AS CLOSED BY 265642; PART 1, 2, 3, 20R9222 ; S/TG8665 HALTON HILLS
<b>Roll Number</b>	24150100020541000000

## 2.0 Scope of Work

This Phase I ESA was completed in general accordance with the Canadian Standards Association (CSA) Group Standard Z768-01 *Phase I Environmental Site Assessment* and consisted of the principal activities listed below.

- Review of readily available historical information pertaining to the Site and neighbouring properties, further detailed in Section 3.0;
- Interviews with available persons having knowledge of the Site, as detailed in Section 4.0;
- Site visit to make specific observations at the Site and, from publicly accessible areas, and of the neighbouring properties, as detailed in Section 5.0;
- Review and evaluation of the information, as detailed in Section 6.0; and,
- Preparation of this report documenting the activities, findings, and conclusions of the Phase I ESA.

## 3.0 Records Review

Records obtained for review included:

- Physical setting sources including aerial photographs, topographic, hydrogeological, and geological information for the Site and neighbouring properties;
- Property use records including: historical fire insurance plans, historical city directory records, and Record of Site Conditions (RSC) filed with the Ontario Ministry of the Environment Conservation and Parks (MECP); and,
- Regulatory information including: a standard EcoLog Environmental Risk Information Service (ERIS) database report, and records provided by Technical Standards & Safety Authority (TSSA).

The search radius applied to the database review of neighbouring properties was 250 m from the centre of the Site.

### 3.1 Physical Setting

#### 3.1.1 Aerial Photographs

Aerial photographs and/or satellite imagery, reproduced in **Appendix C**, were reviewed to note general features with respect to land uses, structures and improvements, drainage, disturbed soil, and possible evidence of environmental concerns. The scale and attendant resolution of the photographs typically did not permit a detailed study of the Site and neighbouring properties. A summary of the review pertinent to the Phase I ESA information is described as follows.

Year	Site	Neighbouring Properties
1946	Undeveloped and/or agricultural. An area of disturbed soil is present on the southwest corner of the Site, related to the adjacent industrial property.	A railway, Mountainview Road North, and a River Drive are present adjacent south, east, and northwest, respectively. Industrial development is present on the adjacent west property; residences are located adjacent northwest; commercial and/or residential development is present south of the railway and east of Mountainview Road North with an industrial area southwest of the Site. The area north is primarily undeveloped and/or agricultural.

Year	Site	Neighbouring Properties
1954	A building is present at the southeast corner of the Site with an access road connecting the building to the adjacent west industrial property.	Similar to 1946.
1969	Four industrial lagoons are present near the centre of the Site. A driveway enters from Mountainview Road North.	Industrial development is present northeast of Mountainview Road North.
1985	The previously identified building is no longer present; a building has been constructed near the same location, consistent with the current day building configuration.  The previously identified industrial lagoons are no longer present and appear to be covered in vegetation with wooded areas surrounding the former lagoon area.	The previously identified industrial area southwest of the Site appears to be redeveloped as a train station and parking lot.
1999	Similar to 1999.	Residential development is present north of River Drive and east of Mountainview Road North.
2009	Similar to 1999.	Similar to 1999.
2019	The previously identified access road connecting the adjacent west industrial property is no longer present.  Several vehicles and trailers are parked on the property.	Similar to 2009.

### 3.1.2 Topography, Hydrogeology, and Geology

Information obtained from regional topographic, geological, and soil maps can assist in approximating groundwater flow directions that can influence the migration of possible contaminants in the vicinity of the Site. Maps that were available to be reproduced electronically are included in **Appendix D**. The records reviewed revealed the following topographic, geologic and hydrogeological information:

<b>Elevation</b>	Approximately 260 meters above sea level.
<b>Nearest surface water body</b>	Credit River 620 m northeast.
<b>Interpreted groundwater flow direction</b>	Based on topographic features, assumed to be northeast towards Credit River, and southeast towards Lake Ontario.  Site-specific hydrogeological information is unknown.
<b>Surficial soils</b>	Halton till: predominantly silt to silty clay matrix, high in matrix carbonate content and clast poor (Ontario Geological Survey, Quaternary Geology).  Site-specific soil stratigraphy information is unknown.
<b>Bedrock</b>	Shale, limestone, dolostone, siltstone; Queenston Formation (Ontario Geological Survey, Bedrock Geology of Ontario).
<b>Fill Material</b>	A berm of fill material was observed during the Site visit along the railway tracks on the south side of the property; additional fill material piles were observed in the southwest portion of the Site.
<b>Areas of natural significance</b>	None identified.
<b>Well head protection areas</b>	Located in Credit Valley Protection Area; no groundwater protection noted.
<b>Environmental Concerns</b>	None identified.



## 3.2 Property Use Records

### 3.2.1 Fire Insurance Records

Fire insurance records, including fire insurance plans for the Site and neighbouring properties, and Site-specific inspection reports and plans, were requested from ERIS and provided by Enviroscan Opta Information Intelligence. Records are included in **Appendix E** and pertinent information is summarized below.

#### Fire Insurance Plans – 1904

- There is no development depicted at the Site or neighbouring properties. Grand Truck Railway is located adjacent south.

#### Fire Insurance Plans – 1934

- The Site depicted as lots 103 and 104 with no development.
- Neighbouring properties include: two paper mills located adjacent west and 150 m west of the Site; a railway adjacent south, beyond which are industrial properties including the Grand Truck Railway station, and a machining foundry, and Smith and Stone electrical equipment manufacturing. W. Barber & Bro Rag Storage building is located on the north side of the railway.

#### Fire Insurance Plans – 1960

- A building is located on the southeast corner of the Site, labelled as DEVCO building.
- Neighboring properties included:
  - Paper coating mills located adjacent at 1 and 2 Rosetta Street (150 m west and adjacent west), an associated underground storage tank (UST) was located 100 m west near the northwest corner of the property.
  - Auto body shops located 50 m northwest at the western corner of Mountainview Road North and River Drive and 150 m southwest at 25 King Street East.
  - Smith and Stone Ltd. electrical equipment manufacturing, 30 m south of the Site with an associated fuel oil UST.
  - Varian Associates, electronic vacuum tubes manufacturer including machine shop, and plating activities, located 50 m northwest at 49 Mountainview Road North (current day 45 River Drive).
  - Machining foundry located 40 m southwest.

#### Inspection Reports 1982, 1985, 1990, 1993

- 130 Mountainview Road North is occupied by a 216 m<sup>2</sup> concrete block building with a partial second story and no basement, heated by natural gas suspended heating units.
- In 1982, the building was occupied by Malcom Back Equipment Ltd., conducting repair and installation of truck booms with oxy-acetylene welding conducted.
- In 1985 the building was occupied by Blackbox Control Ltd. for the manufacturing of light products.
- In 1990 and 1993 the building was occupied by The Label Factory Inc. (since 1986) for printing labels with two printing presses and a rewind machine, use of non-flammable ink, and a 15-gallon container of Anaflex for cleaning. A workshop is present with a degreasing tank.

### 3.2.2 City Directory Information

City directory information was requested from ERIS for the Site and certain neighbouring properties. A copy of the records is provided in **Appendix E**. Information pertinent to the Phase I ESA is as follows.

- ERIS conducted a review of data and noted that access to some records were restricted due to Covid-19 restrictions and some searches yielded no results.
- The period between 1962 to 2000 was assessed by reviewing directory entries approximately every 5 years in that period.
- The Site was not listed prior to 1962. The Site was listed as residential each year searched.
- Historical uses of neighbouring properties searched included commercial and residential listings. Environmentally significant listings included:
  - 2 Rosetta Street (adjacent west): Label Masters Canada (1984 to 2000), Gebbs Carpentry (1984 to 1989); and Canadian Coated Paper and Mecco Holdings (1994 to 2000).
  - 2 Lamb Street (30 m south): Kaleido Glass (2000).

### 3.2.3 Property Use Registries

A search for RSCs filed with the MECP for the Site and neighbouring properties was conducted on the MECP website. Information pertinent to the Phase I ESA information is as follows:

- No records were found.

### 3.3 Title Search

Based on other information obtained, and the history of the Site, a title search would not contribute to assessing the environmental condition of the Site, as such, a title search was not conducted during this assessment.

A Parcel Register and PIN map was obtained through ERIS and is included in **Appendix E**. Pertinent details are summarized as follows.

- The legal property description is: PT LTS 17, 18, 19, 20, 21, 22, 23 & 24 & LTS 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35 & 36 & PT LT 40 & LTS 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55 & 56 & PT LTS 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75 & 76, PL 119 , PT RESERVE BLOCK, PL 119 ;PT MATTHEWS ST, PL 119 , AS CLOSED BY 265642 ; LANE, PL 119 , AS CLOSED BY 265642 ; PT LANE, PL 119 , AS CLOSED BY 265642; PART 1, 2, 3, 20R9222 ; S/TG8665 HALTON HILLS.
- The property identification number is: 25039-0387 (LT).
- The current property owner, 1273679 Ontario Inc., has owned the Site since 1997.
- There were no leases registered to the title.
- An easement was registered to the title to The Hydro Electric Power Commission of Ontario.

### 3.4 Previous Reports

Previous environmental reports were requested from the client and Site occupant. The following report was provided for review:

**Re: Remediation Cost Estimate: 130 Mountainview Road North, Georgetown, Ontario**, prepared by DLS Group, prepared for The Harris Group, dated December 29, 2008.

- A Phase I & II ESA were conducted in 2007 and included characterizing identified kaolinite waste and, soil and groundwater conditions on-site. The following areas were identified that require remedial action:
  - Removal and disposal of approximately 20,750 m<sup>3</sup> of kaolinite waste and impacted soil;
  - Treatment and/or disposal of an unknown volume of groundwater impacted with metals, volatile organic compounds, semi-volatile organic compounds and petroleum hydrocarbons.
- The remedial cost estimate was between 3.5 and 4.75 million dollars.

### 3.5 Company Records

Company records were requested from the Site occupant; the following company records were available for review:

- Site and survey plans, included in Appendix A.
- Previous environmental reports, included in Section 3.4.
- Provincial permit records were reviewed in the regulatory searches discussed in Section 3.6
- No other records were available (i.e. spill reports, waste manifests, etc.).

### 3.6 Regulatory Information

#### 3.6.1 TSSA

The TSSA was contacted to provide records from the Fuels Safety Program. Correspondence is included in **Appendix E** and summarized as follows.

- There were no fuel storage tank records for the property.

#### 3.6.2 Databases

An ERIS EcoLog Database Report was obtained that summarizes entries pertaining to the Site and neighbouring properties in the context of regulatory and other information from provincial, federal, and private databases. The EcoLog Database Report, including a description of the databases searched and records found, is provided in **Appendix E**. Pertinent details are summarized below.

Site:

- The Label Factory Inc. conducted platemaking activities; related wastes were generated between 1994 and 1998 including polymeric resins, halogenated solvents, and photoprocessing wastes.
- Well records indicate that 9 wells were completed as observation wells in 2007.

### Neighbouring Properties:

- 7 River Drive (adjacent west) was occupied by Aplus Self Storage for the purpose of self storage and mini warehousing. Related wastes were generated in 2016 including oil skimmings and sludges.
- 2 Rosetta Street (adjacent west) was occupied by Engineered Data Products Inc. for warehousing and storage, Label Masters and Canadian Coated Paper Inc. for coating and laminating paper and commercial printing, and Applied Wiring Assemblies Inc. for communication and energy wire and cable manufacturing. Related wastes were generated between 1986 and 2021 including halogenated solvents, oils, and lubricants. The National PCB Inventory indicated that Two 1047 L transformers containing polychlorinated biphenyls (PCBs) (askarel) were stored on-site.
- 45 River Drive (50 m northwest) was occupied by Varian Canada Inc., and Communications and Power Industry Canada Inc. for communication equipment manufacturing. Related wastes were generated between 1986 and 2021 including metals, coating residues, organic and inorganic laboratory chemicals, polymeric resins, halogenated and aliphatic solvents, oils, PCBs, sludges, lubricants, photoprocessing wastes, smelting wastes, petroleum distillates, aromatic solvents, waste compressed gases and other specified inorganics. Approvals for industrial air emissions were received in 1996 and related to a spray paint booth and standby power system.
- 1 Rosetta Street (150 m west) was occupied by Provincial Papers for coating and treated paper products and Kingsbury Wood Finishing Inc. for wood product manufacturing. Related wastes were generated between 1986 and 2021 including halogenated, aliphatic and aromatic solvents, oils, sludges, coating residues, organic and inorganic laboratory chemicals, and PCBs. The property was a receiver of wastes as a private landfill / sludge farm between 1986 and 1998. A Record of Site Condition (RSC) was filed for the property in 2009.
- 12 Lamb Street (30 m south) was occupied by Frank Heller and Company Ltd., for the purpose of leather products. Related wastes were generated between 1988 and 1998 including organic tannery wastes and other specified organics.
- Additional records indicated several spills of natural gas to air; a spill of 10 L of diesel fuel was observed streaming from Canadian National Railway site by 1 Elgin Street (100 m southwest); and wastes generated by Minnow Environmental Inc. for the purpose of environmental consulting services at 2 Lamb Street (100 m southwest), by Minister of Natural Resources located and 69 King Street (115 m south); and
- Water well records indicated 28 wells were completed in the area of the Site as monitoring and test holes, unspecified use, and abandoned.

Other activities identified at neighbouring properties were not considered to have contributed to potential contamination at the Site. Our opinion is based on the distance from the Site, absent contaminant pathways, the assumed principal direction of local shallow groundwater flow, and mobility and/or persistence of the associated potential contaminants of concern.

## 4.0 Interviews

An interview was conducted with Max Harris, Owner of 1273679 Ontario Inc. Pertinent information obtained from the interview is as follows:

- The building was constructed in 1970s, is two levels with no basement and is not heated or cooled. The building was historically used as a taxi service (where automotive repair may have been conducted).
- Petroleum products were historically stored on-site in above ground storage tanks (ASTs); no additional information is known regarding the storage tanks.
- Kaolinite sludge was brought from the adjacent paper processing facility to the west and placed in the on-site ponds where it was left to settle and then excavated and removed from site; no additional information is known regarding the industrial lagoons.
- A septic tank system associated with the on-site building was historically used for wastewater from the building. The owner indicated it may have been located on the northeast side of the building.

## 5.0 Site Visit

A visual survey of the Site was completed by BlueFrog. Neighbouring properties were observed from publicly accessible sidewalks and roadways. Preliminary information obtained from the records review was considered prior to conducting the Site visit. Photographs showing various areas of the Site and neighbouring properties including written descriptions for each are provided in Appendix B. Site visit details are as follows.

<b>Date</b>	February 4, 2022
<b>Site description and use</b>	The southeast corner is occupied by Atlantic Towing Company, the building and parking area is primarily used for rented storage and parking. The remainder of the property is tree covered.
<b>Evidence of past use</b>	None observed.
<b>Limitations</b>	Access to all areas of the Site were limited by deep snow and heavily wooded sections which were not accessed for safety concern; the limitations are not expected to impact the findings of the report.

## 5.1 Surface Features

Observations of the surface features at the Site are summarized as follows.

<b>Ground cover</b>	Property size: 3.5 hectares The southeast area of the Site is asphalt and gravel covered with a building. The remainder of the Site is a wooded area.
<b>Wells</b>	Above ground monitoring wells, based on MECP well records, some of which were located on-site, as shown on Figure 3.
<b>Railways</b>	Railway located on the south side of the property.
<b>Stains</b>	Black oily staining was observed on asphalt surface near bay doors on the north side of the building. The asphalt appeared to be in good condition, however, evidence of patching was apparent near the stained area.
<b>Stressed vegetation</b>	None observed.

<b>Fill material and debris</b>	<p><b>Berm of fill material located along the railway tracks on the south side of the property and further fill piles in the southwest area of the Site.</b></p> <p><b>The following debris was noted:</b></p> <p><b>2 x 200 L plastic storage tanks located on the southwest side of the property along the railway tracks.</b></p> <p><b>1 x approx. 30,000 L scrap metal vessel discarded in the wooded area in the south central part of the Site.</b></p> <p><b>1 x approx. 3,000 L scap metal storage tank discarded in the wooded area in the south central part of the Site in proximity of the above vessel.</b></p>
<b>Pits and lagoons</b>	<p>None observed.</p> <p>Historical aerial photographs and interviews indicate former industrial lagoons were present in the now wooded area; evidence of historical lagoons were not observed.</p>
<b>Water courses, ditches or standing water</b>	<p>Low-lying areas within the wooded area were present.</p>
<b>Parking facilities</b>	<p>Surface parking for cars and trucks located around the south and west of the building.</p>
<b>Right of ways</b>	<p>None observed.</p>
<b>Indications of contamination</b>	<p>None observed.</p>

## 5.2 Buildings and Structures

Observations of the buildings and structures at the Site are summarized as follows.

<b>General description</b>	<p>Construction date: 1970s</p> <p>Building footprint: 216 m<sup>2</sup></p> <p>Number of storeys: two</p> <p>Subsurface levels: none</p>
<b>Heating and cooling systems</b>	<p>Building has no currently operating heating system.</p> <p>Building has no cooling system.</p> <p>Former heating system based on the fire insurance inception reports was by natural gas fired suspended heating units.</p>
<b>Stains and corrosion</b>	<p>Oily staining on concrete surface on the floor of the bay area.</p> <p>The concrete surface appeared to be in good condition with no apparent cracks or voids.</p>
<b>Drains and sumps</b>	<p>None observed or reported by the Site Representative.</p>
<b>Hydraulic equipment and elevators</b>	<p>None observed or reported by the Site Representative.</p>
<b>Emergency generators</b>	<p>None observed or reported by the Site Representative.</p>
<b>Exit and entry points</b>	<p>Man doors located throughout building.</p> <p>Bay door: Located on the north side of the building.</p>

## 5.3 Storage Tanks, Hazardous Materials, Waste

Observations pertaining to storage tanks, containers, hazardous materials and waste are as follows.

<b>Aboveground storage tanks / fill and vent pipes</b>	<p>Based on the interview conducted, petroleum products were historically stored on-site in ASTs.</p> <p>A 200 L disused metal storage tank located on the south side of the building.</p>
<b>Belowground storage tanks / fill and vent pipes</b>	<p>None observed or reported by the Site Representative.</p>

<b>Chemicals and hazardous materials</b>	None observed or reported by the Site Representative.
<b>Unidentified substances</b>	None observed or reported by the Site Representative.
<b>Hazardous wastes</b>	None observed or reported by the Site Representative.
<b>Non-hazardous wastes</b>	None observed or reported by the Site Representative.
<b>Drums, totes and/or pails</b>	4 x 1000 L empty totes located on the north side of the building and 3 x 205 L empty lidless drums located on southwest side of parking area; the use of the totes and drums are not known.

## 5.4 Site Operations

Observations pertaining to specific site operations follows.

<b>Industrial operations, processing, manufacturing</b>	None observed or reported by the Site Representative.
<b>Vehicle and equipment maintenance areas</b>	None observed or reported by the Site Representative.
<b>Inground hydraulic lift equipment</b>	None observed or reported by the Site Representative.
<b>Oil-water separators</b>	None observed or reported by the Site Representative.
<b>Raw materials</b>	None observed or reported by the Site Representative.
<b>By-products and wastes</b>	None observed or reported by the Site Representative.
<b>Spills</b>	None observed or reported by the Site Representative.
<b>Liquid discharge points</b>	None observed or reported by the Site Representative.

## 5.5 Utilities

Observations of the utilities at the Site are summarized as follows.

<b>Wastewater</b>	Site representative indicated there may be a septic tank located on the northeast side of the building. No other sources observed or reported.
<b>Water</b>	Municipally supplied potable water system. No other sources observed or reported by Site Representative.
<b>Stormwater</b>	Drainage, by overland flow to wooded area, and to offsite catch basins; directed to municipal sewer system. Drainage is generally from south to north.
<b>Electricity</b>	Yes.
<b>Natural Gas</b>	No.

## 5.6 Special Attention Items

Observations made pertaining to special attention items at the Site are as follows.

<b>Asbestos-containing materials (ACMs)</b>	ACMs possible in building materials due to year of construction (1970s). Applicable Regulation: O.Reg. 278/05 – Designated Substance – Asbestos on Construction Projects and in Buildings and Repair Operations.
<b>Polychlorinated biphenyls (PCBs)</b>	PCBs may be present in electrical equipment due to year of construction (1970s). Applicable Regulation: O.Reg. 362, R.R.O. 1990 – Waste Management – PCBs; SOR/2008-273 – PCB Regulations.
<b>Lead-based materials</b>	Lead-based paints may be present due to year of construction (1970s). Applicable Regulation: O. Reg. 843, R.R.O. 1990 – Designated Substance – Lead; SOR/2016-193 – Surface Coating Material Regulation.

<b>Urea formaldehyde foam insulation (UFFI)</b>	None observed or reported by Site Representative. Applicable Regulation: Canadian Federal Hazardous Products Act, R.S., 1985, c. H-3.
<b>Ozone-depleting substances (ODSs)</b>	ODSs potentially present in cooling systems and refrigerators. O.Reg. 356, R.R.O. 1990 – Ozone Depleting Substances.
<b>Microbial contamination (mould)</b>	None observed or reported by Site Representative. However, a detailed assessment for mould was not conducted.
<b>Noise and vibration</b>	Vibration and noise may exist from rail traffic on the adjacent railway tracks. None was detected at the time of the Site visit.
<b>Odours</b>	None observed or reported by Site Representative.
<b>Radon</b>	Assessment and concentration of indoor radon is unknown. According to Health Canada (March 2012), 4.9 % of homes tested in the Halton Regional Health Unit found to have radon concentrations greater than 200 Bq/m <sup>3</sup> . Government of Canada Radon Guideline for indoor air concentration in dwellings is 200 Bq/m <sup>3</sup> (Canadian Guidelines for the Management of Naturally Occurring Radioactive Materials, 2013).

## 5.7 Neighbouring Properties

Neighbouring properties were observed during the Site visit from publicly accessible locations. Current uses of properties adjacent to the Site are presented on **Figure 3**. Observations made pertaining to the neighbouring properties are as follows.

<b>Primary land uses and evidence of environmental concerns</b>	Commercial, industrial, and residential properties; no visual signs of environmental concern. Northwest: Residential homes (at northwest corner of Site), River Drive, beyond which are residential homes, Northeast: Mountainview Road, beyond which are residential homes and industrial (Communication & Power Industries) South: Railway tracks, beyond which are residential homes and industrial and commercial property. West: A-Plus Canada Inc. Self-Storage, Applied Wiring Assemblies Inc., and GO Train Station.
<b>Waterbodies</b>	None observed.
<b>Areas of natural significance</b>	None observed.

## 6.0 Summary of Findings

The Site is approximately 3.5 hectares in size, first used in connection with the adjacent west industrial paper coating mill property circa 1930. An area of disturbed soil is present on the southwest corner of the Site, an industrial building was developed at the southeast corner of the Site circa 1930 with an access road connecting the building to the adjacent west industrial property. The wooded area of the Site was used for industrial lagoons circa 1969.

The original building at the southeast corner of the Site was either renovated or replaced circa 1970 and has been used for truck boom repair and installation, manufacturing of light products, a printing and labeling shop, a taxi service where automotive repair may have been conducted, and most recently by Atlantic Towing Company for tow trucks, and commercial storage and parking, since 2014. Related wastes were generated from 1994 to 1998.



Due to the age of the building designated substances may be present in on-site building materials; if renovation or demolition of the building is planned, designated substances must be managed in accordance with applicable regulations.

Phase I and II ESAs were completed in 2007, however, unavailable for review. A subsequent remedial cost estimate letter indicated remedial action was required to disposal of approximately 20,750 m<sup>3</sup> of kaolinite waste and impacted soil, and treat and/or dispose of an unknown volume of groundwater impacted with metals, volatile organic compounds, semi-volatile organic compounds and petroleum hydrocarbons.

The Site is located in a mixed-use area first developed with a railway adjacent south of the Site circa 1900 and industrial properties west of the Site circa 1930. Residential uses are present northwest, northeast, and south with industrial and commercial uses south of the railway.

## 6.1 Environmental Concerns

The following PCAs related to past and present industrial uses were identified that may contribute to Site contamination:

### On-site:

1. Paper manufacturing and processing: historically used in conjunction with the adjacent industrial property including the southeast and southwest areas of the Site connected by access roads, and industrial lagoons.
2. Commercial printing: historically conducted in the on-site building from circa 1986 to 1993 with related wastes generated.
3. Petroleum storage: historically used ASTs for petroleum product storage.
4. Automotive maintenance and repair: the Site was used for the repair and installation of truck booms, taxi service with maintenance garage, and currently by Atlantic Towing Company with parking and storage of trucks and trailers.
5. Fill material and debris: A berm of fill material and fill piles were observed during the Site visit along the railway tracks near the south property boundary and in the southwestern portion of the of the property, respectively; metal debris consisting of a former storage vessel and storage tank discarded in the south central area of the Site.

### Off-site:

6. Industrial and commercial uses at neighbouring and adjacent properties and related generation of hazardous wastes.
  - a. Railway located adjacent south of the Site.
  - b. Paper manufacturing and processing: paper coating mills located at 1 and 2 Rosetta Street (150 m west and adjacent west).
  - c. Commercial printing: historically 2 Rosetta Street (adjacent west).
  - d. Industrial manufacturing: wire and cable manufacturing adjacent west at 2 Rosetta Street; wood products at 150 m west at 1 Rosetta Street; Smith and Stone Ltd. electrical equipment manufacturing 30 m south of the Site; Varian Associates, electronic vacuum tubes manufacturer including machine shop, and plating activities, located 50 m northwest at 49 Mountainview Road North (current day 45 River Drive).

- e. Automotive body shop; historically located 50 m northwest at the western corner of Mountainview Road North and River Drive; and 150 m southwest at 25 King Street East.
- f. Tannery; historically located at 30 m south at 12 Lamb Street.
- g. Machine shop; historically located 40 m southwest.

Other PCAs identified at neighbouring and adjacent properties were considered to have a low potential to contribute to potential contamination at the Site. Our opinion is based on the distance from the Site, activities primarily conducted indoors, absent contaminant pathways, the assumed principal direction of local shallow groundwater flow, and mobility and/or persistence of the associated potential contaminants of concern.

## 7.0 Conclusions and Recommendations

Based on the review and evaluation of the Phase I ESA information, in our opinion, there is potential for contamination at the Site due to current and historical on-site and off-site activities.

A Phase II ESA is recommended to assess contaminants of concern in soil and/or groundwater at the areas of potential Site contamination related to each environmental concern listed above.

## 8.0 Closure

We trust that this information meets your present needs. Statements of qualifications for the undersigned are available on request. Please do not hesitate to contact us if you have any questions or comments.

**BlueFrog Environmental Consulting Inc.**

Report prepared by:



Julia Pejic, B.A.Sc.  
Project Manager  
[jpejc@bluefrogconsulting.ca](mailto:jpejc@bluefrogconsulting.ca)  
905.975.6727

Report Reviewed by:



Gerry Parrott, P.Geo., QP<sub>ESA</sub>  
Senior Technical Reviewer  
[gparrott@bluefrogconsulting.ca](mailto:gparrott@bluefrogconsulting.ca)  
416.407.9769

20220228\_PHIESA\_Mountainviewgeorgetown



## 9.0 References

Google Earth.

Health Canada. March 2012. Cross Canada Survey of Radon Concentrations in Homes. Final Report.


Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release---Data 126-Revision 1.

Ontario Geological Survey 2000. 1:1 000 000 scale Quaternary geology, seamless coverage of the Province of Ontario; Ontario Geological Survey, Data Set 14---Revised.


Ontario Ministry of the Environment Conservation and Parks. Environmental Site Registry: Records of site condition and transition notices. Available URL: <https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>

Ontario Ministry of the Environment Conservation and Parks. Search Records of Site Condition. Available URL: [https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/searchFiledRsc\\_search?request\\_locale=en](https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/searchFiledRsc_search?request_locale=en)

## Figures




MAP REFERENCE: Ontario Ministry of Natural Resources and Forestry



SITE LOCATION MAP  
 130 MOUNTAINVIEW ROAD NORTH,  
 GEORGETOWN, ONTARIO





DRAWING SHOULD BE PRINTED ON 11X17 PAPER OR EQUIVALENT SIZES.

PROPERTY BOUNDARIES OBTAINED THROUGH AERIAL PHOTOGRAMMETRY AND FIELD SURVEY. AERIAL PHOTO SOURCE: DIGITALGLOBE, SENS: DISTRIBUTION AIRBUS DS (RMS)

POTENTIALLY CONTAMINATING ACTIVITIES (PCA)

1	PAPER MANUFACTURING AND PROCESSING
2	COMMERCIAL PRINTING HISTORICALLY
3	PETROLEUM STORAGE
4	AUTOMOTIVE MAINTENANCE AND REPAIR
5	FILL MATERIALS AND DEBRIS
OFF-SITE	
6a	RAILWAY
6b	PAPER MANUFACTURING AND PROCESSING
6c	COMMERCIAL PRINTING
6d	INDUSTRIAL MANUFACTURING
6e	AUTOMOTIVE BODY SHOP
6f	TANNERY
6g	MACHINE SHOP




- LEGEND**
- SITE BOUNDARY
  - PROPERTY BOUNDARY
  - INFERRED LOCAL GROUNDWATER FLOW DIRECTION NORTHEAST TO THE CREDIT RIVER
  - REGIONAL GROUNDWATER FLOW DIRECTION SOUTHEAST TO LAKE ONTARIO
  - # PCA

**NOTES**  
LOCATIONS ARE APPROXIMATE.


**SITE AND SURROUNDING LAND USE**  
130 MOUNTAINVIEW ROAD NORTH,  
GEORGETOWN, ONTARIO

0082-002.01      FEBRUARY 2022      FIGURE 2



PROPERTY BOUNDARIES: On-site Utility of Natural Resources and Forestry  
 SATELLITE AERIAL PHOTO SOURCE: DIGITALGLOBE, CNES, DISTRIBUTION AIRBUS DS (BNG)

DRAWING SHOULD BE PRINTED ON 11x17  
 PAPER OR EQUIVALENT SIZE



- LEGEND**
- SITE BOUNDARY
  - PROPERTY BOUNDARY
  - ▭ BUILDING FOOTPRINT
  - MONITORING WELL  
 \* MW1 TO MW9 INSTALLED  
 BY OTHERS (UNKNOWN)
  - FORMER LAGOONS  
 (FROM 1989 AERIAL)
  - ++++ RAILROAD TRACKS
  - ▭ GRAVEL
  - ▭ GRASS / TREES

**NOTES:**  
 LOCATIONS ARE APPROXIMATE.

<b>SITE PLAN</b>		
130 MOUNTAINVIEW ROAD NORTH, GEORGETOWN, ONTARIO		
0082-002.01	FEBRUARY 2022	FIGURE 3

**Appendix A**  
**Site and/or Survey Plans**





TOPOGRAPHICAL SURVEY  
 OF LOTS 26 TO 36 (inclusive)  
 LOTS 41 TO 56 (inclusive)  
 LOTS 17 TO 24 (inclusive)  
 AND PART OF  
 LOTS 57 TO 75 (inclusive)  
 AND PART OF  
 LOTS 40 and 76  
 AND INTERESTS  
 MATTHEWS STREET, WEST 20' LANE and  
 EAST 20' LANE  
 30' RESERVE BLOCK  
 REGISTERED PLAN 119  
 (CONTAINING LOTS 26 TO 36, 41 TO 56, 17 TO 24, 57 TO 75, 40 and 76)  
 TOWN OF HALTOW HILLS  
 REGIONAL MUNICIPALITY OF HALTON  
 BOOK NO. 111 AND  
 1989 & 1993 AMEND. S.L.S.

DATE OF SURVEY: 1989  
 SURVEYOR: JAMES W. YATES  
 REGISTERED PROFESSIONAL SURVEYOR  
 REG. NO. 1000  
 1000 SHEPPARD AVENUE EAST, SUITE 100  
 SCARBOROUGH, ONTARIO M1S 1B7

NOTE:  
 THIS SURVEY WAS CONDUCTED IN ACCORDANCE WITH THE SURVEY ACT AND THE REGULATIONS THEREUNDER.  
 THE SURVEYOR'S CERTIFICATE IS FILED WITH THE REGISTRAR OF LANDS AND SURVEYING.  
 THE SURVEYOR'S CERTIFICATE IS FILED WITH THE REGISTRAR OF LANDS AND SURVEYING.  
 THE SURVEYOR'S CERTIFICATE IS FILED WITH THE REGISTRAR OF LANDS AND SURVEYING.

LEGEND  
 BOUNDARY  
 EASEMENT  
 ENCUMBRANCE  
 ETC.

YATES & YATES LIMITED  
 P5-89-66  
 1000 SHEPPARD AVENUE EAST, SUITE 100  
 SCARBOROUGH, ONTARIO M1S 1B7

**Appendix B**  
**Site Photographs**



Photo 1: The Site exterior, facing south, front of the building.




Photo 2: The Site exterior, south side of the building, aboveground storage tank located behind the building.




Photo 3: The Site exterior, facing west, shipping crate and truck storage that is rented out.



Photo 4: The Site exterior, east side of the property, truck storage and parking.



Photo 5: The wooded area in the center of the property, facing north towards Mountainview Road North.



Photos 6: The Site interior, oily staining on cement flooring inside the bay door of the building.



Photo 7: The Site exterior, north side of the building facing west; storage area with four 1000 L totes.



Photo 8: The Site exterior, center of the wooded area facing northwest; two discarded vessels/tanks.



Photo 9: The Site exterior, southwest corner of the property; Adjacent property to the west, A-Plus Canada Inc. Self Storage, in the background and two 200 L plastic storage tanks located in the foreground.



Photo 10: Adjacent property to the north, residential homes.

**Appendix C**  
**Aerial Photographs**





1946



1954

Department of Lands and Forests. [Southern Ontario, 1954]. [Photo 436794]. Scale [1:63,360]. 1954-1955.





SITE

SITE



Projection: WGS 1984, NAD, Mercator Auxiliary, Sphere  
© The Corporation of the Town of Halton Hills

Scale: 1:4,514  
Date: 25-Jan-2022

This map was produced by the Town of Halton Hills and is not to be reproduced or distributed without permission. Data is approximate and should be used for information purposes only. Data is © copyright 2022 and is sublicensed through the Region of Halton, Terater Enterprises Inc. and other agencies.



- Legend**
- Town Boundary
  - Urban, Hamlet, Rural Area
  - Hamlet
  - Rural Cluster
  - Street
  - Parcel, Assessment

Notes



Projection: WGS 1984, NAD, Mercator Auxiliary Sphere  
© The Corporation of the Town of Halton Hills

Scale: 1:4,514  
Date: 25-Jan-2022

This map was produced by the Town of Halton Hills and is not to be reproduced or distributed without permission. Data is approximate and should be used for information purposes only. Data is © copyright 2022 and is sub-licensed through the Region of Halton, Teratec Enterprises Inc. and other agencies.



- Legend**
- Town Boundary
  - Urban, Hamlet, Rural Area
  - Hamlet
  - Rural Cluster
  - Street
  - Parcel, Assessment

Notes



Projection: WGS 1984, NAD, Mercator Auxiliary Sphere  
 © The Corporation of the Town of Halton Hills

Scale: 1:4,514  
 Date: 25-Jan-2022

This map was produced by the Town of Halton Hills and is not to be reproduced or distributed without permission. Data is approximate and should be used for information purposes only. Data is © copyright 2022 and is sub-licensed through the Region of Halton, Terater Enterprises Inc. and other agencies.



- Legend**
- Town Boundary
  - Urban, Hamlet, Rural Area
  - Hamlet
  - Rural Cluster
  - Street
  - Parcel, Assessment

**Notes**

## **Appendix D**


### **Mapping**






February 2, 2022

1:30,000



# Source Water Protection



## Legend

- Watercourse Direction
- Source Protection Areas
- Permits To Take Water: Active
- Wellhead Protection Area Q1
- Issue Contributing Areas
- WHPA Groundwater Under Direct Influence (WHPA-E)
- Wellhead Protection Area
- A
- B
- C
- C1
- D
- F
- Intake Protection Zone 1
- Event Based Areas
- Intake Protection Zone 2

This map should not be relied on as a precise indicator of routes or locations, nor as a guide to navigation. The Ontario Ministry of Environment, Conservation and Parks (MECP) shall not be liable in any way for the use or any information on this map, of, or reliance upon, this map.



Notes:



Absence of a feature in the map does not mean they do not exist in this area.

This map should not be relied on as a precise indicator of routes or locations, nor as a guide to navigation. The Ontario Ministry of Natural Resources and Forestry (OMNRF) shall not be liable in any way for the use of, or reliance upon, this map or any information on this map.

© Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors and may not be reproduced without permission. THIS IS NOT A PLAN OF SURVEY.



Imagery Copyright Notices: DRAPÉ © Aéro-Photo (1961) Inc., 2008 - 2009  
 GTA 2005 / SWOOP 2006 / Simcoe-Muskoka-Dufferin © FirstBase Solutions, 2005 / 2006 / 2008  
 © Queen's Printer for Ontario, 2022

Legend

- Greenbelt Area Boundary
- Greenbelt Hamlets
- ORM Boundary
- NRP Boundary
- Greenbelt External Connectors
- NEP Parks and Open Space System
- NEP Minor Urban Centres
- ANSI**
- Earth Science Provincially Significant
- Earth Science Regionally Significant
- Life Science Provincially Significant
- Life Science Regionally Significant
- Evaluated Wetland
- Provincially Significant/considerée d'importance provinciale
- Non-Provincially Significant/Non considérée d'importance provinciale
- Unevaluated Wetland
- Woodland**
- Conservation Reserve
- Provincial Park
- Greenbelt Towns and Villages
- ORM Land Use Designation
- Countryside Area/zone de campagne
- Natural Core Area/zone centrale naturelle
- Natural Linkage Area/lien naturel
- Palgrave Estates Residential Community/communauté résidentielle de Palgrave Estates
- Rural Settlement/zone de peuplement rurale
- Settlement Area/zone de peuplement
- NEP Land Use Designation
- Escarpment Natural Area/zone naturelle de l'escarpement
- Escarpment Protection Area/zone protégée de l'escarpement
- Escarpment Recreation Area/zone récréative de l'escarpement
- Escarpment Rural Area/zone rurale de l'escarpement
- Mineral Resource Extraction Area/zone d'extraction de ressources minérales
- Urban Area/zone urbaine
- Natural Heritage System
- Greenbelt Specialty Crop Area
- Greenbelt Land Use Designation
- Protected Countryside/campagne protégée
- Urban District/Ville/Zone d'habitat urbain



**Appendix E**  
**Historical Records**



# enviroscan



An SCM Company

175 Commerce Valley Drive W  
Markham, Ontario L3T 7Z3

T: 905-882-6300  
W: [www.optaintel.ca](http://www.optaintel.ca)

Report Completed By:

Midori

Site Address:

130 Mountainview Road North, Georgetown, ON

Project No:

22012500134

Opta Order ID:

104097

Requested by:  
Eleanor Goolab  
ERIS

Date Completed:  
2/7/2022 7:41:42 AM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



# Opta Historical Environmental Services Enviroscan<sup>TM</sup> Terms and Conditions

## Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

## Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

## Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

## Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

## Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W  
Markham, Ontario  
L3T 7Z3

T: 905.882.6300  
Toll Free: 905.882.6300  
F: 905.882.6300

An SCM Company  
[www.optaintel.ca](http://www.optaintel.ca)


<b>Page</b>	<b>Report Title</b>
6	(1904) Volume: Ontario Miscellaneous Firemap: 1
8	(1904) Volume: Ontario Miscellaneous Firemap: 1
10	(1934) Volume: Ontario Miscellaneous Firemap: 1
12	(1934) Volume: Ontario Firemap: 4
14	(1960) Volume: Georgetown Firemap: 8
16	(1960) Volume: Georgetown Firemap: 8
18	(1960) Volume: Georgetown Firemap: 9
20	(1960) Volume: Georgetown Firemap: 9
21	(1993) Multirisk Report - 1993 LABEL FACTORY 130 Mountainview Road Georgetown ON L7G3R1 (distance = 0 metres*)
32	(1985) Cope Report - 1985 BLACKBOX CONTROLS LTD 130 Mountainview Road North (Georgetown) Halton Hills ON L7G4Y3 (distance = 0 metres*)
36	(1982) Commercial Property Fire Inspection Survey Form Report - 1982 MALCOM BACK EQUIPMENT LTD. 130 Mountainview Road North Halton Hills (Georgetown) ON L7G4Y3 (distance = 0 metres*)
41	(1990) Multirisk Report - 1990 THE LABEL FACTORY INC. 130 Mountainview Road North Halton Hills (Georgetown) ON L7G4Y3 (distance = 0 metres*)






This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

**FIP Locator Map**  
The detailed FIP is on the following page








**FIP Locator Map**  
The detailed FIP is on the following page



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Map data © 2022







FIP Locator Map  
The detailed FIP is on the following page




This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.






This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

**FIP Locator Map**  
The detailed FIP is on the following page









This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.


**FIP Locator Map**  
The detailed FIP is on the following page






This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.


**FIP Locator Map**  
The detailed FIP is on the following page







This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

**FIP Locator Map**  
The detailed FIP is on the following page






**FIP Locator Map**  
The detailed FIP is on the following page



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Map data







# Multirisk Report - 1993 LABEL FACTORY 130 Mountainview Road Georgetown ON L7G3R1



Ontario Branch  
Confidential Report

MULTIRISK SURVEY

Insured: LABEL FACTORY

Location Surveyed: 130 MOUNTAINVIEW RD  
GEORGETOWN, ONTARIO  
L7G 3R1

Person Contacted: Carlos Noguera  
Telephone Number:

Policy Number:  
AIS Reference: 11147157

Surveyed by: Tim Belanger  
Date of Survey: 1993.02.18

Committed to Service Excellence

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire and other protection equipment have not been conducted or witnessed during this survey.

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from a survey of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any loss or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

M U L T I R I S K - F I R E , L I A B I L I T Y A N D  
B A S I C C R I M E  
-----

OCCUPANCY:

The insured is a tenant at this location. They have been in operation since 1986 and at this location for 7 year(s). They occupy 309 sq. m and are not the major occupant, having 5 employees. The premises are in good condition. The insured is interested in loss prevention, however there have not been any losses during the last 3 years.

\* Occupancy Description (Insured / major tenant if insured is non-occupant)

The insured prints labels for various commercial customers employing 5 people. All inks and processing fluids are water based, there are no flammable liquids in use. Waste fluids are environmentally friendly and are discharged directly into the sewage system. Equipment used includes one printing machine, a rewinder and a paper slitter machine. Stock paper includes large rolls stored on wood pallets.

\* Other Classes of Occupants

None

\* Undersirable Features

Non-standard portable fire extinguishers.

Risk is rateable under the Commercial Property Fire Schedule.  
It is recommended that this location be resurveyed in 1 year(s).

-----

BUILDING:

\* Built - 1930 (est.) Height: Storey(s) (excluding basement) - 1+2

\* There are no additions.

\* There are no renovations.

\* Building condition - Good

\* Area: Ground Floor - 216 sq. m Total (including basement) - 309 sq. m

-----

BASIC CONSTRUCTION:

\* Walls - 100% Masonry

\* Floors - (excluding basement) 40% Wood joist; 60% Concrete

\* Roof - 100% - Concrete  
- Surface material(s) - Not known  
- Original roof.

INTERIOR FINISH:

- \* Walls - 40% non-combustible  
- 60% open
- \* Ceilings - 30% non-combustible  
- 70% open

-----

BASEMENTS: None

VERTICAL OPENINGS:

- \* Stairs - Fire rated enclosure

MEZZANINE:

- \* Construction - wood joist
- \* Occupancy - office and storage are
- \* Area - 93 sq. m

OUTBUILDINGS: None

-----

HEATING:

- \* suspended unit heaters - 100% - Natural gas  
- Original installation.  
- Installation appears safe
- \* Fuel Tanks/Supply:  
- Supply - UG Natural Gas connection
- \* Chimneys:  
- Unlabelled Prefabricated - Standard

-----

ELECTRICAL:

- \* Condition - Good and appeared safe at the time of the survey.
- \* Wiring - BX
- \* Overcurrent protection - Circuit Breakers.
- \* Electrical system - Original installation.

-----

PLUMBING:

- \* Condition - Good at the time of the survey.
- \* Piping is Copper
- \* Plumbing - Original installation.

-----

MUNICIPAL PROTECTION:

- \* The FUS Public Fire Protection Classification is 5
- \* Responding (career) fire department Georgetown
- \* Distance from risk less than 2.5 km
- \* Access via paved roads. Year-round.
  
- \* The building itself is easily accesible to the fire department.
- \* One hydrant within 155m

PRIVATE PROTECTION at this location includes the following:

- \* Non-standard extinguishers
  
- \* An automatic sprinkler system is not present.

M U L T I R I S K - L I A B I L I T Y  
-----

OCCUPANCY - GENERAL INFORMATION

- \* Neighbourhood is predominantly industrial, rural
- \* Insured - tenant Area occupied - 309 sq. m
- \* 10% accessible to public. Public access is considered light
- \* Gross revenue - could not be determined at the time of the survey

-----

PREMISES information at the time of this survey

- \* The following appeared to be SATISFACTORY:

Stairs, ramps, handrails; Floor surfaces & coverings; Wall & ceilings;  
Interior Lighting; Exterior Lighting; Interior Housekeeping; Exterior  
Housekeeping; Washrooms; Sidewalks, Yards & Parking Lots; Snow & ice  
removal; Signs & Awnings; Fire exits

- \* Elevating devices in operation - none

M U L T I R I S K - E X P A N D E D C R I M E  
-----

BUSINESS:

The insured operates a printing of commercial labels at this location, with Normal business hours 8am-5pm, Mon-Fri.. The present inventory value is approximately \$25,000.

- \* Inventory taken - quarterly
  - \* Typical Stock - paper in roll forms, inks
  - \* There is a low smash and grab exposure at this location
- 

NEIGHBOURHOOD:

- \* Predominantly industrial / rural
  - \* Stable
  - \* Best described as having a low crime rate.
- 

THERE IS NO SECURITY ALARM SYSTEM

-----

GENERAL PROTECTION at the time of this survey:

- \* The following appeared to be SATISFACTORY:  
  
Exterior Lighting, Interior Lighting, Roof Accessability, Police Patrols
- \* Guard Service - None

DOOR DETAILS:

- \* Front - 1
  - Construction - Metal with no panels
  - Type - person
  - Equipped with Single Cylinder Dead Bolt, Slide Bolt
  - Not wired to alarm system
  
- \* Front - 1
  - Construction - Wood with no panels
  - Type - person
  - Equipped with Slide Bolt
  - Not wired to alarm system



- \* Side - 1
  - Construction - Wood with no panels
  - Type - person
  - Equipped with Slide Bolt
  - Not wired to alarm system
  
- \* Side - 1
  - Construction - Wood with no panels
  - Type - person
  - Equipped with Single Cylinder Dead Bolt, Slide Bolt
  - Not wired to alarm system

WINDOW DETAILS:

- \* Front - 6
  - Type - removable - plain glass
  - Burglary screens - No
  - Burglary Bars - No
  - Windows not wired to alarm system
  
- \* Side - 4
  - Type - fixed - plain glass
  - Burglary screens - No
  - Burglary Bars - No
  - Windows not wired to alarm system

-----

MONEY ON HAND:

- \* Cheques - Ave \$1,700 - Max \$8,000 - Overnight \$0

CHEQUES:

- \* Cashed - No

DEPOSITS:

- \* Frequency - Daily
- \* Deposits made during daytime Hours vary
- \* Distance is 1 km No staff accompany

-----

SAFE: There is no safe on the premises.

-----

M U L T I R I S K  
R E M A R K S / R E C O M M E N D A T I O N S  
-----

REMARKS:

- \* Fire, Liability & Basic Crime - The insured was very interested in risk management suggestions. All recommendations from a previous survey have been acted upon.

A small repair shop is used by the insured for personal projects. Occasional use of oxy-acetylene is considered safe. No smoking signs are posted and the non-smoking rules are enforced. The insured was very co-operative at the time of this survey.

Improvements made from previous recommendations include installing slip tread cover on stairway, new slide bolts on side doors and a dead bolt lock on rear door. There is no longer a guard dog on premises after hours.

- \* Expanded Crime - Business is done by cheque recievables only. There are no cash receipts. There is no past history of break-ins or trouble noted in this area according to contact.

RECOMMENDATIONS:

- \* 93-1 Fire, Liability & Basic Crime - Portable fire extinguishers should be serviced and tagged annually by a recognized service contractor.

# Cope Report - 1985 BLACKBOX CONTROLS LTD 130 Mountainview Road North (Georgetown) Halton Hills ON L7G4Y3



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

INSURERS' ADVISORY ORGANIZATION  
CONFIDENTIAL - FOR USE OF MEMBERS ONLY  
NOT FOR GENERAL DISTRIBUTION

2008-Nov-10  
12:59 [Mon]

COPE (Construction, Occupancy, Protection, Exposure) REPORT

Risk: BLACKBOX CONTROLS LTD  
130 MOUNTAINVIEW RD NORTH  
(GEORGETOWN)  
HALTON HILLS ONTARIO  
L7G 4Y3

Reference No. 11147157 / Building No. 01

( Surveyed By A ZIMMER on 09-JUL-85 )

-----  
Please note that the information contained in this report was gathered during a physical inspection of the risk by an IAO Loss Control Representative.

If you wish to obtain building or contents rates for this risk, please refer to the Rate Card in the list of products available for this risk. Please call the IAO Help Desk or your local IAO Representative for help in obtaining a rate for this risk, or do it yourself by going to [www.iao.ca](http://www.iao.ca) and using the New X-rate to generate a new rate yourself.

-----  
IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any loss or damages, whether consequential or other, however caused, incurred or suffered, as a result of the service being provided.

----- CODING -----

Industry Code: 359 - MANUFACTURING: Light Products N.O.C.  
Construction Code: 4 - Masonry  
Risk Classification: NS - Non-Sprinklered  
Protection Code: 4 - Non-Sprinklered, Semi-Protected, Gr 5-7  
Combustibility L2

----- CONSTRUCTION -----

WALLS - MASONRY:  
100% C B WALLS 300mm Thick C-2 Type: W-1

MASONRY and FIRE RESISTIVE FLOOR and ROOFS:  
40% CONC GRADE FLOOR Hours: 2.00 Listed? U Type: D-1

FLOORS & ROOFS - COMBUSTIBLE:  
20% 2ND FLOOR-WOOD JOIST C-2  
40% WOOD JOIST ROOF C-2

----- SECONDARY CONSTRUCTION -----

HEIGHT:

Number of Storeys: 1&  
Basements: N

Combustible Storeys Without Grade Access: 1

VERTICAL OPENINGS:

1ST-2ND, GYP/WOOD Comb.: L2 Const.: 4  
Type: Open (V-4) 0 Hrs-Walls/ 0 Hrs-Doors

AREA:

Building Dimensions (m): 18 X 12 0 X 0 0 X 0

Grade: 216 m2 Total: 309 m2 Effective: 309 m2

L1, L2 Area 0%

ROOF SURFACE:

100 % APPROVED

COMBUSTIBLE CONCEALED SPACES:

30 % ROOF SPACE

BUILDING CONDITION:

MODERATE DEF'Y Type C-A

Year Built: "OLD" Air Conditioning: NIL

Basement: NIL

Elevators: NIL

COMMON HAZARDS: 7211C1 - GAS UNIT HEATERS

----- PROTECTION -----

MUNICIPAL PROTECTION:

Distance from Hydrants: NON STD Congested Area: NO  
Distance to Fire Hall: STANDARD Accessibility: GOOD  
FUS Protection Class: 05  
Revised Class: 06  
IAO Protection Class: 06

INTERNAL PROTECTION:

MANUAL FIRE FIGHTING EQUIPMENT: Portable Fire Extinguishers  
Standpipe and Hose

----- EXPOSURE -----

NONE NOTED:

----- OCCUPANCY - BLACKBOX CONTROLS LTD -----

Industry Code: 359 - MANUFACTURING: Light Products N.O.C.

Occupancy: 6052C - REMOTE CONTROLS-MFG/INST

Location: 130 Area: 309 m2 100.0% of Total

Combustibility Code: L2 - Limited Combustibility

Susceptibility Code: S3 - Moderate Damage

-----



# Commercial Property Fire Inspection Survey Form Report - 1982 MALCOM BACK EQUIPMENT LTD. 130 Mountainview Road North Halton Hills (Georgetown) ON L7G4Y3





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

- Mercantile Risk  
 Miscellaneous Risk

**COMMERCIAL PROPERTY FIRE INSPECTION SURVEY FORM**

(Use this form for all Non-Manufacturing risks, and some Manufacturing risks with five hands or less, of all construction, but excluding Sprinklered properties)

Address: No. 130 Street/Road Etc. MOUNTAINVIEW ROAD NORTH  
Municipality HALTON HILLS (GEORGETOWN) (Formerly) \_\_\_\_\_  
Owned by: MALCOM BACK EQUIPMENT LTD Occupied by: SAME  
Age of building (Built in) UNKNOWN : \_\_\_\_ . Additions (Built in) \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_ : \_\_\_\_  
Is building completely finished & out of workmens hands? Yes  No  IBC Code: Terr: 90 Ind: 359 Cons: 4 Prot: 4

**BASIC CONSTRUCTION - (SECTION II)**

**- EXTERIOR WALLS:**

NSEW	NSEW	NSEW	NSEW	NSEW
( <input checked="" type="checkbox"/> )	( <input checked="" type="checkbox"/> )	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
INDEPENDENT	BEARING	NON-BEARING	PARTY	PARAPET

(Refers to compass point direction of wall, i.e. North, South, East or West)  
(Describe material & thickness of all walls including make-up of combustible walls & any fire retardant impregnation. Also, check off appropriate wall supports below:)

(12") CONCRETE BLOCK

COLUMNS OF WOOD ; HEAVY WOOD (min. 150mm x 300mm) ; UNPROTECTED STEEL ; PROTECTED STEEL  protected by \_\_\_\_\_ having a fire-resistance rating of \_\_\_\_ hrs.  
PANELS of Non-Combustible material or GLASS ; COMBUSTIBLE  (describe) \_\_\_\_\_  
Wall: N. \_\_\_\_% S. \_\_\_\_% E. \_\_\_\_% W. \_\_\_\_%

**- FLOORS & ROOF: (Describe Floor & Roof Materials Including Thickness & Nature Of Supports)**

Floor Level	% Aut. Spk. Sec	Fire Resistive & Masonry	Fire Res. in Hrs.	Non-Combustible	Combustible
Grade		CONCRETE			
2					WOOD JOIST
Roof					" "

COMBUSTIBLE FLR. on Lowest BASEMENT Level: Yes ; No . If Yes, Describe & Give Percentage - N/A

**SECONDARY CONSTRUCTION - (SECTION III)**

- HEIGHT: (Nbr.) 1+2 Storeys High; Basement: Yes ; No . (Nbr.) ONE Combustible Storeys Without Ground Level Access.

- VERTICAL OPENINGS: Elevators ; Stairs ; Other  (describe) \_\_\_\_\_  
(Describe Construction & Type of Enclosure (s) & Door (s) Fully)

Elv., S' way or Other	Nbr.	From:	To:	ENCLOSURE(S)	DOOR(S)
STAIRS	1	1	2	OPEN	WOOD.

- AREA: Basement : \_\_\_\_\_ : \_\_\_\_\_ x \_\_\_\_\_ = \_\_\_\_\_ m<sup>2</sup>  
1st. Floor : (40' x 40') : (40' x 20') : x \_\_\_\_\_ = 225.2 m<sup>2</sup>  
(ESTIMATED) 2nd Floor : \_\_\_\_\_ : (40' x 20') : x \_\_\_\_\_ = 79.4 m<sup>2</sup>  
3rd (& Other): \_\_\_\_\_ : \_\_\_\_\_ : x \_\_\_\_\_ = \_\_\_\_\_ m<sup>2</sup>  
Separation Walls  (describe) \_\_\_\_\_ . Total Area 297.6 m<sup>2</sup>  
EFFECTIVE AREA: 297.6 m<sup>2</sup>

- ROOF SURFACE: Non-Combustible  (describe) \_\_\_\_\_ . Combustible  (describe) \_\_\_\_\_ .  
Patent . FALSE ROOF over Masonry or Fire Resistive Roof ( ) (describe) \_\_\_\_\_ .

- COMBUSTIBLE CONCEALED SPACES: NONE  
Combustible Space In Roof , &/or Ceiling . If In Roof, Is This An Attic . Cut Off . Shut Off . With Access Limited By Trap(s)/Hatchway(s) . In Proportion To Total Roof/Ceiling Area COMBUSTIBLE CONCEALED SPACE Comprises \_\_\_\_\_ % In ROOF &/or \_\_\_\_\_ % In CEILING. Describe \_\_\_\_\_ .  
EXCEEDING 15 cm (6")

- continued -

- COMBUSTIBLE Floor Surfacing  (describe & give % of total floor area affected) \_\_\_\_\_
- INTERIOR Partitions/Walls  (describe & give % of total interior wall area) N/A
- CONSTRUCTION: Mezzanines/Decks  (describe & give % of total area of floors & roof) \_\_\_\_\_

- INTERIOR FINISH or INSULATION: (Specify Where SPECIAL DAMAGE Materials Are Used)

Specify FLOOR	GAD.	2ND			
Walls:	CONC. BLK	Gypsum			
Ceiling:	OWJ	"			
Interior Partitions	CONC. BLK	"			
Smoke Developed					
Flame Spread					

Ordinary Damage Materials Attached To Fire Resistive or Non-Combustible Walls  and/or Ceiling  N/A

- COMB. EXTERIOR ATTACHMENTS OR FINISH: N/A Attachments  Comprise Of (describe & give chargeable %) \_\_\_\_\_
- Finish  Comprises Of (describe & give chargeable %) \_\_\_\_\_
- Smoke Developed - 200 or Less ; Over 200 ; Flame Spread Rating \_\_\_\_\_
- None Of The Above . Are Attachments/Finish Attached/Applied To Fire Resistive or Non-Comb., Walls or Roof? Yes ; No .

- BUILDING CONDITION: Moderate . Major . Extreme Deficiencies . Describe Sub-Standard Structural Conditions N/A

COMMON HAZARDS - (SECTION VII, Items 720-724)

- HEATING: Building Heated? Yes ; No . Borrowed Heat . Describe Heating System Including Controls & Fuel Used: NATURAL GAS tiled SUSPENDED UNIT
- Describe Chimney(s) & Deficiencies If Any: METAL
- ELECTRICAL: FUSES: Type "S" ; Type "C" & Rejector System ; Circuit Breakers ; ORDINARY ; Used Exclusively .
- Aluminum Wiring ; Rigid Conduit ; Other  (describe) BY CABLE. Open .
- Electrical Equipment Defects: None ; Minor ; Moderate ; Major ; Serious . Describe Condition: \_\_\_\_\_

- HOUSEKEEPING: See General Underwriting Comments Section (Page 3)

MUNICIPAL PROTECTION - (SECTION IX)

- FIRE DEPARTMENT: Risk Within 2.5 km Of Nearest Fire Hall? Yes ; No . If No - State Distance To Fire Hall: 2.5 km.
- HYDRANTS: Two Hydrants Within 155m of Risk? Yes ; No . And All Parts Of Building Within 155m Of At Least One Hydrant? Yes ; No . MAINS - 150mm ; 200mm ; 300mm . Other (describe) \_\_\_\_\_
- Circulating ; and/or Dead End  Mains. Describe Deficiency (if any): \_\_\_\_\_
- ACCESSIBILITY: Risk Accessible At Least On One Side By Street 15m In Width? Yes ; No . If No - Describe \_\_\_\_\_
- CONGESTED AREA: Congested/Conflagration Hazard Prevails? Yes ; No . If Yes, Describe Under General Underwriting Comments.
- PRIVATE PROTECTION: Is There Exclusive Private Protection . Or Supplement To Municipal Protection ( ). Describe NONE

INTERNAL PROTECTION - (SECTION XI)

- MANUAL FIRE FIGHTING EQUIPMENT: Standard ; Non-Standard . (See Occupancy Section, page 3).
- WATCHMAN SERVICE: Standard . Including Proprietary Supervision . Including Central Station Supervisory Ser. . Describe: NONE
- AUTOMATIC FIRE DETECTION SYSTEM: Full Protection ; Partial Protection (i.e. Minimum Requirements) ; Describe (& Attach Form No. 2184-6/80, for Automatic Fire Alarm Detection Systems, After Completion) NONE
- PARTIAL AUTOMATIC SPRINKLER SYSTEMS: Acceptable Waterflow Alarm To Approved CENTRAL STATION . No Such Alarm . Total area Protected by Automatic Sprinklers Comprises \_\_\_\_\_ M<sup>2</sup>.
- OTHER LIMITED AUTOMATIC FIRE PROTECTION SYSTEMS: Area Protected by: HALON ; CO<sub>2</sub> ; HIGH EXPANSION FOAM ; Other (describe) NONE. Comprises \_\_\_\_\_ m<sup>2</sup>.  
(Other Than A. S.)

- continued -

- continued

COMMERCIAL PROPERTY FIRE INSPECTION SURVEY FORM  
OCCUPANCY & SPECIAL HAZARDS - (SECTIONS IV, V, VI & VII)

- SEPARATED OCCUPANCY: Is There Any Occupant(s) Cut-Off VERTICALLY  /HORIZONTALLY ? Yes ; No .  
If Yes - Such Occupant Occupies \_\_\_\_\_ m<sup>2</sup>, Comprising \_\_\_\_\_ % Of The Total Floor Area;

Describe: \_\_\_\_\_

OCCUPANCY DETAILS: Indicate:				1) Business Name Of Each Tenant, 2) Special Hazards Including Process Operation(s) And Faults Of Management, 3) Number, Type and Location Of Manual Fire Fighting Equipment, 4) Any Other Exceptional Features Of The Risk Not Discussed Elsewhere, and 5) Any Vacant Section(s).
CIVIC NO.	FLOOR LEVEL	AREA (m <sup>2</sup> )	IBC IND. CODE	
130	9RD	223.2	359	"MALCOM BLACK EQUIPMENT LTD" REPAIRS AND INSTALLATION OF TRUCK BOOMS, UTILIZING AND TOOLS AND A OXY-ACETYLENE WELDING UNIT TWO METAL WORKING LATHES ARE ALSO USED.
"	2ND	744		THIS AREA IS USED FOR REPAIRING RADIOS REMOTE CONTROL UNITS, UTILIZING "WELER" TYPE SOLDERING IRONS (EQUIPPED WITH PILOT LIGHT)
Total Floor Area				297.6 359 ← (Building Owner's Interest) - Continued on attached sheet <input type="checkbox"/> -


GENERAL UNDERWRITING COMMENTS

- HOUSEKEEPING & MAINTENANCE: Excellent ; Good ; Average ; Poor  (describe) \_\_\_\_\_

- NEIGHBOURHOOD: Isolated ; Residential ; Commercial ; Industrial ; Congested/Conflagration Hazard  (describe) \_\_\_\_\_

- OPINION OF RISK: Excellent ; Good ; Average ; Poor  (describe) \_\_\_\_\_

- continued -



EXPOSURE - (SECTION VIII)

WALL OF BUILDING BEING RATED					BETWEEN BLDGS.		FACING WALL OF EXPOSURE						
Direction	Blnk.	Comb. & Non-Comb	Msnry. Up	Msnry. Sp	Distance	Party Wall	Blnk.	Msnry. Sp	Msnry. Up	Non-Comb.	Comb.	Occ'y Haz.	Length/Height
NORTH	CNR TRACES												
SOUTH	den												
EAST	"												
WEST	"												

Requested by: ROYAL INSURANCE

Sig. Of Insp. Adk Silk  
 Dt. 22 APR 02 / AP02  
 (Inspected) (Written Up)

Report Date: 24 MAR 02  
 (Dt. Request Recd. In IAO Service Office)

Revised By: \_\_\_\_\_  
 Dt. \_\_\_\_\_ / \_\_\_\_\_

# Multirisk Report - 1990 THE LABEL FACTORY INC. 130 Mountainview Road North Halton Hills (Georgetown) ON L7G4Y3





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

# MultiRisk

INSPECTION SERVICES

**BASIC FIRE & LIABILITY SURVEY**  
**CONFIDENTIAL**

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named below. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire protection equipment have not been conducted or witnessed during this inspection.

Insured: THE LABEL FACTORY INC. Person contacted: VICKIE MASSENA  
 Address: 130 MOUNTAINVIEW RD. N. Telephone #: 873-0867  
HALTON HILLS (GEORGETOWN) ONTARIO IAO Representative: P.C. TOMLINSON  
 Policy/Reference #: [REDACTED] Inspection date: JAN 30, 1990

**OCCUPANCY:**

(Describe operations, special hazards and any unusual features)

INSURED IS:  BUILDING OWNER  OWNER/OCCUPANT  TENANT

INSURED  MAJOR OCCUPANT AREA OCCUPIED: 304 m<sup>2</sup>

THE INSURED EMPLOYS 5 HANDS IN THE PRINTING OF LABELS USED ON SHIPPING & PACKING CONTAINERS AND COMPUTER LABELS. EQUIPMENT USED CONSISTS OF TWO PRESSES AND A REWIND MACHINE. ALL INKS USED ARE NON FLAMMABLE, NON COMBUSTIBLE. NO SMOKING SIGNS ARE POSTED AND APPEAR TO BE ENFORCED. PILING INCLUDES LARGE ROLLS OF PAPER, IS SAFE, HOWEVER THE BUILDING'S COMBUSTIBLE CONTENT IS FAIRLY HIGH. A SMALL WORKSHOP IS ALSO PRESENT CONSISTING OF A DRILL PRESS, HAND TOOLS, AND A SELDOM USED DEGREASING TANK. FLAMMABLE LIQUIDS USED FOR CLEANING THE PRINTING PLATES CONSISTS OF ONE 15 GALLON CONTAINER OF "ANAFLEX" (F.P. BELOW 100°F). ONE PLATEMAKER AND DARKROOM EQUIPMENT IS ALSO USED IN THE PROCESS.

OTHER OCCUPANTS - NONE

OPINION OF RISK:  Excellent  Good  Fair  Poor

Undesirable features: NON STANDARD DISPENSING OF FLAMMABLE LIQUIDS  
NON STANDARD DEGREASING TANK, STAIRS WITHOUT SIPP TREADS

IT IS RECOMMENDED THAT THIS LOCATION BE REINSPECTED IN 1 YEAR(S)

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

### 1. BUILDING

Year built: 1930 LATEST Additions: \_\_\_\_\_

Building renovated:  No  Yes 19\_\_\_\_ Storeys: 2+1 Height: 6.1 m

Basement:  No  Yes \_\_\_\_\_ m<sup>2</sup> Finished \_\_\_\_\_ % Unfinished \_\_\_\_\_ % Area: Ground floor 216 m<sup>2</sup> Total 309 m<sup>2</sup>

Building condition:  Excellent  Good  Fair  Poor

Wall construction: Fire resistive \_\_\_\_\_ % Non-combustible \_\_\_\_\_ % Masonry 100 % Brick veneer \_\_\_\_\_ % Wood frame \_\_\_\_\_ %

Floor construction:  Wood joist  Concrete  Concrete on metal pan  Other 2ND FLOOR WOOD JOIST

Roof construction:  Wood joist  Concrete  Steel deck  I  II  Other \_\_\_\_\_

Resurfaced:  No  Yes 19\_\_\_\_

Interior Finish: Walls: Combustible \_\_\_\_\_ % Non-combustible 35 % Open 65 %

Ceilings: Combustible \_\_\_\_\_ % Non-combustible 30 % Open 70 %

Vertical openings:  None  Stairs  Elevator Other \_\_\_\_\_

Proper protection:  Yes  No  Not applicable

Mezzanines:  Yes  No

Construction: WOOD

Occupancy: STORAGE + OFFICES, DARK ROOM

Area: 600 sq 5.6 m<sup>2</sup>

Outbuildings:  Yes  No

Construction: WOOD

Occupancy: NOT USED

Area: 600 sq 5.6 m<sup>2</sup>

Condition:  Excellent  Good  Fair  Poor

### 2. HEATING

Hot water/steam: \_\_\_\_\_ %  Electric  Gas  Oil Other \_\_\_\_\_

Forced warm air: \_\_\_\_\_ %  Electric  Gas  Oil Other \_\_\_\_\_

Suspended unit heaters: 100 %  Electric  Gas  Oil Other \_\_\_\_\_

Portable heaters: \_\_\_\_\_ %  Electric  Gas  Oil Other \_\_\_\_\_

Electric baseboard units: \_\_\_\_\_ %

Other: \_\_\_\_\_ %  Electric  Gas  Oil Other \_\_\_\_\_

Appliances enclosed in a standard room:  Yes  No  Not required

Combustible materials stored in the room:  Yes  No

Fuel tanks:  None  Inside  Outside above ground  Outside below ground

Fill and vent piping outdoors:  Yes  No \_\_\_\_\_

Chimneys:  Masonry  ULC Factory built  Unlabelled pre-fab Other TYPE "B" GAS VENTS

Standard  Non-standard

Installation appears safe:  Yes  No \_\_\_\_\_

Installation replaced:  No  Yes 19\_\_\_\_ %

### 3. ELECTRICAL

Type:  Conduit  Bx  Non-metallic cable Other \_\_\_\_\_

Overcurrent protection:  Circuit breakers  Type S fuses  Other fuses

Condition:  Good  Fair  Poor

Installation appears safe:  Yes  No \_\_\_\_\_

Installation replaced:  No  Yes 19\_\_\_\_ %

### 4. PLUMBING

Type:  Copper  Galvanized  Plastic  Other \_\_\_\_\_

Condition:  Good  Fair  Poor

Installation replaced:  No  Yes 19\_\_\_\_ %

N/A

5. EXPOSURE: Include exposures within 15 m of risk (Omit if information provided on diagram)

	Dist.	Height	Construction	Occupancy
Front	m	Sto.		
Rear	m	Sto.		
Left	m	Sto.		
Right	m	Sto.		

Neighbourhood:  Industrial    Commercial    Residential    Rural  
 Appears to be:  Stable   Changing via:  Expansion/growth    Renovation    Deterioration

6. MUNICIPAL PROTECTION:

FUS Public Fire Protection Classification: 5  
 Responding Fire Dept.: GEORGETOWN  
 Career    Volunteer    Composite  
 Distance to Fire Department: 1 km  
 Roads:  Paved    Unpaved  
 Accessible Year-round:  Yes    No  
 Difficult access to building for Fire Department:  Yes    No  
 Hydrants: 2 within 155 m  
 \_\_\_\_\_ within 156-312 m  
 \_\_\_\_\_ over 312 m

7. PRIVATE PROTECTION:

Are the following standard?  
 Extinguishers:  Yes    No  
 Standpipe and Hose:  Yes    No    N/A  
 Fire Detection/Alarm System:  Yes    No    N/A  
 Watchman Service:  Yes    No    N/A  
 Restaurant Cooking Protection:  Yes    No    N/A  
 Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 Automatic Sprinkler Protection:  Yes    No    Partial  
 IAO File: \_\_\_\_\_

8. PREMISES LIABILITY

Insured's area: 309 m<sup>2</sup>   Accessible by the public: 10 %  
 Access by the public:  Heavy    Moderate    Light   Gross Revenue \$: UNKNOWN  
 Are the following satisfactory?  
 Stairs, ramps, handrails:  Yes    No    N/A   Sidewalks, yards, parking lots:  Yes    No  
 Floor surfaces and coverings:  Yes    No   Signs and awnings:  Yes    No    N/A  
 Walls and ceilings:  Yes    No   Roof attachments:  Yes    No    N/A  
 Interior lighting:  Yes    No   TV dishes:  Yes    No    N/A  
 Exterior lighting:  Yes    No    N/A   Other attachments:  Yes    No    N/A  
 Emergency lighting:  Yes    No    N/A   Fire exits:  Yes    No  
 Interior housekeeping:  Yes    No   Fire alarms:  Yes    No    N/A  
 Exterior housekeeping:  Yes    No    N/A   Fire escapes:  Yes    No    N/A  
 Washrooms:  Yes    No    N/A  
 DO THE FOLLOWING FEATURES APPLY?  
 Sale of food:  Yes    No   Dance floor:  Yes    No  
 Sale of alcohol:  Yes    No   Swimming pool:  Yes    No  
 Bouncers:  Yes    No   Permanent guests or boarders:  Yes    No  
 Guard dogs:  Yes    No  
 Elevating devices (#): \_\_\_\_\_ Passenger elevators \_\_\_\_\_ Freight elevators \_\_\_\_\_ Hoists \_\_\_\_\_ Escalators \_\_\_\_\_ Other \_\_\_\_\_  None  
 Maintenance contract:  Yes    No

9. GENERAL REMARKS

Insured in business since: 19 86   Number of employees: 5  
 Premises in good condition and well maintained:  Yes    No   Insured apparently interested in loss prevention:  Yes    No  
 Losses during last 2 years:  None   Other \_\_\_\_\_



IT WAS STATED THAT THE DEGREASING TANK IS SELDOM USED. THE TANK HAS A METAL LID BUT NO FUSIBLE LINK. THE "ANAFIX" IS STORED IN AND DISPENSED FROM ITS ORIGINAL 15 GALLON SHIPPING CONTAINER.

- 8 THE STAIRS TO THE SECOND FLOOR ARE NOT EQUIPPED WITH SLIP TREADS. THE SUPPLY OF PORTABLE FIRE EXTINGUISHERS IS STANDARD BUT OUTDATED (AUGUST 1990). THE INSURER HAS A LARGE DOG TIED UP OUTSIDE. ALTHOUGH THIS IS NOT A TRAINED GUARD DOG, IT WAS STATED, THE DOG IS AGGRESSIVE, PARTICULARLY AT NIGHT.

#### RECOMMENDATIONS.

- 90-1 IF THE DEGREASING TANK IS TO BE USED AGAIN, THE LID SHOULD BE EQUIPPED WITH A FUSIBLE LINK SO THAT THE LID WILL CLOSE AUTOMATICALLY.
- 90-2 THE STAIRS TO THE SECOND FLOOR SHOULD BE EQUIPPED WITH SLIP TREADS.
- 90-3 ALL PORTABLE FIRE EXTINGUISHERS SHOULD BE SERVICED AND TAGGED ANNUALLY.
- 90-4 METAL SAFETY CONTAINERS LABELLED BY THE "UNDERWRITERS LABORATORIES" SHOULD BE UTILIZED FOR THE DISPENSING OF "ANAFIX".



NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named below. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire protection equipment have not been conducted or witnessed during this inspection.

Insured: THE LABEL FACTORY INC. Person contacted: VICKIE MASSENA  
 Address: 139 MOUNTAINVIEW Road, NORTH Telephone #: 873-0867  
HAYTON HILLS (GEORGETOWN) ONTARIO IAO Representative: P.C. TOMLINSON  
 Policy/Reference #: [REDACTED] Inspection date: JAN 30, 1990

### 1. COLLAPSE

Grounds are:  Natural  Filled land  Undetermined  
 Risk of collapse:  Yes  No  
 Erosion  Landslide  Underground hazards  Heavy snow belt area Other \_\_\_\_\_  
 Evidence of sagging:  Yes  No  
 Walls  Floors  Roof  Structural supports  Cornice/awning  Porch Other \_\_\_\_\_  
 Adequate drainage:  Yes  No \_\_\_\_\_  
 Roof and floors adequately supported and not overloaded:  Yes  No \_\_\_\_\_  
 Stock fixtures adequately supported:  Yes  No  Not applicable

### 2. FLOOD

Bodies of water nearby:  Yes  No  
 Pond/Lake \_\_\_\_\_ m  River/Canal \_\_\_\_\_ m  Stream/Creek \_\_\_\_\_ m  
 Bay/Harbour \_\_\_\_\_ m  Man-made impoundment \_\_\_\_\_ m Other \_\_\_\_\_  
 Area subject to:  Surface accumulation  Flooding  Sewage back-up  
 Recent development:  Yes  No  
 Evidence of inadequate drainage:  Yes  No  
 Special flood protection provided:  Yes  No  
 History of floods at location:  Yes  No

### 3. WATER DAMAGE

Plumbing:  copper  galvanized  plastic Other \_\_\_\_\_  
 Exposure to freezing:  Yes  No Exposed to mechanical damage:  Yes  No  
 Evidence of leakage:  Yes  No Evidence of corrosion:  Yes  No  
 Adequate support:  Yes  No  
 Evidence of water damage:  Yes  No  
 Floors  Ceilings  Interior walls  Exterior walls  
 Stock susceptibility:  Slight  Moderate  Severe  
 Stock storage:  None  In basement  On CONC floor(s)  Skid and/or shell storage  
 Inside and/or roof storage tank(s) or process equipment:  Yes  No  
 If yes, is tank on same level or higher than insured?  Yes  No

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

**4. EXTENDED COVERAGE:**

Lightning Unusual Features  Yes  No  
 Properly Grounded  Yes  No  
 Explosion: Unusual Features  Yes  No  
 Impact Hazards: Aircraft  Yes  No  
 Land Vehicles  Yes  No  
 Watercraft  Yes  No  
 Smoke: Unusual Features  Yes  No  
 Windstorm: Unusual Features  Yes  No  
 Exterior Attachments or Signs  Yes  No

Riot Vandalism & Malicious Acts:  
 Access Restricted  Yes  No  
 Guard Supervised  Yes  No  
 Yards Fenced  Yes  No  
 Yards Lit  Yes  No

Leakage From Fire Protection Equipment  
 Applicable  Yes  No  
 Stock Skidded or Shelved  Yes  No  
 Floors Drained  Yes  No

Comments: \_\_\_\_\_

**5. THEFT (Complete this area only if the Crime Supplement is not being provided.)**

Merchandise/Contents: \_\_\_\_\_  
 Alarms:  Yes  No ULC labelled:  Yes  No  
 Protection:  Perimeter  Area  Other \_\_\_\_\_  
 Type of response facility:  
 ULC central station Company name: \_\_\_\_\_  
 Monitoring station Company name: \_\_\_\_\_  
 Police station  Owner's dwelling  
 Private  Local alarm  
 Other \_\_\_\_\_

Do all accessible openings appear to be adequately protected?  Yes  
 No \_\_\_\_\_  
 If further details are required, it is recommended that an IAO Crime Report be ordered. Call your local IAO office for a quote.

**6. LOSS HISTORY:**  No  Yes \_\_\_\_\_

No.	REMARKS & RECOMMENDATIONS
	LOCATED IMMEDIATELY BEHIND THE BUILDING IS A RAILWAY TRACK THIRTY-FIVE FEET AWAY.
	THE REAR DOOR HAS A SLIDE BOLT LOCK ONLY.
901	RECOMMENDATION THE REAR DOOR SHOULD BE EQUIPPED WITH A DEAD BOLT LOCK.

**ERIS**  
ENVIRONMENTAL RISK INFORMATION SERVICES



---

CITY  
**DIRECTORY**

**Project Property:** *130 Mountainview Road North, Georgetown, Ontario*  
**Report Type:** *City Directory*  
**Order No:** *22012500134*  
**Information Source:** *Polk's Halton/Peel, Ontario, Criss-Cross Directory*  
**Date Completed:** *2022/02/07*

***\*\*Note addendum regarding documentation results\*\****

**Environmental Risk Information Services**  
A division of Glacier Media Inc.  
1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)

**City Directory Information Source**

Polk's Halton/Peel, Ontario, Criss-Cross Directory

<b>PROJECT NUMBER:</b> 22012500134	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year:</b> 2000	
<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	-Kaleido Glass
<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>

<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	-Labelmasters Canada -Cdn. Coated Papers -Meco Holdings

<b>PROJECT NUMBER:</b> 22012500134	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year:</b> 1994	
<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	-Street Not Listed

<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	-Label Masters Canada -Cdn. Coated Papers -Meco Holdings

<b>PROJECT NUMBER:</b> 22012500134	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year:</b> 1989	
<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed

<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	-Street Not Listed
<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	-Label Masters Canada -Gebs Carpentry

<b>PROJECT NUMBER:</b> 22012500134	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year:</b> 1984	



<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	-Street Not Listed
<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	-Label Masters Canada -Gebs Carpentry

<b>PROJECT NUMBER:</b> 22012500134	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year:</b> 1979	
<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	-Street Not Listed
<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>

<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	<i>-Address Not Listed</i>

<b>PROJECT NUMBER: 22012500134</b>	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year: 1975</b>	
<b>Site Listing:</b>	<i>-Residential, or Address Not Listed</i>
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	<i>-Residential, or Address Not Listed</i>
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	<i>-Street Not Listed</i>
<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>

<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	<i>-Information Inaccessible</i>

<b>PROJECT NUMBER: 22012500134</b>	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year: 1970/1971</b>	
<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	-Street Not Listed

<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	-Address Not Listed

<b>PROJECT NUMBER: 22012500134</b>	
<b>Site Address:</b>	130 Mountainview Road North, Georgetown, Ontario
<b>Year: 1962</b>	
<b>Site Listing:</b>	-Residential, or Address Not Listed
<b>Adjacent Properties:</b>	
<b>121 Mountainview Road North</b>	-Residential, or Address Not Listed
<b>163 Mountainview Road North</b>	<i>-Information Inaccessible</i>

<b>167 Mountainview Road North</b>	<i>-Information Inaccessible</i>
<b>2 Lamb Street</b>	<i>-Street Not Listed</i>
<b>11 River Drive</b>	<i>-Information Inaccessible</i>
<b>15 River Drive</b>	<i>-Information Inaccessible</i>
<b>17 River Drive</b>	<i>-Information Inaccessible</i>
<b>36 River Drive</b>	<i>-Information Inaccessible</i>
<b>45 River Drive</b>	<i>-Information Inaccessible</i>
<b>2 Rosetta Street</b>	<i>-Street Not Listed</i>

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as “residential” with the number of tenants. The name of the residential tenant is not listed in the above city directory.

***\*\*Due to unforeseen circumstances resulting from the Covid-19 pandemic of 2020, access to information sources has been prohibited. While all additional measures were taken in order to provide accurate information where possible, some project searches yielded no results.\*\****

# ServiceOntario

LAND  
REGISTRY  
OFFICE #20

25039-0387 (LIT)

PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

PAGE 1 OF 2  
PREPARED FOR EEGCOLAB  
ON 2022/02/09 AT 14:04:20

PROPERTY DESCRIPTION: PT LTS 17, 18, 19, 20, 21, 22, 23 & 24 & LTS 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35 & 36 & PT LT 40 & LTS 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55 & 56 & PT LTS 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75 & 76, PL 119, PT RESERVE BLOCK, PL 119 ; PT MATTHEWS ST, PL 119 , AS CLOSED BY 265642 ; LANE, PL 119 , AS CLOSED BY 265642 ; PT LANE, PL 119 , AS CLOSED BY 265642; PART 1, 2, 3, 20R9222 ; S/T G8665 HALTON HILLS

PROPERTY REMARKS:  
ESTATE/QUALIFIER:  
FEE SIMPLE  
LT CONVERSION QUALIFIED  
RECENTLY:  
FIRST CONVERSION FROM BOOK  
CAPACITY SHARE  
BENO  
OWNERS' NAMES  
1273679 ONTARIO INC.  
PIN CREATION DATE:  
1997/01/27

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
**EFFECTIVE	2000/07/29	THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/01/27 ON THIS PIN**				
**WAS REPLACED WITH THE	"PIN CREATION DATE" OF 1997/01/27**					
** PRINTOUT	INCLUDES ALL DOCUMENT TYPES (DELETED INSTRUMENTS NOT INCLUDED) **					
**SUBJECT,	ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:					
**	SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *					
**	AND ESCHEATS OR FORFEITURE TO THE CROWN.					
**	THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF					
**	IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY					
**	CONVENTION.					
**	ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.					
**DATE OF CONVERSION TO	LAND TITLES: 1997/01/27 **					
G8665	1949/09/30	TRANSFER EASEMENT			THE HYDRO ELECTRIC POWER COMMISSION OF ONTARIO	C
20R3565	1978/02/03	PLAN REFERENCE				C
20R3628	1978/03/22	PLAN REFERENCE				C
711851	1989/02/06	ASSIGNMENT GENERAL			HALTON HILLS HYDRO-ELECTRIC COMMISSION	C
	REMARKS: MULTI					
20R9222	1989/03/22	PLAN REFERENCE				C
715610	1989/03/31	CHARGE	\$800,000		MECO GROUP INC.	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

# ServiceOntario

LAND  
 REGISTRY  
 OFFICE #20  
 \* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

25039-0387 (LIT)


PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

PAGE 2 OF 2  
 PREPARED FOR EEOGOLAB  
 ON 2022/02/09 AT 14:04:20

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
730841	1989/10/24 REMARKS: 715610	AGREEMENT				C
745543	1990/06/06 REMARKS: 715610	TRANSFER OF CHANGE			SUN LIFE TRUST COMPANY	C
H717182	1997/12/30	TRANSFER	\$1,525,000	812383 ONTARIO INC.	1273679 ONTARIO INC.	C
HR93317	2002/01/04	TRANSFER OF CHANGE		B2B TRUST	LAURENTIAN BANK OF CANADA	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
 NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.





25037

25058

25057

25041


25062

25059

**ServiceOntario**

PRINTED ON 09 FEB, 2022 AT 14:04:56  
FOR EGOOLAB

**SCALE**



**PROPERTY INDEX MAP**

HALTON(No. 20)

**LEGEND**

- FREEHOLD PROPERTY
- LEASEHOLD PROPERTY
- LIMITED INTEREST PROPERTY
- CONDOMINIUM PROPERTY
- RETIRED PIN (MAP UPDATE PENDING)
- PROPERTY NUMBER
- BLOCK NUMBER
- GEOGRAPHIC FABRIC
- EASEMENT

**THIS IS NOT A PLAN OF SURVEY**

**NOTES**

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



## Beverley Noel

---

**From:** Public Information Services <publicinformationsservices@tssa.org>  
**Sent:** February 2, 2022 5:25 PM  
**To:** Beverley Noel  
**Subject:** RE: PUBLIC RECORD SEARCH - 130 MOUNTAIN VIEW ROAD NORTH, GEORGETOWN - 0082-001.01

**Follow Up Flag:** FollowUp  
**Flag Status:** Completed

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

### **NO RECORD FOUND**

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees



#### **Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



---

**From:** Beverley Noel <bnoel@bluefrogconsulting.ca>

**Sent:** February 2, 2022 2:43 PM

**To:** Public Information Services <publicinformationsservices@tssa.org>

**Subject:** PUBLIC RECORD SEARCH - 130 MOUNTAIN VIEW ROAD NORTH, GEORGETOWN - 0082-001.01

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello, could you please advise if there are any records on file for 130 MOUNTAIN VIEW ROAD NORTH, GEORGETOWN.

Thank you

Beverley Noel




Suite 100 – 208 Wyecroft Road, Oakville, ON, L6K 3T8

C: 519-767-8476

E: [бноel@bluefrogconsulting.ca](mailto:бноel@bluefrogconsulting.ca)

W: [bluefrogconsulting.ca](http://bluefrogconsulting.ca)



### **Covid-19 Update – January 12**

Effective January 12, 2021, BlueFrog remains an Essential Workplace as designated by the Ontario government. We will continue to provide key environmental consulting services with enhanced health and safety protocols in place to protect the health and well-being of our staff, clients, valued partners, and our community. Our project managers remain fully accessible by phone, conferencing, and email, and field work will continue with increased health and safety precautions in place. As the situation evolves, we will monitor developments and adjust as required.

*This message is intended for only the named recipients. This message may contain information that is privileged, confidential, or exempt from disclosure under applicable law. Any dissemination or copying of this message by anyone other than a named recipient is strictly prohibited. If you are not a named recipient or an employee or agent responsible for delivering this message to a named recipient, please notify us immediately, and permanently destroy this message and any copies you may have. Warning: Email may not be secure unless properly encrypted.*

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



---

# DATABASE REPORT

**Project Property:** *130 Mountainview Road North  
130 Mountainview Road North  
Georgetown ON L7G 3P8*

**Project No:** *0082-002.01*

**Report Type:** *Quote - Custom-Build Your Own Report*

**Order No:** *22012500134*

**Requested by:** *Blue Frog Consulting*

**Date Completed:** *February 9, 2022*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	21
Map.....	39
Aerial.....	40
Topographic Map.....	41
Detail Report.....	42
Unplottable Summary.....	191
Unplottable Report.....	193
Appendix: Database Descriptions.....	203
Definitions.....	212

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** 130 Mountainview Road North  
130 Mountainview Road North Georgetown ON L7G 3P8

**Project No:** 0082-002.01

## **Order Information:**

**Order No:** 22012500134  
**Date Requested:** January 25, 2022  
**Requested by:** Blue Frog Consulting  
**Report Type:** Quote - Custom-Build Your Own Report

## **Historical/Products:**

**City Directory Search** CD - Subject Site plus 10 Adjacent Properties  
**Insurance Products** Inspection Reports  
**Insurance Products** Fire Insurance Maps/Inspection Reports/Site Plans  
**Insurance Products** Fire Insurance Maps  
**Land Title Search** Current Land Title Search

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	6	6
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	2	2
EBR	<i>Environmental Registry</i>	Y	0	2	2
ECA	<i>Environmental Compliance Approval</i>	Y	0	5	5
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	21	22
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	2	67	69
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	2	2

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	8	8
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	1	1
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	1	1
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	1	1
PINC	<i>Pipeline Incidents</i>	Y	0	2	2
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	1	1
RSC	<i>Record of Site Condition</i>	Y	0	2	2
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	9	9
SPL	<i>Ontario Spills</i>	Y	0	3	3
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	9	28	37
<b>Total:</b>			12	161	173



## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	WWIS		ON <i>Well ID: 7103183</i>	N/0.0	-1.90	<a href="#">42</a>
<a href="#">2</a>	WWIS		ON <i>Well ID: 7103208</i>	SSW/0.0	2.22	<a href="#">46</a>
<a href="#">3</a>	WWIS		ON <i>Well ID: 7103178</i>	ENE/0.0	1.08	<a href="#">49</a>
<a href="#">4</a>	WWIS		ON <i>Well ID: 7103180</i>	WNW/0.0	-2.33	<a href="#">53</a>
<a href="#">5</a>	WWIS		ON <i>Well ID: 7103207</i>	WSW/0.0	1.15	<a href="#">57</a>
<a href="#">6</a>	WWIS		ON <i>Well ID: 7103181</i>	W/0.0	-0.32	<a href="#">60</a>
<a href="#">7</a>	WWIS		ON <i>Well ID: 7103182</i>	SSW/0.0	3.59	<a href="#">63</a>
<a href="#">8</a>	WWIS		ON <i>Well ID: 7103177</i>	NW/0.0	-3.71	<a href="#">67</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">9</a>	WWIS		ON  <i>Well ID: 7103179</i>	ESE/0.0	5.10	<a href="#">70</a>
<a href="#">10</a>	GEN	LABEL FACTORY, THE/633681 ONT. INC.	130 MOUNTAINVIEW ROAD N. GEORGETOWN ON L7G 4Y3	ESE/0.0	5.55	<a href="#">74</a>
<a href="#">10</a>	GEN	LABEL (OUT OF BUSINESS)81 ONT. INC.	130 MOUNTAINVIEW ROAD N. GEORGETOWN ON L7G 4Y3	ESE/0.0	5.55	<a href="#">75</a>
<a href="#">10</a>	EHS		130 Mountainview Road and 2 Rosetta Street Georgetown ON	ESE/0.0	5.55	<a href="#">75</a>

## Executive Summary: Site Report Summary - Surrounding Properties

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">11</a>	WWIS		45 RIVER DR Halton Hills ON <i>Well ID: 7191475</i>	ESE/7.5	5.42	<a href="#">75</a>
<a href="#">12</a>	EHS		STEWART MACLAREN RD & MOUNTAINVIEW RD N GEORGETOWN ON	ENE/30.2	2.21	<a href="#">78</a>
<a href="#">13</a>	GEN	Aplus Self Storage	7 River Drive Georgetown ON L7G 3P2	W/37.2	2.22	<a href="#">78</a>
<a href="#">14</a>	GEN	FRANK HELLER & COMPANY LTD.	12 LAMB ST. GEORGETOWN ON L7G 3M9	SSW/50.3	5.22	<a href="#">78</a>
<a href="#">14</a>	GEN	FRANK HELLER (OUT OF BUSINESS)	12 LAMB ST. GEORGETOWN ON L7G 3M9	SSW/50.3	5.22	<a href="#">79</a>
<a href="#">14</a>	GEN	FRANK HELLER (OUT OF BUSINESS) 15-346	12 LAMB ST. GEORGETOWN ON L7G 3M9	SSW/50.3	5.22	<a href="#">79</a>
<a href="#">14</a>	GEN	FRANK HELLER (OUT OF BUSINESS)	12 LAMB STREET GEORGETOWN ON L7G 3M9	SSW/50.3	5.22	<a href="#">79</a>
<a href="#">15</a>	WWIS		127 MOUNTAINVIEW RD NORTH GEORGETOWN ON <i>Well ID: 7200040</i>	E/54.4	5.74	<a href="#">79</a>
<a href="#">16</a>	NPCB	ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">82</a>
<a href="#">16</a>	SCT	LABELMASTERS	2 ROSETTA ST GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">82</a>
<a href="#">16</a>	SCT	CANADIAN COATED PAPERS INC.	2 ROSETTA ST GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">83</a>
<a href="#">16</a>	SCT	Applied Wiring (Georgetown) Inc.	2 Rosetta St Georgetown ON L7G 3P2	WSW/55.2	3.12	<a href="#">83</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">16</a>	SCT	Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	WSW/55.2	3.12	<a href="#">83</a>
<a href="#">16</a>	GEN	LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">83</a>
<a href="#">16</a>	GEN	LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">84</a>
<a href="#">16</a>	GEN	LABELMASTERS 24-330	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">84</a>
<a href="#">16</a>	GEN	Engineered Data Products Inc.	2 Rosetta Street Georgetown ON L7G 3P2	WSW/55.2	3.12	<a href="#">84</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">85</a>
<a href="#">16</a>	SCT	Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	WSW/55.2	3.12	<a href="#">85</a>
<a href="#">16</a>	NPCB	ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET Georgetown ON L7G 3P2	WSW/55.2	3.12	<a href="#">85</a>
<a href="#">16</a>	NPCB	ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">86</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	WSW/55.2	3.12	<a href="#">86</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	WSW/55.2	3.12	<a href="#">86</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	WSW/55.2	3.12	<a href="#">87</a>
<a href="#">16</a>	GEN	engineered data products	2 Rosetta Street Georgetown ON	WSW/55.2	3.12	<a href="#">87</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">87</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	WSW/55.2	3.12	<a href="#">87</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">88</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">88</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">88</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">88</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">88</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">89</a>
<a href="#">16</a>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	WSW/55.2	3.12	<a href="#">89</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">89</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">89</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">90</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">90</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">90</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON	S/57.1	5.74	<a href="#">91</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">91</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">91</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">92</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">92</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">92</a>
<a href="#">17</a>	GEN	Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	S/57.1	5.74	<a href="#">93</a>
<a href="#">18</a>	WWIS		45 RIVER DR lot 18 con 10 Halton Hills ON <b>Well ID:</b> 7191476	NE/84.5	-6.04	<a href="#">93</a>
<a href="#">19</a>	WWIS		127 MOUNTAINVIWE RD NORTH GEORGETOWN ON <b>Well ID:</b> 7200039	E/95.2	6.48	<a href="#">96</a>
<a href="#">20</a>	GEN	Ministry of Natural Resources	69 King Street Armstrong ON	SSW/102.9	4.71	<a href="#">99</a>
<a href="#">21</a>	EHS		127 Mountainview Road North Town Of Halton Hills ON L7G 3P8	E/113.3	6.69	<a href="#">99</a>
<a href="#">22</a>	WWIS		45 RIVER DRIVE GEORGETOWN ON <b>Well ID:</b> 7221107	NNE/115.1	-7.98	<a href="#">99</a>
<a href="#">23</a>	WWIS		ON	NE/121.9	-5.53	<a href="#">102</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7373848			
<a href="#">24</a>	WWIS		ON <b>Well ID:</b> 7373849	NE/124.0	-5.14	<a href="#">103</a>
<a href="#">25</a>	WWIS		45 RIVER DRIVE GEORGETOWN ON <b>Well ID:</b> 7221103	NE/132.3	-6.97	<a href="#">104</a>
<a href="#">26</a>	WWIS		45 RIVER DRIVE GEORGETOWN ON <b>Well ID:</b> 7221104	NNE/133.8	-9.25	<a href="#">107</a>
<a href="#">27</a>	PINC		18 ROSSET VALLEY COURT, GEORGETOWN ON	WNW/135.4	-14.35	<a href="#">109</a>
<a href="#">28</a>	SPL	MAPLE LEAF FOODS INC.	1 ELGIN STREET, ACTON ACTON - BEARDMORE TANNERY. 1 ELGIN STREET HALTON HILLS TOWN ON L7G 3M2	SW/137.8	5.74	<a href="#">110</a>
<a href="#">28</a>	EHS		1 Elgin Street Halton Hills (Georgetown) ON L7G 3M2	SW/137.8	5.74	<a href="#">110</a>
<a href="#">28</a>	EHS		1 Elgin St Halton Hills ON L7G3M2	SW/137.8	5.74	<a href="#">111</a>
<a href="#">28</a>	ECA	FRB Five Inc.	1 Elgin St Halton Hills ON L7G 3M2	SW/137.8	5.74	<a href="#">111</a>
<a href="#">28</a>	SPL	Canadian National Railway	1 Elgin St Halton Hills ON L7G 3M2	SW/137.8	5.74	<a href="#">111</a>
<a href="#">29</a>	WWIS		45 RIVER DRIVE GEORGETOWN ON <b>Well ID:</b> 7221106	NNE/141.3	-8.09	<a href="#">112</a>
<a href="#">30</a>	WWIS		45 RIVER DRIVE GEORGETOWN ON <b>Well ID:</b> 7221105	NE/142.0	-6.40	<a href="#">115</a>
<a href="#">31</a>	CA	VARIAN CANADA MICROWAVE PRODUCTS	45 RIVER DR., GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">117</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">31</a>	NPCB	VARIAN CANADA LTD.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">118</a>
<a href="#">31</a>	SCT	C.P.I. CANADA INC	45 RIVER DR GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">118</a>
<a href="#">31</a>	CA	COMMUNICATIONS & POWER IND. CANADA INC.	45 RIVER DRIVE, GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">119</a>
<a href="#">31</a>	SCT	CPI Canada Inc.	45 River Dr Georgetown ON L7G 2J4	NE/146.0	-7.88	<a href="#">119</a>
<a href="#">31</a>	CA	VARIAN CANADA INC., MICROWAVE PRODUCTS	45 RIVER DRIVE, GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">119</a>
<a href="#">31</a>	EBR	Communications & Power Ind. Canada Inc.	45 RIVER DRIVE, GEORGETOWN, HALTON HILLS TOWN TOWN OF HALTON HILLS ON	NE/146.0	-7.88	<a href="#">120</a>
<a href="#">31</a>	OPCB	VARIAN CANADA LTD.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">120</a>
<a href="#">31</a>	GEN	VARIAN CANADA INC	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">121</a>
<a href="#">31</a>	GEN	VARIAN CANADA(SEE & USE ON2019700)40-013	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">121</a>
<a href="#">31</a>	GEN	VARIAN CANADA INC. 40-013	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">122</a>
<a href="#">31</a>	GEN	VARIAN CANADA(SEE & USE ON2019700)	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">123</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">123</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES	CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">124</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON	NE/146.0	-7.88	<a href="#">125</a>
<a href="#">31</a>	NPCB	COMMUNICATIONS AND POWER INDUSTRIES	45 RIVER DR GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">126</a>
<a href="#">31</a>	EHS		45 River Drive Georgetown ON L7G 2J4	NE/146.0	-7.88	<a href="#">126</a>
<a href="#">31</a>	EBR	Communications & Power Industries Canada Inc.	45 River Drive Halton Hills, Regional Municipality of Halton L7G 2J4 TOWN OF HALTON HILLS ON	NE/146.0	-7.88	<a href="#">127</a>
<a href="#">31</a>	SCT	CPI International Inc.	45 River Dr Georgetown ON L7G 2J4	NE/146.0	-7.88	<a href="#">127</a>
<a href="#">31</a>	EHS		45 River Drive Georgetown ON L7G 2J4	NE/146.0	-7.88	<a href="#">127</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">128</a>
<a href="#">31</a>	EASR	COMMUNICATIONS & POWER INDUSTRIES CANADA INC	45 RIVER DRIVE GEORGETOWN, HALTON HILLS ON L7G 2J4	NE/146.0	-7.88	<a href="#">129</a>
<a href="#">31</a>	EASR	COMMUNICATIONS & POWER INDUSTRIES CANADA INC	45 RIVER DRIVE GEORGETOWN, HALTON HILLS ON L7G 2J4	NE/146.0	-7.88	<a href="#">129</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">129</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">130</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">131</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">31</a>	NPRI	COMMUNICATIONS & POWER INDUSTRIES CANADA	45 RIVER Drive GEORGETOWN ON L7G2J4	NE/146.0	-7.88	<a href="#">132</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON	NE/146.0	-7.88	<a href="#">134</a>
<a href="#">31</a>	ECA	Communications & Power Industries Canada Inc.	45 River Dr Halton Hills ON L7G 2J4	NE/146.0	-7.88	<a href="#">135</a>
<a href="#">31</a>	ECA	Communications & Power Industries Canada Inc.	45 River Dr Halton Hills ON L7G 2J4	NE/146.0	-7.88	<a href="#">136</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">136</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">137</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">138</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">139</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">140</a>
<a href="#">31</a>	GEN	COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NE/146.0	-7.88	<a href="#">142</a>
<a href="#">31</a>	EHS		45 River Drive Georgetown ON L7G 2J4	NE/146.0	-7.88	<a href="#">143</a>
<a href="#">32</a>	EHS		59-63 King Street Halton Hills ON	SW/147.1	5.74	<a href="#">143</a>
<a href="#">32</a>	EHS		59-63 King Street Halton Hills ON	SW/147.1	5.74	<a href="#">143</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">33</a>	WWIS		127 MOUNTAINVIEW RD NORTH GEORGETOWN ON <i>Well ID: 7200037</i>	E/150.6	7.64	<a href="#">144</a>
<a href="#">34</a>	WWIS		45 RIVER DR lot 18 con 10 Halton Hills ON <i>Well ID: 7191474</i>	NE/156.7	-5.93	<a href="#">146</a>
<a href="#">35</a>	WWIS		127 MOUNTAINVIEW RD NORTH GEORGETOWN ON <i>Well ID: 7200038</i>	E/158.6	6.72	<a href="#">149</a>
<a href="#">36</a>	HINC		SERVICE FOR 25 CAROLINE STREET GEORGETOWN ON L7G 2J5	W/166.7	-5.94	<a href="#">152</a>
<a href="#">37</a>	PINC	M FUDA CONTRACTING INC	24 STEWART MACLAREN RD,, GEORGETOWN,ON,L7G 5L8,CA ON	ENE/182.7	7.67	<a href="#">152</a>
<a href="#">37</a>	SPL	Union Gas Limited	24 Stewat McLaren, Georgetown Halton Hills ON	ENE/182.7	7.67	<a href="#">153</a>
<a href="#">38</a>	WWIS		ON <i>Well ID: 7363978</i>	WNW/188.3	-17.00	<a href="#">153</a>
<a href="#">39</a>	WWIS		ON <i>Well ID: 7363979</i>	WNW/192.9	-16.92	<a href="#">154</a>
<a href="#">40</a>	EHS		1 Rosetta Street Georgetown ON L7G 3P1	W/197.5	6.50	<a href="#">155</a>
<a href="#">40</a>	EHS		1 Rosetta Street Georgetown ON L7G 3P1	W/197.5	6.50	<a href="#">155</a>
<a href="#">41</a>	WWIS		179 MOUNTAIN VIEW ROAD NORTH GEORGETOWN ON <i>Well ID: 7175472</i>	NNW/215.5	-19.20	<a href="#">155</a>
<a href="#">42</a>	NPCB	PROVINCIAL PAPERS	DIV. OF ABITIBI-PRICE; 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	WSW/217.2	5.74	<a href="#">158</a>
<a href="#">42</a>	RSC		1 Rosetta Street Halton Hills ON L7G 3P1	WSW/217.2	5.74	<a href="#">158</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">42</a>	RSC		1 Rosetta Street Halton Hills ON L7G 3P1	WSW/217.2	5.74	<a href="#">158</a>
<a href="#">42</a>	GEN	ABITIBI/PROVINCIAL PAPERS	1 ROSETTA STREET GEORGETOWN ON L7G 3P1	WSW/217.2	5.74	<a href="#">159</a>
<a href="#">42</a>	GEN	ABITIBI-PRICE INC.	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	WSW/217.2	5.74	<a href="#">159</a>
<a href="#">42</a>	GEN	ABITIBI-PRICE (OUT OF BUS) 01-001	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	WSW/217.2	5.74	<a href="#">159</a>
<a href="#">42</a>	GEN	ABITIBI-PRICE (OUT OF BUS)	PROVINCIAL PAPERS DIVISION 1 ROSETTA STREET HALTON HILLS ON L7C 3P1	WSW/217.2	5.74	<a href="#">160</a>
<a href="#">42</a>	GEN	Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">160</a>
<a href="#">42</a>	NPCB	Abitibi- Price (was PROVINCIAL PAPERS)	1 ROSETTA STREET DIV. OF ABITIBI-PRICE Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">161</a>
<a href="#">42</a>	SCT	Toronto Ornamental Precast Inc	1 Rosetta St Unit 7 Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">161</a>
<a href="#">42</a>	NPCB	ABITIBI-PRICE(WAS PROVINCIAL PAPERS)	DIV. OF ABITIBI-PRICE 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	WSW/217.2	5.74	<a href="#">161</a>
<a href="#">42</a>	CA	792873 Ontario Limited	1 Rosetta St Halton Hills ON	WSW/217.2	5.74	<a href="#">165</a>
<a href="#">42</a>	GEN	Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON	WSW/217.2	5.74	<a href="#">165</a>
<a href="#">42</a>	ECA	792873 Ontario Limited	1 Rosetta St Halton Hills ON L5N 3E7	WSW/217.2	5.74	<a href="#">166</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">42</a>	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	WSW/217.2	5.74	<a href="#">166</a>
<a href="#">42</a>	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	WSW/217.2	5.74	<a href="#">166</a>
<a href="#">42</a>	GEN	Byron Equities Inc	1 Rosetta St Unit 1 Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">167</a>
<a href="#">42</a>	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	WSW/217.2	5.74	<a href="#">167</a>
<a href="#">42</a>	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	WSW/217.2	5.74	<a href="#">167</a>
<a href="#">42</a>	GEN	Furniture Renew Inc	1 Rosetta St. Unit 12 Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">167</a>
<a href="#">42</a>	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	WSW/217.2	5.74	<a href="#">168</a>
<a href="#">42</a>	EHS		1 Rosetta Street Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">168</a>
<a href="#">42</a>	EHS		1 Rosetta Street Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">168</a>
<a href="#">42</a>	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	WSW/217.2	5.74	<a href="#">168</a>
<a href="#">42</a>	EHS		1 Rosetta Street Georgetown ON L7G 3P1	WSW/217.2	5.74	<a href="#">169</a>
<a href="#">42</a>	REC	ABITIBI/PROVINCIAL PAPERS	1/2LOT 30 CONC. 5, HALTON HILLS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	WSW/217.2	5.74	<a href="#">169</a>
<a href="#">43</a>	CA	R.M. OF HALTON	CAROLINE ST/ROSETTA ST. HALTON HILLS TOWN ON	W/221.6	0.92	<a href="#">171</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">44</a>	PES	OVING PROPERTY MAINTENANCE	74 MAPLE AVE GEORGETOWN ON L7G 1X7	E/225.0	5.74	<a href="#">171</a>
<a href="#">45</a>	WWIS		45 RIVER DR GEORGETOWN ON <i>Well ID:</i> 7159586	NE/228.3	-9.63	<a href="#">171</a>
<a href="#">46</a>	CA	The Regional Municipality of Halton	68 John Street Halton Hills ON	WNW/232.2	-18.41	<a href="#">174</a>
<a href="#">46</a>	ECA	The Regional Municipality of Halton	68 John Street Halton Hills ON L6M 3L1	WNW/232.2	-18.41	<a href="#">174</a>
<a href="#">47</a>	HINC		60 John St Georgetown ON L7G 2J8	WNW/234.8	-16.46	<a href="#">174</a>
<a href="#">48</a>	WWIS		45 RIVER DRIVE GEORGETOWN ON <i>Well ID:</i> 7117190	NE/234.8	-10.49	<a href="#">175</a>
<a href="#">49</a>	WWIS		45 RIVER ST. GEORGETOWN ON <i>Well ID:</i> 7040387	NE/238.4	-5.41	<a href="#">177</a>
<a href="#">50</a>	WWIS		ON <i>Well ID:</i> 7373851	NE/240.3	-10.01	<a href="#">180</a>
<a href="#">51</a>	WWIS		ON <i>Well ID:</i> 7373850	NE/241.7	-10.01	<a href="#">181</a>
<a href="#">52</a>	WWIS		45 RIVER DR. GEORGETOWN ON <i>Well ID:</i> 7153277	NNE/245.8	-11.03	<a href="#">181</a>
<a href="#">53</a>	WWIS		ON <i>Well ID:</i> 7373853	NNE/247.2	-11.03	<a href="#">184</a>
<a href="#">54</a>	WWIS		ON <i>Well ID:</i> 7373852	NNE/247.8	-10.89	<a href="#">185</a>
<a href="#">55</a>	WWIS		ON <i>Well ID:</i> 7373854	NNE/247.8	-10.89	<a href="#">186</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">55</a>	WWIS		ON <i>Well ID:</i> 7373855	NNE/247.8	-10.89	<a href="#">186</a>
<a href="#">56</a>	WWIS		68 JOHN STREET GEORGETOWN ON <i>Well ID:</i> 7046688	WNW/249.2	-18.95	<a href="#">187</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">189</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">189</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">189</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">190</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">190</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">190</a>
<a href="#">57</a>	EHS		7 Pine Valley Trail Georgetown ON L7G 5A3	N/249.6	-16.80	<a href="#">190</a>

# Executive Summary: Summary By Data Source

## **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 6 CA site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
VARIAN CANADA MICROWAVE PRODUCTS	45 RIVER DR., GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER IND. CANADA INC.	45 RIVER DRIVE, GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
VARIAN CANADA INC., MICROWAVE PRODUCTS	45 RIVER DRIVE, GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
792873 Ontario Limited	1 Rosetta St Halton Hills ON	217.2	<a href="#"><u>42</u></a>
R.M. OF HALTON	CAROLINE ST/ROSETTA ST. HALTON HILLS TOWN ON	221.6	<a href="#"><u>43</u></a>
The Regional Municipality of Halton	68 John Street Halton Hills ON	232.2	<a href="#"><u>46</u></a>

## **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011- Dec 31, 2021 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC	45 RIVER DRIVE GEORGETOWN, HALTON HILLS ON L7G 2J4	146.0	<a href="#"><u>31</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC	45 RIVER DRIVE GEORGETOWN, HALTON HILLS ON L7G 2J4	146.0	<a href="#">31</a>

### **EBR - Environmental Registry**

A search of the EBR database, dated 1994 - Dec 31, 2021 has found that there are 2 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Communications & Power Industries Canada Inc.	45 River Drive Halton Hills, Regional Municipality of Halton L7G 2J4 TOWN OF HALTON HILLS ON	146.0	<a href="#">31</a>
Communications & Power Ind. Canada Inc.	45 RIVER DRIVE, GEORGETOWN, HALTON HILLS TOWN TOWN OF HALTON HILLS ON	146.0	<a href="#">31</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011- Dec 31, 2021 has found that there are 5 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FRB Five Inc.	1 Elgin St Halton Hills ON L7G 3M2	137.8	<a href="#">28</a>
Communications & Power Industries Canada Inc.	45 River Dr Halton Hills ON L7G 2J4	146.0	<a href="#">31</a>
Communications & Power Industries Canada Inc.	45 River Dr Halton Hills ON L7G 2J4	146.0	<a href="#">31</a>
792873 Ontario Limited	1 Rosetta St Halton Hills ON L5N 3E7	217.2	<a href="#">42</a>
The Regional Municipality of Halton	68 John Street Halton Hills ON L6M 3L1	232.2	<a href="#">46</a>

## **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 22 EHS site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	130 Mountainview Road and 2 Rosetta Street Georgetown ON	0.0	<a href="#"><u>10</u></a>
	STEWART MACLAREN RD & MOUNTAINVIEW RD N GEORGETOWN ON	30.2	<a href="#"><u>12</u></a>
	127 Mountainview Road North Town Of Halton Hills ON L7G 3P8	113.3	<a href="#"><u>21</u></a>
	1 Elgin Street Halton Hills (Georgetown) ON L7G 3M2	137.8	<a href="#"><u>28</u></a>
	1 Elgin St Halton Hills ON L7G3M2	137.8	<a href="#"><u>28</u></a>
	45 River Drive Georgetown ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
	45 River Drive Georgetown ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
	45 River Drive Georgetown ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
	59-63 King Street Halton Hills ON	147.1	<a href="#"><u>32</u></a>
	59-63 King Street Halton Hills ON	147.1	<a href="#"><u>32</u></a>
	1 Rosetta Street Georgetown ON L7G 3P1	197.5	<a href="#"><u>40</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1 Rosetta Street Georgetown ON L7G 3P1	197.5	<a href="#"><u>40</u></a>
	1 Rosetta Street Georgetown ON L7G 3P1	217.2	<a href="#"><u>42</u></a>
	1 Rosetta Street Georgetown ON L7G 3P1	217.2	<a href="#"><u>42</u></a>
	1 Rosetta Street Georgetown ON L7G 3P1	217.2	<a href="#"><u>42</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>
	7 Pine Valley Trail Georgetown ON L7G 5A3	249.6	<a href="#"><u>57</u></a>

## **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 69 GEN site(s) within approximately 0.25 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
LABEL FACTORY, THE/633681 ONT. INC.	130 MOUNTAINVIEW ROAD N. GEORGETOWN ON L7G 4Y3	0.0	<a href="#">10</a>
LABEL (OUT OF BUSINESS)81 ONT. INC.	130 MOUNTAINVIEW ROAD N. GEORGETOWN ON L7G 4Y3	0.0	<a href="#">10</a>
Aplus Self Storage	7 River Drive Georgetown ON L7G 3P2	37.2	<a href="#">13</a>
FRANK HELLER & COMPANY LTD.	12 LAMB ST. GEORGETOWN ON L7G 3M9	50.3	<a href="#">14</a>
FRANK HELLER (OUT OF BUSINESS)	12 LAMB ST. GEORGETOWN ON L7G 3M9	50.3	<a href="#">14</a>
FRANK HELLER (OUT OF BUSINESS) 15-346	12 LAMB ST. GEORGETOWN ON L7G 3M9	50.3	<a href="#">14</a>
FRANK HELLER (OUT OF BUSINESS)	12 LAMB STREET GEORGETOWN ON L7G 3M9	50.3	<a href="#">14</a>
LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
LABELMASTERS 24-330	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
Engineered Data Products Inc.	2 Rosetta Street Georgetown ON L7G 3P2	55.2	<a href="#">16</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	55.2	<a href="#"><u>16</u></a>
engineered data products	2 Rosetta Street Georgetown ON	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#">17</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#"><u>17</u></a>
Minnow Environmental Inc.	2 Lamb Street Georgetown ON L7G 3M9	57.1	<a href="#"><u>17</u></a>
Ministry of Natural Resources	69 King Street Armstrong ON	102.9	<a href="#"><u>20</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
VARIAN CANADA INC	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
VARIAN CANADA(SEE & USE ON2019700)40-013	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
VARIAN CANADA INC. 40-013	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
VARIAN CANADA(SEE & USE ON2019700)	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES	CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON	146.0	<a href="#"><u>31</u></a>
COMMUNICATIONS & POWER INDUSTRIES CANADA INC.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
ABITIBI/PROVINCIAL PAPERS	1 ROSETTA STREET GEORGETOWN ON L7G 3P1	217.2	<a href="#"><u>42</u></a>
ABITIBI-PRICE INC.	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	217.2	<a href="#"><u>42</u></a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ABITIBI-PRICE (OUT OF BUS) 01-001	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	217.2	<a href="#">42</a>
ABITIBI-PRICE (OUT OF BUS)	PROVINCIAL PAPERS DIVISION 1 ROSETTA STREET HALTON HILLS ON L7C 3P1	217.2	<a href="#">42</a>
Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON L7G 3P1	217.2	<a href="#">42</a>
Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON	217.2	<a href="#">42</a>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	217.2	<a href="#">42</a>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	217.2	<a href="#">42</a>
Byron Equities Inc	1 Rosetta St Unit 1 Georgetown ON L7G 3P1	217.2	<a href="#">42</a>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	217.2	<a href="#">42</a>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	217.2	<a href="#">42</a>
Furniture Renew Inc	1 Rosetta St. Unit 12 Georgetown ON L7G 3P1	217.2	<a href="#">42</a>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	217.2	<a href="#">42</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	217.2	<a href="#">42</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 2 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	SERVICE FOR 25 CAROLINE STREET GEORGETOWN ON L7G 2J5	166.7	<a href="#">36</a>
	60 John St Georgetown ON L7G 2J8	234.8	<a href="#">47</a>

### **NPCB - National PCB Inventory**

A search of the NPCB database, dated 1988-2008\* has found that there are 8 NPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET Georgetown ON L7G 3P2	55.2	<a href="#">16</a>
ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	55.2	<a href="#">16</a>
VARIAN CANADA LTD.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#">31</a>
COMMUNICATIONS AND POWER INDUSTRIES	45 RIVER DR GEORGETOWN ON L7G 2J4	146.0	<a href="#">31</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PROVINCIAL PAPERS	DIV. OF ABITIBI-PRICE; 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	217.2	<a href="#">42</a>
Abitibi- Price (was PROVINCIAL PAPERS)	1 ROSETTA STREET DIV. OF ABITIBI-PRICE Georgetown ON L7G 3P1	217.2	<a href="#">42</a>
ABITIBI-PRICE(WAS PROVINCIAL PAPERS)	DIV. OF ABITIBI-PRICE 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	217.2	<a href="#">42</a>

### **NPRI - National Pollutant Release Inventory**

A search of the NPRI database, dated 1993-May 2017 has found that there are 1 NPRI site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
COMMUNICATIONS & POWER INDUSTRIES CANADA	45 RIVER Drive GEORGETOWN ON L7G2J4	146.0	<a href="#">31</a>

### **OPCB - Inventory of PCB Storage Sites**

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 1 OPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
VARIAN CANADA LTD.	45 RIVER DRIVE GEORGETOWN ON L7G 2J4	146.0	<a href="#">31</a>

### **PES - Pesticide Register**

A search of the PES database, dated Oct 2011- Dec 31, 2021 has found that there are 1 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OVING PROPERTY MAINTENANCE	74 MAPLE AVE GEORGETOWN ON L7G 1X7	225.0	<a href="#">44</a>

## **PINC - Pipeline Incidents**

A search of the PINC database, dated May 31, 2021 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	18 ROSSET VALLEY COURT, GEORGETOWN ON	135.4	<a href="#">27</a>
M FUDA CONTRACTING INC	24 STEWART MACLAREN RD,, GEORGETOWN,ON,L7G 5L8,CA ON	182.7	<a href="#">37</a>

## **REC - Ontario Regulation 347 Waste Receivers Summary**

A search of the REC database, dated 1986-1990, 1992-2019 has found that there are 1 REC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ABITIBI/PROVINCIAL PAPERS	1/2LOT 30 CONC. 5, HALTON HILLS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	217.2	<a href="#">42</a>

## **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Dec 2021 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	1 Rosetta Street Halton Hills ON L7G 3P1	217.2	<a href="#">42</a>
	1 Rosetta Street Halton Hills ON L7G 3P1	217.2	<a href="#">42</a>

## **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 9 SCT site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
LABELMASTERS	2 ROSETTA ST GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
CANADIAN COATED PAPERS INC.	2 ROSETTA ST GEORGETOWN ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
Applied Wiring (Georgetown) Inc.	2 Rosetta St Georgetown ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	55.2	<a href="#"><u>16</u></a>
CPI International Inc.	45 River Dr Georgetown ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
CPI Canada Inc.	45 River Dr Georgetown ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
C.P.I. CANADA INC	45 RIVER DR GEORGETOWN ON L7G 2J4	146.0	<a href="#"><u>31</u></a>
Toronto Ornamental Precast Inc	1 Rosetta St Unit 7 Georgetown ON L7G 3P1	217.2	<a href="#"><u>42</u></a>

### **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Sep 2020 has found that there are 3 SPL site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Canadian National Railway	1 Elgin St Halton Hills ON L7G 3M2	137.8	<a href="#"><u>28</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAPLE LEAF FOODS INC.	1 ELGIN STREET, ACTON ACTON - BEARDMORE TANNERY. 1 ELGIN STREET HALTON HILLS TOWN ON L7G 3M2	137.8	<a href="#">28</a>
Union Gas Limited	24 Stewart McLaren, Georgetown Halton Hills ON	182.7	<a href="#">37</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Sep 30, 2021 has found that there are 37 WWIS site(s) within approximately 0.25 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7103183</i>	0.0	<a href="#">1</a>
	ON <i>Well ID: 7103208</i>	0.0	<a href="#">2</a>
	ON <i>Well ID: 7103178</i>	0.0	<a href="#">3</a>
	ON <i>Well ID: 7103180</i>	0.0	<a href="#">4</a>
	ON <i>Well ID: 7103207</i>	0.0	<a href="#">5</a>
	ON <i>Well ID: 7103181</i>	0.0	<a href="#">6</a>
	ON <i>Well ID: 7103182</i>	0.0	<a href="#">7</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7103177</i>	0.0	<a href="#"><u>8</u></a>
	ON <i>Well ID: 7103179</i>	0.0	<a href="#"><u>9</u></a>
	45 RIVER DR Halton Hills ON <i>Well ID: 7191475</i>	7.5	<a href="#"><u>11</u></a>
	127 MOUNTAINVIEW RD NORTH GEORGETOWN ON <i>Well ID: 7200040</i>	54.4	<a href="#"><u>15</u></a>
	45 RIVER DR lot 18 con 10 Halton Hills ON <i>Well ID: 7191476</i>	84.5	<a href="#"><u>18</u></a>
	127 MOUNTAINVIWE RD NORTH GEORGETOWN ON <i>Well ID: 7200039</i>	95.2	<a href="#"><u>19</u></a>
	45 RIVER DRIVE GEORGETOWN ON <i>Well ID: 7221107</i>	115.1	<a href="#"><u>22</u></a>
	ON <i>Well ID: 7373848</i>	121.9	<a href="#"><u>23</u></a>
	ON <i>Well ID: 7373849</i>	124.0	<a href="#"><u>24</u></a>
	45 RIVER DRIVE GEORGETOWN ON <i>Well ID: 7221103</i>	132.3	<a href="#"><u>25</u></a>
	45 RIVER DRIVE GEORGETOWN ON <i>Well ID: 7221104</i>	133.8	<a href="#"><u>26</u></a>
	45 RIVER DRIVE GEORGETOWN ON	141.3	<a href="#"><u>29</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7221106		
	45 RIVER DRIVE GEORGETOWN ON	142.0	<a href="#"><u>30</u></a>
	<i>Well ID:</i> 7221105		
	127 MOUNTAINVIEW RD NORTH GEORGETOWN ON	150.6	<a href="#"><u>33</u></a>
	<i>Well ID:</i> 7200037		
	45 RIVER DR lot 18 con 10 Halton Hills ON	156.7	<a href="#"><u>34</u></a>
	<i>Well ID:</i> 7191474		
	127 MOUNTAINVIEW RD NORTH GEORGETOWN ON	158.6	<a href="#"><u>35</u></a>
	<i>Well ID:</i> 7200038		
	ON	188.3	<a href="#"><u>38</u></a>
	<i>Well ID:</i> 7363978		
	ON	192.9	<a href="#"><u>39</u></a>
	<i>Well ID:</i> 7363979		
	179 MOUNTAIN VIEW ROAD NORTH GEORGETOWN ON	215.5	<a href="#"><u>41</u></a>
	<i>Well ID:</i> 7175472		
	45 RIVER DR GEORGETOWN ON	228.3	<a href="#"><u>45</u></a>
	<i>Well ID:</i> 7159586		
	45 RIVER DRIVE GEORGETOWN ON	234.8	<a href="#"><u>48</u></a>
	<i>Well ID:</i> 7117190		
	45 RIVER ST. GEORGETOWN ON	238.4	<a href="#"><u>49</u></a>
	<i>Well ID:</i> 7040387		
	ON	240.3	<a href="#"><u>50</u></a>
	<i>Well ID:</i> 7373851		



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7373850</i>	241.7	<a href="#"><u>51</u></a>
	45 RIVER DR. GEORGETOWN ON <i>Well ID: 7153277</i>	245.8	<a href="#"><u>52</u></a>
	ON <i>Well ID: 7373853</i>	247.2	<a href="#"><u>53</u></a>
	ON <i>Well ID: 7373852</i>	247.8	<a href="#"><u>54</u></a>
	ON <i>Well ID: 7373854</i>	247.8	<a href="#"><u>55</u></a>
	ON <i>Well ID: 7373855</i>	247.8	<a href="#"><u>55</u></a>
	68 JOHN STREET GEORGETOWN ON <i>Well ID: 7046688</i>	249.2	<a href="#"><u>56</u></a>



### Map: 0.25 Kilometer Radius

Order Number: 22012500134

Address: 130 Mountainview Road North, Georgetown, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	

79°55'30"W

43°39'N

43°39'N



**Aerial** Year: 2019


Order Number: 22012500134

**Address: 130 Mountainview Road North, Georgetown, ON**



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

# Topographic Map

Order Number: 22012500134

Address: 130 Mountainview Road North, ON



Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">1</a>	1 of 1	N/0.0	252.2 / -1.90	ON	WWIS

<p><b>Well ID:</b> 7103183</p> <p><b>Construction Date:</b></p> <p><b>Primary Water Use:</b> Test Hole</p> <p><b>Sec. Water Use:</b></p> <p><b>Final Well Status:</b> Observation Wells</p> <p><b>Water Type:</b></p> <p><b>Casing Material:</b></p> <p><b>Audit No:</b> Z72912</p> <p><b>Tag:</b> A057832</p> <p><b>Construction Method:</b></p> <p><b>Elevation (m):</b></p> <p><b>Elevation Reliability:</b></p> <p><b>Depth to Bedrock:</b></p> <p><b>Well Depth:</b></p> <p><b>Overburden/Bedrock:</b></p> <p><b>Pump Rate:</b></p> <p><b>Static Water Level:</b></p> <p><b>Flowing (Y/N):</b></p> <p><b>Flow Rate:</b></p> <p><b>Clear/Cloudy:</b></p>	<p><b>Data Entry Status:</b></p> <p><b>Data Src:</b></p> <p><b>Date Received:</b> 3/18/2008</p> <p><b>Selected Flag:</b> TRUE</p> <p><b>Abandonment Rec:</b></p> <p><b>Contractor:</b> 6571</p> <p><b>Form Version:</b> 3</p> <p><b>Owner:</b></p> <p><b>Street Name:</b></p> <p><b>County:</b> HALTON</p> <p><b>Municipality:</b> HALTON HILLS TOWN (GEORGETOWN)</p> <p><b>Site Info:</b></p> <p><b>Lot:</b></p> <p><b>Concession:</b></p> <p><b>Concession Name:</b></p> <p><b>Easting NAD83:</b></p> <p><b>Northing NAD83:</b></p> <p><b>Zone:</b></p> <p><b>UTM Reliability:</b></p>
--	--

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7103183.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103183.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/06/25

**Year Completed:** 2007

**Depth (m):** 5

**Latitude:** 43.6575668991889

**Longitude:** -79.9146144545693

**Path:** 710\7103183.pdf

**Bore Hole Information**

<p><b>Bore Hole ID:</b> 1001553425</p> <p><b>DP2BR:</b></p> <p><b>Spatial Status:</b></p> <p><b>Code OB:</b></p> <p><b>Code OB Desc:</b></p> <p><b>Open Hole:</b></p> <p><b>Cluster Kind:</b></p> <p><b>Date Completed:</b> 25-Jun-2007 00:00:00</p> <p><b>Remarks:</b></p> <p><b>Elevrc Desc:</b></p> <p><b>Location Source Date:</b></p> <p><b>Improvement Location Source:</b></p> <p><b>Improvement Location Method:</b></p> <p><b>Source Revision Comment:</b></p> <p><b>Supplier Comment:</b></p>	<p><b>Elevation:</b></p> <p><b>Elevrc:</b></p> <p><b>Zone:</b> 17</p> <p><b>East83:</b> 587519.00</p> <p><b>North83:</b> 4834413.00</p> <p><b>Org CS:</b> UTM83</p> <p><b>UTMRC:</b> 3</p> <p><b>UTMRC Desc:</b> margin of error : 10 - 30 m</p> <p><b>Location Method:</b> wwr</p>
---	---

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661843			
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		1.7000000476837158			
<b>Formation End Depth:</b>		4.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661846			
<b>Layer:</b>		7			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		26			
<b>Most Common Material:</b>		ROCK			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		5.0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661840			
<b>Layer:</b>		1			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661841			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		68			
<b>Mat3 Desc:</b>		DRY			
<b>Formation Top Depth:</b>		0.5			
<b>Formation End Depth:</b>		0.8999999761581421			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661842			
<b>Layer:</b>		3			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.8999999761581421			
<b>Formation End Depth:</b>		1.7000000476837158			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661844			
<b>Layer:</b>		5			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		4.0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661845			
<b>Layer:</b>		6			
<b>Color:</b>		7			
<b>General Color:</b>		RED			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>		5.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661849			
<b>Layer:</b>		2			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug From:</b>		2.0999999046325684			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661848			
<b>Layer:</b>		1			
<b>Plug From:</b>		5.0			
<b>Plug To:</b>		2.0999999046325684			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001661854			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661839			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001661851			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		2.5			
<b>Casing Diameter:</b>		5.079999923706055			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001661852			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.5			
<b>Screen End Depth:</b>		4.099999904632568			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.28000020980835			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001661850			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		2.5			
<b>Water Found Depth UOM:</b>		m			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1001661847			
Diameter:		10.19999809265137			
Depth From:		0.0			
Depth To:		5.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">2</a>	1 of 1	SSW/0.0	256.3 / 2.22	ON	WWIS
<b>Well ID:</b>	7103208			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	3/18/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6571
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z72913			<b>Owner:</b>	
<b>Tag:</b>	A057833			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (GEORGETOWN)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103208.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103208.pdf</a>				

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2007/06/26
<b>Year Completed:</b>	2007
<b>Depth (m):</b>	4
<b>Latitude:</b>	43.6569199013327
<b>Longitude:</b>	-79.9147501248977
<b>Path:</b>	710\7103208.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001553965	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587509.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834341.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	26-Jun-2007 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1001662177		
<b>Layer:</b>			4		
<b>Color:</b>			8		
<b>General Color:</b>			BLACK		
<b>Mat1:</b>			03		
<b>Most Common Material:</b>			MUCK		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			2.450000047683716		
<b>Formation End Depth:</b>			2.799999952316284		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1001662176		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			1.5		
<b>Formation End Depth:</b>			2.450000047683716		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1001662174		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>			65		
<b>Mat2 Desc:</b>			DARK-COLOURED		
<b>Mat3:</b>			84		
<b>Mat3 Desc:</b>			SILTY		
<b>Formation Top Depth:</b>			0.0		
<b>Formation End Depth:</b>			0.6000000238418579		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1001662179		
<b>Layer:</b>			6		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			34		
<b>Most Common Material:</b>			TILL		
<b>Mat2:</b>			05		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		06			
<b>Mat3 Desc:</b>		SILT			
<b>Formation Top Depth:</b>		3.700000047683716			
<b>Formation End Depth:</b>		4.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001662175			
<b>Layer:</b>		2			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.6000000238418579			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001662178			
<b>Layer:</b>		5			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		09			
<b>Mat3 Desc:</b>		MEDIUM SAND			
<b>Formation Top Depth:</b>		2.799999952316284			
<b>Formation End Depth:</b>		3.700000047683716			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001662182			
<b>Layer:</b>		2			
<b>Plug From:</b>		2.450000047683716			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001662181			
<b>Layer:</b>		1			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		2.450000047683716			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction ID:</b>		1001662187			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
 <b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001662173			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
 <b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001662184			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		2.4000000953674316			
<b>Casing Diameter:</b>		5.079999923706055			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
 <b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001662185			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.4000000953674316			
<b>Screen End Depth:</b>		4.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.28000020980835			
 <b><u>Water Details</u></b>					
<b>Water ID:</b>		1001662183			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		2.5			
<b>Water Found Depth UOM:</b>		m			
 <b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001662180			
<b>Diameter:</b>		10.199999809265137			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.0			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

3

1 of 1

ENE/0.0

255.2 / 1.08

ON

WWIS

**Well ID:** 7103178  
**Construction Date:**  
**Primary Water Use:** Test Hole  
**Sec. Water Use:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 3/18/2008  
**Selected Flag:** TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6571
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z72957			<b>Owner:</b>	
<b>Tag:</b>	A057839			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (GEORGETOWN)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7103178.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103178.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/06/29  
**Year Completed:** 2007  
**Depth (m):** 4.6  
**Latitude:** 43.6574892264512  
**Longitude:** -79.914020575806  
**Path:** 710\7103178.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001553368	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587567.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834405.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	29-Jun-2007 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1001661753  
**Layer:** 1  
**Color:** 1  
**General Color:** WHITE  
**Mat1:**  
**Most Common Material:**  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:** 74  
**Mat3 Desc:** LAYERED  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 1.5  
**Formation End Depth UOM:** m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661754			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		65			
<b>Mat3 Desc:</b>		DARK-COLOURED			
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		2.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661757			
<b>Layer:</b>		5			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		3.700000047683716			
<b>Formation End Depth:</b>		4.599999904632568			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661756			
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		09			
<b>Mat3 Desc:</b>		MEDIUM SAND			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>		3.700000047683716			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661755			
<b>Layer:</b>		3			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		74			
<b>Mat3 Desc:</b>		LAYERED			
<b>Formation Top Depth:</b>		2.0999999046325684			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661759			
<b>Layer:</b>		1			
<b>Plug From:</b>		4.599999904632568			
<b>Plug To:</b>		0.8999999761581421			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661760			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.8999999761581421			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001661765			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661752			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001661762			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		0.8999999761581421			
<b>Casing Diameter:</b>		5.059999942779541			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001661763			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		0.8999999761581421			
<b>Screen End Depth:</b>		4.599999904632568			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.260000228881836			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001661761			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		0.5			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001661758			
<b>Diameter:</b>		10.199999809265137			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.599999904632568			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<u>4</u>	1 of 1	WNW/0.0	251.8 / -2.33	ON	WWIS
<b>Well ID:</b>		7103180		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Test Hole		<b>Date Received:</b> 3/18/2008	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Observation Wells		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 6571	
<b>Casing Material:</b>				<b>Form Version:</b> 3	
<b>Audit No:</b>		Z72954		<b>Owner:</b>	
<b>Tag:</b>		A057836		<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> HALTON HILLS TOWN (GEORGETOWN)	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103180.pdf			

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2007/06/27
<b>Year Completed:</b>	2007
<b>Depth (m):</b>	7
<b>Latitude:</b>	43.6576374491332
<b>Longitude:</b>	-79.9154068896067
<b>Path:</b>	710\7103180.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001553376	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	587455.00
<b>Code OB Desc:</b>				<b>North83:</b>	4834420.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>		27-Jun-2007 00:00:00	<b>UTMRC Desc:</b>		margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1001661795  
**Layer:** 5  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Mat2 Desc:** SILT  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 6.099999904632568  
**Formation End Depth:** 6.400000095367432  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1001661794  
**Layer:** 4  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 05  
**Mat2 Desc:** CLAY  
**Mat3:** 10  
**Mat3 Desc:** COARSE SAND  
**Formation Top Depth:** 5.5  
**Formation End Depth:** 6.099999904632568  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1001661796  
**Layer:** 6  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 05  
**Mat2 Desc:** CLAY  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 6.400000095367432  
**Formation End Depth:** 7.0

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661797			
<b>Layer:</b>		7			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		7.0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661791			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		65			
<b>Mat3 Desc:</b>		DARK-COLOURED			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.6000000238418579			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661792			
<b>Layer:</b>		2			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.6000000238418579			
<b>Formation End Depth:</b>		2.200000047683716			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661793			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		09			
<b>Mat3 Desc:</b>		MEDIUM SAND			
<b>Formation Top Depth:</b>		2.200000047683716			
<b>Formation End Depth:</b>		5.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661799			
<b>Layer:</b>		1			
<b>Plug From:</b>		7.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661800			
<b>Layer:</b>		2			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001661805			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661790			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001661802			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		3.4000000953674316			
<b>Casing Diameter:</b>		5.059999942779541			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001661803			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.4000000953674316			
<b>Screen End Depth:</b>		6.400000095367432			
<b>Screen Material:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.28000020980835			
<b><u>Water Details</u></b>					
Water ID:		1001661801			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		5.900000095367432			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1001661798			
Diameter:		10.199999809265137			
Depth From:		0.0			
Depth To:		7.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>5</u>	1 of 1	WSW/0.0	255.3 / 1.15	ON	WWIS
Well ID:	7103207			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Test Hole			<b>Date Received:</b>	3/18/2008
Sec. Water Use:				<b>Selected Flag:</b>	TRUE
Final Well Status:	Observation Wells			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	6571
Casing Material:				<b>Form Version:</b>	3
Audit No:	Z72914			<b>Owner:</b>	
Tag:	A057834			<b>Street Name:</b>	
Construction Method:				<b>County:</b>	HALTON
Elevation (m):				<b>Municipality:</b>	HALTON HILLS TOWN (GEORGETOWN)
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7103207.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103207.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2007/06/27  
Year Completed: 2007  
Depth (m): 6  
Latitude: 43.6568717714577  
Longitude: -79.9153710667211  
Path: 710\7103207.pdf

**Bore Hole Information**

Bore Hole ID: 1001553962      Elevation:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	587459.00
<b>Code OB Desc:</b>				<b>North83:</b>	4834335.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	27-Jun-2007 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1001662147  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:** 31  
**Mat3 Desc:** COARSE GRAVEL  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 1.100000023841858  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1001662148  
**Layer:** 2  
**Color:** 1  
**General Color:** WHITE  
**Mat1:**  
**Most Common Material:**  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:** 74  
**Mat3 Desc:** LAYERED  
**Formation Top Depth:** 1.100000023841858  
**Formation End Depth:** 2.200000047683716  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1001662150  
**Layer:** 4  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 05  
**Mat2 Desc:** CLAY  
**Mat3:** 06  
**Mat3 Desc:** SILT  
**Formation Top Depth:** 5.5

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		6.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001662149			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		09			
<b>Mat3 Desc:</b>		MEDIUM SAND			
<b>Formation Top Depth:</b>		2.200000047683716			
<b>Formation End Depth:</b>		5.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001662152			
<b>Layer:</b>		1			
<b>Plug From:</b>		6.0			
<b>Plug To:</b>		2.4000000953674316			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001662153			
<b>Layer:</b>		2			
<b>Plug From:</b>		2.4000000953674316			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001662158			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001662146			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001662155			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		2.4000000953674316			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>		5.079999923706055			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001662156			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.4000000953674316			
<b>Screen End Depth:</b>		6.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.28000020980835			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001662154			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		5.199999809265137			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001662151			
<b>Diameter:</b>		10.199999809265137			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		6.0			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<u>6</u>	1 of 1	W/0.0	253.8 / -0.32	ON	WWIS
<b>Well ID:</b>	7103181			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	3/18/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6571
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z72955			<b>Owner:</b>	
<b>Tag:</b>	A057837			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (GEORGETOWN)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107103181.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107103181.pdf</a>				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 2007/06/27  
Year Completed: 2007  
Depth (m): 9  
Latitude: 43.6573064766373  
Longitude: -79.9156360761516  
Path: 710\7103181.pdf

Bore Hole Information

Bore Hole ID:	1001553419	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	587437.00
Code OB Desc:		North83:	4834383.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	27-Jun-2007 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1001661810  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 06  
Mat2 Desc: SILT  
Mat3: 09  
Mat3 Desc: MEDIUM SAND  
Formation Top Depth: 0.6000000238418579  
Formation End Depth: 4.0  
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1001661811  
Layer: 3  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 12  
Mat2 Desc: STONES  
Mat3: 10  
Mat3 Desc: COARSE SAND  
Formation Top Depth: 4.0  
Formation End Depth: 8.5  
Formation End Depth UOM: m

Overburden and Bedrock



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001661812			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		8.5			
<b>Formation End Depth:</b>		9.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001661809			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		65			
<b>Mat3 Desc:</b>		DARK-COLOURED			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.6000000238418579			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001661814			
<b>Layer:</b>		1			
<b>Plug From:</b>		9.0			
<b>Plug To:</b>		4.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001661815			
<b>Layer:</b>		2			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1001661820			
<b>Method Construction Code:</b>		B			
<b>Other Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661808			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:	0				
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:	1001661817				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.0				
Depth To:	4.5				
Casing Diameter:	5.079999923706055				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<b><u>Construction Record - Screen</u></b>					
Screen ID:	1001661818				
Layer:	1				
Slot:	10				
Screen Top Depth:	4.5				
Screen End Depth:	9.0				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.28000020980835				
<b><u>Water Details</u></b>					
Water ID:	1001661816				
Layer:	1				
Kind Code:	5				
Kind:	Not stated				
Water Found Depth:	7.599999904632568				
Water Found Depth UOM:	m				
<b><u>Hole Diameter</u></b>					
Hole ID:	1001661813				
Diameter:	10.199999809265137				
Depth From:	0.0				
Depth To:	9.0				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

7

1 of 1

SSW/0.0

257.7 / 3.59

ON

WWIS

Well ID:	7103182	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Test Hole	Date Received:	3/18/2008
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	6571
Casing Material:		Form Version:	3
Audit No:	Z72953	Owner:	
Tag:	A057835	Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	HALTON HILLS TOWN (GEORGETOWN)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7103182.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103182.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/06/27  
**Year Completed:** 2007  
**Depth (m):** 4  
**Latitude:** 43.6565965200254  
**Longitude:** -79.9148303582399  
**Path:** 710\7103182.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001553422	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587503.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834305.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	27-Jun-2007 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1001661825  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:** 06  
**Mat2 Desc:** SILT  
**Mat3:** 65  
**Mat3 Desc:** DARK-COLOURED  
**Formation Top Depth:** 0.6000000238418579  
**Formation End Depth:** 0.8999999761581421  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1001661827  
**Layer:** 4  
**Color:** 6

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		2.4000000953674316			
<b>Formation End Depth:</b>		4.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661826			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.8999999761581421			
<b>Formation End Depth:</b>		2.4000000953674316			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661828			
<b>Layer:</b>		5			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		4.0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661824			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.6000000238418579			
<b>Formation End Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661831			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.8999999761581421			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661830			
<b>Layer:</b>		1			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		0.8999999761581421			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001661836			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661823			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001661833			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		0.8999999761581421			
<b>Casing Diameter:</b>		5.079999923706055			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001661834			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		0.8999999761581421			
<b>Screen End Depth:</b>		4.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.28000020980835			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001661832			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind Code:</b>	5				
<b>Kind:</b>	Not stated				
<b>Water Found Depth:</b>	1.5				
<b>Water Found Depth UOM:</b>	m				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1001661829				
<b>Diameter:</b>	10.199999809265137				
<b>Depth From:</b>	0.0				
<b>Depth To:</b>	4.0				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				

<u>8</u>	1 of 1	NW/0.0	250.4 / -3.71	ON	WWIS
<b>Well ID:</b>	7103177			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	3/18/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6571
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z72956			<b>Owner:</b>	
<b>Tag:</b>	A057838			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (GEORGETOWN)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7103177.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103177.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/06/27  
**Year Completed:** 2007  
**Depth (m):** 4.9  
**Latitude:** 43.6580416173745  
**Longitude:** -79.9153003999657  
**Path:** 710\7103177.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001553365	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587463.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834465.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	27-Jun-2007 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1001661741			
<i>Layer:</i>		4			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		34			
<i>Most Common Material:</i>		TILL			
<i>Mat2:</i>		06			
<i>Mat2 Desc:</i>		SILT			
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		3.9000000953674316			
<i>Formation End Depth:</i>		4.900000095367432			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1001661738			
<i>Layer:</i>		1			
<i>Color:</i>		1			
<i>General Color:</i>		WHITE			
<i>Mat1:</i>					
<i>Most Common Material:</i>					
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		0.30000001192092896			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1001661739			
<i>Layer:</i>		2			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>		06			
<i>Mat2 Desc:</i>		SILT			
<i>Mat3:</i>		09			
<i>Mat3 Desc:</i>		MEDIUM SAND			
<i>Formation Top Depth:</i>		0.30000001192092896			
<i>Formation End Depth:</i>		2.4000000953674316			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1001661740			
<i>Layer:</i>		3			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		10			
<b>Mat3 Desc:</b>		COARSE SAND			
<b>Formation Top Depth:</b>		2.4000000953674316			
<b>Formation End Depth:</b>		3.9000000953674316			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661743			
<b>Layer:</b>		1			
<b>Plug From:</b>		4.900000095367432			
<b>Plug To:</b>		1.2000000476837158			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001661744			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.2000000476837158			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001661749			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661737			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001661746			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.7999999523162842			
<b>Casing Diameter:</b>		5.079999923706055			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001661747			
<b>Layer:</b>		1			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		1.7999999523162842			
Screen End Depth:		4.900000095367432			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.28000020980835			
<b><u>Water Details</u></b>					
Water ID:		1001661745			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		38.0			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1001661742			
Diameter:		10.199999809265137			
Depth From:		0.0			
Depth To:		4.900000095367432			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>9</u>	1 of 1	ESE/0.0	259.2 / 5.10	ON	WWIS
Well ID:	7103179			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Test Hole			<b>Date Received:</b>	3/18/2008
Sec. Water Use:				<b>Selected Flag:</b>	TRUE
Final Well Status:	Observation Wells			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	6571
Casing Material:				<b>Form Version:</b>	3
Audit No:	Z72958			<b>Owner:</b>	
Tag:	A057840			<b>Street Name:</b>	
Construction Method:				<b>County:</b>	HALTON
Elevation (m):				<b>Municipality:</b>	HALTON HILLS TOWN (GEORGETOWN)
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7103179.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7103179.pdf)

**Additional Detail(s) (Map)**

Well Completed Date:	2007/06/29
Year Completed:	2007
Depth (m):	10
Latitude:	43.6570964655971
Longitude:	-79.9134323809175
Path:	710\7103179.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001553371			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	587615.00
<b>Code OB Desc:</b>				<b>North83:</b>	4834362.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	29-Jun-2007 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001661775				
<b>Layer:</b>	7				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	05				
<b>Most Common Material:</b>	CLAY				
<b>Mat2:</b>	12				
<b>Mat2 Desc:</b>	STONES				
<b>Mat3:</b>	05				
<b>Mat3 Desc:</b>	CLAY				
<b>Formation Top Depth:</b>	9.100000381469727				
<b>Formation End Depth:</b>	10.0				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001661773				
<b>Layer:</b>	5				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>	75				
<b>Mat3 Desc:</b>	LIGHT-COLOURED				
<b>Formation Top Depth:</b>	5.199999809265137				
<b>Formation End Depth:</b>	8.5				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001661772				
<b>Layer:</b>	4				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	09				
<b>Most Common Material:</b>	MEDIUM SAND				
<b>Mat2:</b>	73				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		HARD			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		4.0			
<b>Formation End Depth:</b>		5.199999809265137			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661776			
<b>Layer:</b>		8			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		26			
<b>Most Common Material:</b>		ROCK			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		10.0			
<b>Formation End Depth:</b>		10.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661770			
<b>Layer:</b>		2			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		65			
<b>Mat3 Desc:</b>		DARK-COLOURED			
<b>Formation Top Depth:</b>		0.30000001192092896			
<b>Formation End Depth:</b>		0.8999999761581421			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661771			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		06			
<b>Mat3 Desc:</b>		SILT			
<b>Formation Top Depth:</b>		0.8999999761581421			
<b>Formation End Depth:</b>		4.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001661774			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		6			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		10			
<b>Most Common Material:</b>		COARSE SAND			
<b>Mat2:</b>		77			
<b>Mat2 Desc:</b>		LOOSE			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		8.5			
<b>Formation End Depth:</b>		9.100000381469727			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001661769			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.30000001192092896			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001661781			
<b>Layer:</b>		1			
<b>Plug From:</b>		10.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001661782			
<b>Layer:</b>		2			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1001661787			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		SONIC			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001661768			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1001661784  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0.0  
**Depth To:** 4.0  
**Casing Diameter:** 5.079999923706055  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1001661785  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 4.0  
**Screen End Depth:** 10.0  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.28000020980835

**Water Details**

**Water ID:** 1001661783  
**Layer:** 1  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 2.4000000953674316  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1001661780  
**Diameter:** 10.199999809265137  
**Depth From:** 0.0  
**Depth To:** 10.0  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">10</a>	1 of 3	ESE/0.0	259.7 / 5.55	LABEL FACTORY, THE/633681 ONT. INC. 130 MOUNTAINVIEW ROAD N. GEORGETOWN ON L7G 4Y3	GEN
--------------------	--------	---------	--------------	--	-----

<b>Generator No:</b>	ON1960700	<b>Status:</b>
<b>SIC Code:</b>	2821	<b>Co Admin:</b>
<b>SIC Description:</b>	PLATEMAKING, ETC.	<b>Choice of Contact:</b>
<b>Approval Years:</b>	94	<b>Phone No Admin:</b>
<b>PO Box No:</b>		<b>Contam. Facility:</b>
<b>Country:</b>		<b>MHSW Facility:</b>

**Detail(s)**

**Waste Class:** 232  
**Waste Class Desc:** POLYMERIC RESINS  
  
**Waste Class:** 241  
**Waste Class Desc:** HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<a href="#">10</a>	2 of 3	ESE/0.0	259.7 / 5.55	LABEL (OUT OF BUSINESS)81 ONT. INC. 130 MOUNTAINVIEW ROAD N. GEORGETOWN ON L7G 4Y3	GEN
<b>Generator No:</b>		ON1960700		<b>Status:</b>	
<b>SIC Code:</b>		2821		<b>Co Admin:</b>	
<b>SIC Description:</b>		PLATEMAKING, ETC.		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		95,96,97,98		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<a href="#">10</a>	3 of 3	ESE/0.0	259.7 / 5.55	130 Mountainview Road and 2 Rosetta Street Georgetown ON	EHS
<b>Order No:</b>		20070619009		<b>Nearest Intersection:</b> Mountainview Road North and River Drive	
<b>Status:</b>		C		<b>Municipality:</b> Regional Municipality of Halton	
<b>Report Type:</b>		CAN - Complete Report		<b>Client Prov/State:</b>	
<b>Report Date:</b>		6/27/2007		<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>		6/19/2007		<b>X:</b> -79.915082	
<b>Previous Site Name:</b>				<b>Y:</b> 43.657244	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps And /or Site Plans; Title Search; Aerials Photos; City Directory			
<a href="#">11</a>	1 of 1	ESE/7.5	259.5 / 5.42	45 RIVER DR Halton Hills ON	WWIS
<b>Well ID:</b>		7191475		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 11/14/2012	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z160552		<b>Owner:</b>	
<b>Tag:</b>		A140121		<b>Street Name:</b> 45 RIVER DR	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> HALTON HILLS TOWN (ESQUESING)	
<b>Elevation Reliability:</b>				<b>Site Info:</b> WKQ-005442	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/719\7191475.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7191475.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2012/11/01  
 Year Completed: 2012  
 Depth (m): 3.048  
 Latitude: 43.6567381362833  
 Longitude: -79.9136248650174  
 Path: 719\7191475.pdf

**Bore Hole Information**

Bore Hole ID:	1004203377	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	587600.00
Code OB Desc:		North83:	4834322.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	01-Nov-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004523933  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2:  
 Mat2 Desc:  
 Mat3: 01  
 Mat3 Desc: FILL  
 Formation Top Depth: 0.0  
 Formation End Depth: 5.0  
 Formation End Depth UOM: ft

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004523934  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Mat2 Desc: SAND  
 Mat3: 66  
 Mat3 Desc: DENSE  
 Formation Top Depth: 5.0  
 Formation End Depth: 10.0

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523944			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523942			
<b>Layer:</b>		1			
<b>Plug From:</b>		10.0			
<b>Plug To:</b>		4.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523943			
<b>Layer:</b>		2			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		0.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004523941			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004523932			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004523937			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.0			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004523938			
<b>Layer:</b>		1			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Slot:</b> .10 <b>Screen Top Depth:</b> 5.0 <b>Screen End Depth:</b> 10.0 <b>Screen Material:</b> 5 <b>Screen Depth UOM:</b> ft <b>Screen Diameter UOM:</b> inch <b>Screen Diameter:</b> 1.25					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1004523936 <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> ft					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004523935 <b>Diameter:</b> 2.25 <b>Depth From:</b> 0.0 <b>Depth To:</b> 10.0 <b>Hole Depth UOM:</b> ft <b>Hole Diameter UOM:</b> inch					
<a href="#">12</a>	1 of 1	ENE/30.2	256.3 / 2.21	STEWART MACLAREN RD & MOUNTAINVIEW RD N GEORGETOWN ON	EHS
<b>Order No:</b> 20101103045 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 11/12/2010 <b>Date Received:</b> 11/3/2010 2:57:04 PM <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> HALTON <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.913458 <b>Y:</b> 43.657754					
<a href="#">13</a>	1 of 1	W/37.2	256.3 / 2.22	Aplus Self Storage 7 River Drive Georgetown ON L7G 3P2	GEN
<b>Generator No:</b> ON6489983 <b>SIC Code:</b> 531130 <b>SIC Description:</b> SELF-STORAGE MINI-WAREHOUSES <b>Approval Years:</b> 2016 <b>PO Box No:</b> <b>Country:</b> Canada					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> CO_OFFICIAL <b>Phone No Admin:</b> <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">14</a>	1 of 4	SSW/50.3	259.3 / 5.22	FRANK HELLER & COMPANY LTD. 12 LAMB ST. GEORGETOWN ON L7G 3M9	GEN
<b>Generator No:</b> ON0082101 <b>Status:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b> 1719 <b>SIC Description:</b> OTHER LEATHER PROD. <b>Approval Years:</b> 88,89 <b>PO Box No:</b> <b>Country:</b>					
<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 270 <b>Waste Class Desc:</b> OTHER SPECIFIED ORGANICS					
<b>Waste Class:</b> 311 <b>Waste Class Desc:</b> ORGANIC TANNERY WASTES					
<a href="#">14</a>	2 of 4	SSW/50.3	259.3 / 5.22	FRANK HELLER (OUT OF BUSINESS) 12 LAMB ST. GEORGETOWN ON L7G 3M9	GEN
<b>Generator No:</b> ON0082101 <b>SIC Code:</b> 1719 <b>SIC Description:</b> OTHER LEATHER PROD. <b>Approval Years:</b> 90 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<a href="#">14</a>	3 of 4	SSW/50.3	259.3 / 5.22	FRANK HELLER (OUT OF BUSINESS) 15-346 12 LAMB ST. GEORGETOWN ON L7G 3M9	GEN
<b>Generator No:</b> ON0082101 <b>SIC Code:</b> 1719 <b>SIC Description:</b> OTHER LEATHER PROD. <b>Approval Years:</b> 92,93,94,95,96,97 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<a href="#">14</a>	4 of 4	SSW/50.3	259.3 / 5.22	FRANK HELLER (OUT OF BUSINESS) 12 LAMB STREET GEORGETOWN ON L7G 3M9	GEN
<b>Generator No:</b> ON0082101 <b>SIC Code:</b> 1719 <b>SIC Description:</b> OTHER LEATHER PROD. <b>Approval Years:</b> 98 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<a href="#">15</a>	1 of 1	E/54.4	259.9 / 5.74	127 MOUNTAINVIEW RD NORTH GEORGETOWN ON	WWIS
<b>Well ID:</b> 7200040 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z168551 <b>Tag:</b> A145246 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/8/2013 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 127 MOUNTAINVIEW RD NORTH <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/720\7200040.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7200040.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2013/03/25  
**Year Completed:** 2013  
**Depth (m):** 6.096  
**Latitude:** 43.6572663721882  
**Longitude:** -79.9123627810177  
**Path:** 720\7200040.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004272961	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587701.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834382.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	25-Mar-2013 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004805179  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Mat2 Desc:** SAND  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 6.0  
**Formation End Depth:** 20.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004805178  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Mat1:</i>		01			
<i>Most Common Material:</i>		FILL			
<i>Mat2:</i>		28			
<i>Mat2 Desc:</i>		SAND			
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		6.0			
<i>Formation End Depth UOM:</i>		ft			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004805187			
<i>Layer:</i>		1			
<i>Plug From:</i>		0.0			
<i>Plug To:</i>		1.0			
<i>Plug Depth UOM:</i>		ft			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004805188			
<i>Layer:</i>		2			
<i>Plug From:</i>		1.0			
<i>Plug To:</i>		9.0			
<i>Plug Depth UOM:</i>		ft			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004805189			
<i>Layer:</i>		3			
<i>Plug From:</i>		9.0			
<i>Plug To:</i>		20.0			
<i>Plug Depth UOM:</i>		ft			
<u><i>Method of Construction &amp; Well Use</i></u>					
<i>Method Construction ID:</i>		1004805186			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>		DIRECT PUSH			
<u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>		1004805177			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u><i>Construction Record - Casing</i></u>					
<i>Casing ID:</i>		1004805182			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		10.0			
<i>Casing Diameter:</i>		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004805183			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.0			
<b>Screen End Depth:</b>		20.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004805181			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004805180			
<b>Diameter:</b>		6.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		20.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">16</a>	1 of 25	WSW/55.2	257.2 / 3.12	ENGINEERED DATA PRODUCTS INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NPCB
<b>Company Code:</b>		O0160			
<b>Industry:</b>		Other			
<b>Site Status:</b>					
<b>Transaction Date:</b>		9/6/1990			
<b>Inspection Date:</b>		2/16/1989			
<b><u>--Details--</u></b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		1047.00 L			
<a href="#">16</a>	2 of 25	WSW/55.2	257.2 / 3.12	LABELMASTERS 2 ROSETTA ST GEORGETOWN ON L7G 3P2	SCT
<b>Established:</b>		1967			
<b>Plant Size (ft²):</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>		35			
<b>--Details--</b>					
<b>Description:</b>		COATED AND LAMINATED PAPER, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2672			
<a href="#">16</a>	3 of 25	WSW/55.2	257.2 / 3.12	CANADIAN COATED PAPERS INC. 2 ROSETTA ST GEORGETOWN ON L7G 3P2	SCT
<b>Established:</b>		1983			
<b>Plant Size (ft²):</b>		10000			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		COATED AND LAMINATED PAPER, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2672			
<a href="#">16</a>	4 of 25	WSW/55.2	257.2 / 3.12	Applied Wiring (Georgetown) Inc. 2 Rosetta St Georgetown ON L7G 3P2	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		30			
<b>Employment:</b>		30			
<a href="#">16</a>	5 of 25	WSW/55.2	257.2 / 3.12	Applied Wiring Assemblies Inc. 2 Rosetta St Georgetown ON L7G 3P2	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		100			
<b>Employment:</b>		100			
<b>--Details--</b>					
<b>Description:</b>		Communication and Energy Wire and Cable Manufacturing			
<b>SIC/NAICS Code:</b>		335920			
<a href="#">16</a>	6 of 25	WSW/55.2	257.2 / 3.12	LABELMASTERS 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>		ON0742600		<b>Status:</b>	
<b>SIC Code:</b>		2819		<b>Co Admin:</b>	
<b>SIC Description:</b>		OTHER COMM. PRINTING		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		86,87,88,89,90		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">16</a>	7 of 25	WSW/55.2	257.2 / 3.12	LABELMASTERS 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON0742600			<b>Status:</b>	
<b>SIC Code:</b>	2819			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER COMM. PRINTING			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	92,93,97,98,99,00,01			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">16</a>	8 of 25	WSW/55.2	257.2 / 3.12	LABELMASTERS 24-330 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON0742600			<b>Status:</b>	
<b>SIC Code:</b>	2819			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER COMM. PRINTING			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	94,95,96			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">16</a>	9 of 25	WSW/55.2	257.2 / 3.12	Engineered Data Products Inc. 2 Rosetta Street Georgetown ON L7G 3P2	GEN
<b>Generator No:</b>	ON1078418			<b>Status:</b>	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	02,03,04			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	262				
<b>Waste Class Desc:</b>	DETERGENTS/SOAPS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<a href="#">16</a>	10 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON2525101			<b>Status:</b>	
<b>SIC Code:</b>	3199			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER MACHINERY			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	01,02,03,04,05,06,07,08			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">16</a>	11 of 25	WSW/55.2	257.2 / 3.12	Applied Wiring Assemblies Inc. 2 Rosetta St Georgetown ON L7G 3P2	SCT
<b>Established:</b>	01-JUL-81				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing				
<b>SIC/NAICS Code:</b>	335315				
<b>Description:</b>	Semiconductor and Other Electronic Component Manufacturing				
<b>SIC/NAICS Code:</b>	334410				
<b>Description:</b>	Other Fabricated Wire Product Manufacturing				
<b>SIC/NAICS Code:</b>	332619				
<a href="#">16</a>	12 of 25	WSW/55.2	257.2 / 3.12	ENGINEERED DATA PRODUCTS INC. 2 ROSETTA STREET Georgetown ON L7G 3P2	NPCB
<b>Company Code:</b>	O0160				
<b>Industry:</b>	Other				
<b>Site Status:</b>	In- Use				
<b>Transaction Date:</b>	2/16/1989				
<b>Inspection Date:</b>	2/16/1989				
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>	Askarel/Askarel				
<b>Location:</b>	MILL BASEMENT				
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>	In-Use				
<b>Contents:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">16</a>	13 of 25	WSW/55.2	257.2 / 3.12	ENGINEERED DATA PRODUCTS INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NPCB
<b>Company Code:</b>		O0160			
<b>Industry:</b>		OTHER			
<b>Site Status:</b>		STORAGE ONLY (NON FEDERAL)			
<b>Transaction Date:</b>		4/18/1994			
<b>Inspection Date:</b>		2/16/1989			
<b>--Details--</b>					
<b>Label:</b>		OR25271			
<b>Serial No.:</b>		NP5067-1			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		1047 L			
<b>Label:</b>		OR25272			
<b>Serial No.:</b>		NP5067-2			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		1047 L			
<a href="#">16</a>	14 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b>	
<b>SIC Code:</b>		335930		<b>Co Admin:</b>	
<b>SIC Description:</b>		Wiring Device Manufacturing		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2009		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">16</a>	15 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b>	
<b>SIC Code:</b>		335930		<b>Co Admin:</b>	
<b>SIC Description:</b>		Wiring Device Manufacturing		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2010		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">16</a>	16 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b>	
<b>SIC Code:</b>		335930		<b>Co Admin:</b>	
<b>SIC Description:</b>		Wiring Device Manufacturing		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2011		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">16</a>	17 of 25	WSW/55.2	257.2 / 3.12	engineered data products 2 Rosetta Street Georgetown ON	GEN
<b>Generator No:</b>		ON9756079		<b>Status:</b>	
<b>SIC Code:</b>		493190		<b>Co Admin:</b>	
<b>SIC Description:</b>		Other Warehousing and Storage		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2012		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<a href="#">16</a>	18 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b>	
<b>SIC Code:</b>		335930		<b>Co Admin:</b>	
<b>SIC Description:</b>		Wiring Device Manufacturing		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2012		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">16</a>	19 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b>	
<b>SIC Code:</b>		335930		<b>Co Admin:</b>	
<b>SIC Description:</b>		WIRING DEVICE MANUFACTURING		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2013		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">16</a>	20 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON2525101			<b>Status:</b>	
<b>SIC Code:</b>	335930			<b>Co Admin:</b>	
<b>SIC Description:</b>	WIRING DEVICE MANUFACTURING			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">16</a>	21 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON2525101			<b>Status:</b>	
<b>SIC Code:</b>	335930			<b>Co Admin:</b>	
<b>SIC Description:</b>	WIRING DEVICE MANUFACTURING			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">16</a>	22 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON2525101			<b>Status:</b>	
<b>SIC Code:</b>	335930			<b>Co Admin:</b>	
<b>SIC Description:</b>	WIRING DEVICE MANUFACTURING			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">16</a>	23 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>	ON2525101			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">16</a>	24 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>		As of Jul 2020		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>		Canada		<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">16</a>	25 of 25	WSW/55.2	257.2 / 3.12	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<b>Generator No:</b>		ON2525101		<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>		As of Nov 2021		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>		Canada		<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">17</a>	1 of 12	S/57.1	259.9 / 5.74	Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9	GEN
<b>Generator No:</b>		ON8604292		<b>Status:</b>	
<b>SIC Code:</b>		541620		<b>Co Admin:</b>	
<b>SIC Description:</b>		Environmental Consulting Services		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		07,08		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">17</a>	2 of 12	S/57.1	259.9 / 5.74	Minnow Environmental Inc. 2 Lamb Street	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Georgetown ON L7G 3M9</b>					
<b>Generator No:</b>	ON8604292			<b>Status:</b>	
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	
<b>SIC Description:</b>	Environmental Consulting Services			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2009			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">17</a>	3 of 12	S/57.1	259.9 / 5.74	<b>Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9</b>	<b>GEN</b>
<b>Generator No:</b>	ON8604292			<b>Status:</b>	
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	
<b>SIC Description:</b>	Environmental Consulting Services			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2010			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">17</a>	4 of 12	S/57.1	259.9 / 5.74	<b>Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9</b>	<b>GEN</b>
<b>Generator No:</b>	ON8604292			<b>Status:</b>	
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	
<b>SIC Description:</b>	Environmental Consulting Services			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2011			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<a href="#">17</a>	5 of 12	S/57.1	259.9 / 5.74	<b>Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9</b>	<b>GEN</b>
<b>Generator No:</b>	ON8604292			<b>Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	
<b>SIC Description:</b>	Environmental Consulting Services			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2012			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<a href="#">17</a>	6 of 12	S/57.1	259.9 / 5.74	<b>Minnow Environmental Inc.</b> 2 Lamb Street Georgetown ON	GEN
<b>Generator No:</b>	ON8604292			<b>Status:</b>	
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	
<b>SIC Description:</b>	ENVIRONMENTAL CONSULTING SERVICES			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2013			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">17</a>	7 of 12	S/57.1	259.9 / 5.74	<b>Minnow Environmental Inc.</b> 2 Lamb Street Georgetown ON L7G 3M9	GEN
<b>Generator No:</b>	ON8604292			<b>Status:</b>	
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	Deb McMillan
<b>SIC Description:</b>	ENVIRONMENTAL CONSULTING SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	(905) 873-3371 Ext.21
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">17</a>	8 of 12	S/57.1	259.9 / 5.74	<b>Minnow Environmental Inc.</b> 2 Lamb Street Georgetown ON L7G 3M9	GEN
<b>Generator No:</b>	ON8604292			<b>Status:</b>	
<b>SIC Code:</b>	541620			<b>Co Admin:</b>	Deb McMillan
<b>SIC Description:</b>	ENVIRONMENTAL CONSULTING SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	(905) 873-3371 Ext.21
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada				MHSW Facility: No	
<u>Detail(s)</u>					
Waste Class: 148					
Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
Waste Class: 263					
Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
<a href="#">17</a>	9 of 12	S/57.1	259.9 / 5.74	Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9	GEN
Generator No: ON8604292		SIC Code: 541620		Status:	
SIC Description: ENVIRONMENTAL CONSULTING SERVICES		Approval Years: 2014		Co Admin: Deb McMillan	
PO Box No:		Country: Canada		Choice of Contact: CO_OFFICIAL	
				Phone No Admin: (905) 873-3371 Ext.21	
				Contam. Facility: No	
				MHSW Facility: No	
<u>Detail(s)</u>					
Waste Class: 263					
Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
Waste Class: 148					
Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
<a href="#">17</a>	10 of 12	S/57.1	259.9 / 5.74	Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9	GEN
Generator No: ON8604292		SIC Code:		Status: Registered	
SIC Description:		Approval Years: As of Dec 2018		Co Admin:	
PO Box No:		Country: Canada		Choice of Contact:	
				Phone No Admin:	
				Contam. Facility:	
				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 148 C					
Waste Class Desc: Misc. wastes and inorganic chemicals					
Waste Class: 148 L					
Waste Class Desc: Misc. wastes and inorganic chemicals					
Waste Class: 221 I					
Waste Class Desc: Light fuels					
Waste Class: 263 B					
Waste Class Desc: Misc. waste organic chemicals					
Waste Class: 263 L					
Waste Class Desc: Misc. waste organic chemicals					
<a href="#">17</a>	11 of 12	S/57.1	259.9 / 5.74	Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON8604292			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jul 2020			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	263 L				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	148 L				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Class:</b>	221 I				
<b>Waste Class Desc:</b>	Light fuels				
<b>Waste Class:</b>	263 B				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	148 C				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>17</b>	<b>12 of 12</b>	<b>S/57.1</b>	<b>259.9 / 5.74</b>	<b>Minnow Environmental Inc. 2 Lamb Street Georgetown ON L7G 3M9</b>	<b>GEN</b>
<b>Generator No:</b>	ON8604292			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	263 B				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	263 L				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	221 I				
<b>Waste Class Desc:</b>	Light fuels				
<b>Waste Class:</b>	148 C				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Class:</b>	148 L				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>18</b>	<b>1 of 1</b>	<b>NE/84.5</b>	<b>248.1 / -6.04</b>	<b>45 RIVER DR lot 18 con 10 Halton Hills ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7191476			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/14/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z160553			<b>Owner:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A140120			Street Name:	45 RIVER DR
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	HALTON HILLS TOWN (ESQUESING)
Elevation Reliability:				Site Info:	WKQ-005442
Depth to Bedrock:				Lot:	018
Well Depth:				Concession:	10
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/719\7191476.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7191476.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2012/11/03  
Year Completed: 2012  
Depth (m): 4.572  
Latitude: 43.6585386222436  
Longitude: -79.9135923997386  
Path: 719\7191476.pdf

**Bore Hole Information**

Bore Hole ID:	1004203380	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	587600.00
Code OB Desc:		North83:	4834522.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03-Nov-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	digit
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004523947  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 06  
Mat2 Desc: SILT  
Mat3: 66  
Mat3 Desc: DENSE  
Formation Top Depth: 7.0  
Formation End Depth: 15.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**

**Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1004523946			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		7.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523955			
<b>Layer:</b>		1			
<b>Plug From:</b>		15.0			
<b>Plug To:</b>		4.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523956			
<b>Layer:</b>		2			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		0.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523957			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004523954			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004523945			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004523950			
<b>Layer:</b>		1			
<b>Material:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.0			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004523951			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5.0			
<b>Screen End Depth:</b>		15.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004523949			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004523948			
<b>Diameter:</b>		2.25			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		15.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">19</a>	1 of 1	E/95.2	260.6 / 6.48	127 MOUNTAINVIWE RD NORTH GEORGETOWN ON	WWIS
<b>Well ID:</b>		7200039		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 4/8/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z168550		<b>Owner:</b>	
<b>Tag:</b>		A145988		<b>Street Name:</b> 127 MOUNTAINVIWE RD NORTH	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> HALTON HILLS TOWN (ESQUESING)	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/720\7200039.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7200039.pdf)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Additional Detail(s) (Map)**

Well Completed Date: 2013/03/25  
Year Completed: 2013  
Depth (m): 7.0104  
Latitude: 43.6573514397502  
Longitude: -79.9118403783409  
Path: 720\7200039.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004272958	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587743.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834392.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	25-Mar-2013 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004804868  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Mat2 Desc:** SAND  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 9.0  
**Formation End Depth:** 23.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004804867  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 01  
**Mat2 Desc:** FILL  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 9.0  
**Formation End Depth UOM:** ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004804877			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		12.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004804878			
<b>Layer:</b>		3			
<b>Plug From:</b>		12.0			
<b>Plug To:</b>		23.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004804876			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004804875			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004804866			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004804871			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		13.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004804872			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		13.0			
<b>Screen End Depth:</b>		23.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>		5 ft inch 2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b> <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b>		1004804870    ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		1004804869 6.0 0.0 23.0 ft inch			
<a href="#">20</a>	1 of 1	SSW/102.9	258.8 / 4.71	Ministry of Natural Resources 69 King Street Armstrong ON	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>		ON4891790 912140  2013		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		221 LIGHT FUELS			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		213 PETROLEUM DISTILLATES			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		252 WASTE OILS & LUBRICANTS			
<a href="#">21</a>	1 of 1	E/113.3	260.8 / 6.69	127 Mountainview Road North Town Of Halton Hills ON L7G 3P8	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		20111219025 C Standard Report 12/20/2011 11:56:53 AM 12/19/2011 11:56:54 AM  Fire Insur. Maps and/or Site Plans;		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> <b>Search Radius (km):</b> <b>X:</b> <b>Y:</b>	ON 0.25 -79.911697 43.657499
<a href="#">22</a>	1 of 1	NNE/115.1	246.1 / -7.98	45 RIVER DRIVE GEORGETOWN ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7221107			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/30/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z179394			<b>Owner:</b>	
<b>Tag:</b>	A160899			<b>Street Name:</b>	45 RIVER DRIVE
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b>Additional Detail(s) (Map)</b>					
<b>Well Completed Date:</b>	2014/04/26				
<b>Year Completed:</b>	2014				
<b>Depth (m):</b>	4.2672				
<b>Latitude:</b>	43.6590717689095				
<b>Longitude:</b>	-79.9137936189444				
<b>Path:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1004793060			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	587583.00
<b>Code OB Desc:</b>				<b>North83:</b>	4834581.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	26-Apr-2014 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b>Overburden and Bedrock</b>					
<b>Materials Interval</b>					
<b>Formation ID:</b>	1005167259				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	12				
<b>Mat2 Desc:</b>	STONES				
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		3.0			
<b>Formation End Depth:</b>		14.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005167258			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		3.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167268			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167269			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167270			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		14.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005167267			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005167257			
<b>Casing No:</b>		0			
<b>Comment:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

**Construction Record - Casing**

Casing ID: 1005167263  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0.0  
 Depth To: 4.0  
 Casing Diameter: 1.25  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1005167264  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 4.0  
 Screen End Depth: 14.0  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 1.5

**Water Details**

Water ID: 1005167262  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1005167261  
 Diameter: 2.25  
 Depth From: 7.0  
 Depth To: 14.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

**Hole Diameter**

Hole ID: 1005167260  
 Diameter: 6.0  
 Depth From: 0.0  
 Depth To: 7.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

[23](#) 1 of 1 NE/121.9 248.6 / -5.53 ON [WWIS](#)

Well ID:	7373848	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	12/1/2020
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:		Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z349151 <b>Tag:</b> A037880 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Contractor:</b> 7731 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008514315 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 10-Nov-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587628.00 <b>North83:</b> 4834547.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr					
<a href="#">24</a>	1 of 1	NE/124.0	249.0 / -5.14	ON	WWIS
<b>Well ID:</b> 7373849 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z349150 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 12/1/2020 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7731 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008514318 <b>DP2BR:</b> <b>Spatial Status:</b>					
<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10-Nov-2020 00:00:00			East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	587630.00 4834548.00 UTM83 4 margin of error : 30 m - 100 m wwr

<a href="#">25</a>	1 of 1	NE/132.3	247.1 / -6.97	45 RIVER DRIVE GEORGETOWN ON	WWIS
Well ID:	7221103			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	5/30/2014
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z188024			Owner:	
Tag:	A163174			Street Name:	45 RIVER DRIVE
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	HALTON HILLS TOWN (ESQUESING)
Elevation Reliability:				Site Info:	WKQ-006868 A0-A0
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2014/05/03
Year Completed:	2014
Depth (m):	7.9248
Latitude:	43.6589867398386
Longitude:	-79.913373486216
Path:	

Bore Hole Information

Bore Hole ID:	1004793033	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	587617.00
Code OB Desc:		North83:	4834572.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03-May-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<i>Formation ID:</i>		1005167058			
<i>Layer:</i>		1			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		23.0			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<i>Formation ID:</i>		1005167059			
<i>Layer:</i>		2			
<i>Color:</i>		7			
<i>General Color:</i>		RED			
<i>Mat1:</i>		17			
<i>Most Common Material:</i>		SHALE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		23.0			
<i>Formation End Depth:</i>		26.0			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005167070			
<i>Layer:</i>		3			
<i>Plug From:</i>		15.0			
<i>Plug To:</i>		26.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005167069			
<i>Layer:</i>		2			
<i>Plug From:</i>		1.0			
<i>Plug To:</i>		15.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005167068			
<i>Layer:</i>		1			
<i>Plug From:</i>		0.0			
<i>Plug To:</i>		1.0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005167067			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005167057			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005167063			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		16.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005167064			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		16.0			
<b>Screen End Depth:</b>		26.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005167062			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005167061			
<b>Diameter:</b>		6.0			
<b>Depth From:</b>		6.0			
<b>Depth To:</b>		26.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1005167060			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		6.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">26</a>	1 of 1	NNE/133.8	244.9 / -9.25	45 RIVER DRIVE GEORGETOWN ON	WWIS
--------------------	--------	-----------	---------------	---------------------------------	------

<b>Well ID:</b>	7221104	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	5/30/2014
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z188025	<b>Owner:</b>	
<b>Tag:</b>	A163088	<b>Street Name:</b>	45 RIVER DRIVE
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>		<b>Site Info:</b>	WKQ-006868 A0-A0
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

PDF URL (Map):

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2014/05/03
<b>Year Completed:</b>	2014
<b>Depth (m):</b>	2.5908
<b>Latitude:</b>	43.6593058320347
<b>Longitude:</b>	-79.9137893989403
<b>Path:</b>	

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004793036	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587583.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834607.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	03-May-2014 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005167192			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		8.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167204			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		8.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167202			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167203			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005167201			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005167191			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005167197			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		3.0			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005167198			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.0			
<b>Screen End Depth:</b>		8.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005167196			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005167195			
<b>Diameter:</b>		2.25			
<b>Depth From:</b>		16.0			
<b>Depth To:</b>		8.5			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005167193			
<b>Diameter:</b>		6.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005167194			
<b>Diameter:</b>		3.0			
<b>Depth From:</b>		5.0			
<b>Depth To:</b>		16.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<hr/>					
<a href="#"><u>27</u></a>	1 of 1	WNW/135.4	239.8 / -14.35	18 ROSSET VALLEY COURT, GEORGETOWN ON	PINC
<b>Incident ID:</b>				<b>Pipe Material:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident No:</b>	871020			<b>Fuel Category:</b> Natural Gas	
<b>Incident Reported Dt:</b>				<b>Health Impact:</b>	
<b>Type:</b>	FS-Pipeline Incident			<b>Environment Impact:</b>	
<b>Status Code:</b>	Pipeline Damage Reason Est			<b>Property Damage:</b> Yes	
<b>Tank Status:</b>	RC Established			<b>Service Interrupt:</b>	
<b>Task No:</b>	4016689			<b>Enforce Policy:</b> Yes	
<b>Spills Action Centre:</b>				<b>Public Relation:</b>	
<b>Fuel Type:</b>				<b>Pipeline System:</b>	
<b>Fuel Occurrence Tp:</b>				<b>PSIG:</b>	
<b>Date of Occurrence:</b>				<b>Attribute Category:</b> FS-Perform P-line Inc Invest	
<b>Occurrence Start Dt:</b>	2012/09/14			<b>Regulator Location:</b>	
<b>Depth:</b>				<b>Method Details:</b> E-mail	
<b>Customer Acct Name:</b>					
<b>Incident Address:</b>					
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>		18 ROSSET VALLEY COURT, GEORGETOWN - 1/2" Pipeline Hit			
<b>Reported By:</b>		Devay, Lori			
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>		No notification made to the one call center			
<b>Notes:</b>					

<a href="#">28</a>	1 of 5	SW/137.8	259.9 / 5.74	<b>MAPLE LEAF FOODS INC. 1 ELGIN STREET, ACTON ACTON - BEARDMORE TANNERY. 1 ELGIN STREET HALTON HILLS TOWN ON L7G 3M2</b>	<b>SPL</b>
<b>Ref No:</b>	155826			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/19/1998			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	UNKNOWN			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b> 14401	
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	AIR			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b> FIRE, POLICE	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	5/19/1998			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	UNKNOWN			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>		MAPLE LEAF FOODS: SMOKE TO ATM FROM WAREHOUSE FIRE.			
<b>Contaminant Qty:</b>					

<a href="#">28</a>	2 of 5	SW/137.8	259.9 / 5.74	<b>1 Elgin Street Halton Hills (Georgetown) ON L7G 3M2</b>	<b>EHS</b>
<b>Order No:</b>	20100722048			<b>Nearest Intersection:</b> King Street	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b> ON	
<b>Report Date:</b>	7/28/2010			<b>Search Radius (km):</b> 0.25	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Received:</b> 7/22/2010 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<a href="#">28</a>	3 of 5	SW/137.8	259.9 / 5.74	1 Elgin St Halton Hills ON L7G3M2	EHS
<b>Order No:</b> 20160531137 <b>Status:</b> C <b>Report Type:</b> Site Report <b>Report Date:</b> 01-JUN-16 <b>Date Received:</b> 31-MAY-16 <b>Previous Site Name:</b> W. McNally Construction Ltd. <b>Lot/Building Size:</b> 0.15 hectares <b>Additional Info Ordered:</b> Aerial Photos					
<b>Nearest Intersection:</b> <b>Municipality:</b> Georgetown <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .001 <b>X:</b> -79.916486 <b>Y:</b> 43.655678					
<a href="#">28</a>	4 of 5	SW/137.8	259.9 / 5.74	FRB Five Inc. 1 Elgin St Halton Hills ON L7G 3M2	ECA
<b>Approval No:</b> 1621-AYDGUV <b>Approval Date:</b> 2018-05-14 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Business Name:</b> FRB Five Inc. <b>Address:</b> 1 Elgin St <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9265-AXYM89-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9265-AXYM89-14.pdf</a> <b>PDF Site Location:</b>					
<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>					
<a href="#">28</a>	5 of 5	SW/137.8	259.9 / 5.74	Canadian National Railway 1 Elgin St Halton Hills ON L7G 3M2	SPL
<b>Ref No:</b> 1745-BKPPL6 <b>Site No:</b> 5059-AXYM76 <b>Incident Dt:</b> 2020/01/10 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Operator/Human error <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> 1202 <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2020/01/10 <b>Dt Document Closed:</b> 2020/01/23 <b>Incident Reason:</b> Operator/Human Error <b>Site Name:</b> 1 Elgin Street					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment <b>Client Type:</b> Corporation <b>Sector Type:</b> Miscellaneous Industrial <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 1 Elgin St <b>Site District Office:</b> Halton-Peel <b>Site Postal Code:</b> L7G 3M2 <b>Site Region:</b> Central <b>Site Municipality:</b> Halton Hills <b>Site Lot:</b> <b>Site Conc:</b> NA <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> NA <b>Site Map Datum:</b> NA <b>SAC Action Class:</b> Pollution Hotline Calls <b>Source Type:</b> Motor Vehicle					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site County/District:</b>		Regional Municipality of Halton			
<b>Site Geo Ref Meth:</b>		NA			
<b>Incident Summary:</b>		MOETIPS: rainbow sheen streaming from CN Rail site - confirmed by CN.			
<b>Contaminant Qty:</b>		10 L			

<a href="#">29</a>	1 of 1	<b>NNE/141.3</b>	<b>246.0 / -8.09</b>	<b>45 RIVER DRIVE GEORGETOWN ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7221106		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 5/30/2014	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z179393		<b>Owner:</b>	
<b>Tag:</b>		A163090		<b>Street Name:</b> 45 RIVER DRIVE	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> HALTON HILLS TOWN (ESQUESING)	
<b>Elevation Reliability:</b>				<b>Site Info:</b> WKQ-006850 A0-A02	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2014/04/26
<b>Year Completed:</b>	2014
<b>Depth (m):</b>	4.2672
<b>Latitude:</b>	43.6592498140357
<b>Longitude:</b>	-79.9135795751244
<b>Path:</b>	

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004793057	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587600.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834601.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	26-Apr-2014 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1005167244			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		4.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005167245			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		4.0			
<b>Formation End Depth:</b>		14.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167255			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167254			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167256			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		14.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005167253			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005167243			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005167249			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.0			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005167250			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.0			
<b>Screen End Depth:</b>		14.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005167248			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005167247			
<b>Diameter:</b>		2.25			
<b>Depth From:</b>		7.0			
<b>Depth To:</b>		14.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005167246			
<b>Diameter:</b>		6.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		7.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">30</a>	1 of 1	NE/142.0	247.7 / -6.40	45 RIVER DRIVE GEORGETOWN ON	WWIS
<b>Well ID:</b> 7221105 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z188023 <b>Tag:</b> A163087 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/30/2014 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 45 RIVER DRIVE <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> WKQ-006868 A0-A0 <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b>PDF URL (Map):</b>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> 2014/05/03 <b>Year Completed:</b> 2014 <b>Depth (m):</b> 3.2004 <b>Latitude:</b> 43.6589850893561 <b>Longitude:</b> -79.913199888923 <b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004793054 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 03-May-2014 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587631.00 <b>North83:</b> 4834572.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1005167216 <b>Layer:</b> 2 <b>Color:</b> 7 <b>General Color:</b> RED <b>Mat1:</b> 17					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		8.0			
<b>Formation End Depth:</b>		10.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005167215			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		8.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167225			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167226			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005167227			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		10.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005167224			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Pipe Information</u></b>					
	Pipe ID:	1005167214			
	Casing No:	0			
	Comment:				
	Alt Name:				
<b><u>Construction Record - Casing</u></b>					
	Casing ID:	1005167220			
	Layer:	1			
	Material:	5			
	Open Hole or Material:	PLASTIC			
	Depth From:	0.0			
	Depth To:	3.0			
	Casing Diameter:	1.25			
	Casing Diameter UOM:	inch			
	Casing Depth UOM:	ft			
<b><u>Construction Record - Screen</u></b>					
	Screen ID:	1005167221			
	Layer:	1			
	Slot:	10			
	Screen Top Depth:	3.0			
	Screen End Depth:	10.0			
	Screen Material:	5			
	Screen Depth UOM:	ft			
	Screen Diameter UOM:	inch			
	Screen Diameter:	1.5			
<b><u>Water Details</u></b>					
	Water ID:	1005167219			
	Layer:				
	Kind Code:				
	Kind:				
	Water Found Depth:				
	Water Found Depth UOM:	ft			
<b><u>Hole Diameter</u></b>					
	Hole ID:	1005167217			
	Diameter:	6.0			
	Depth From:	0.0			
	Depth To:	6.0			
	Hole Depth UOM:	ft			
	Hole Diameter UOM:	inch			
<b><u>Hole Diameter</u></b>					
	Hole ID:	1005167218			
	Diameter:	2.25			
	Depth From:	6.0			
	Depth To:	10.0			
	Hole Depth UOM:	ft			
	Hole Diameter UOM:	inch			
<a href="#">31</a>	1 of 37	NE/146.0	246.2 / -7.88	VARIAN CANADA MICROWAVE PRODUCTS 45 RIVER DR., GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	CA



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		8-3036-92- 92 4/13/1992 Industrial air Approved			
		HVAC/PROC. EQUIP. NOISE CONTROL MODS.			
		Sound			
		Silencer, Noise Control - Acoustic Louvre,			

<a href="#">31</a>	2 of 37	NE/146.0	246.2 / -7.88	VARIAN CANADA LTD. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	NPCB
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		F1060  1/29/1996			
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		0.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Unknown concentration			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		0.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		High > 10,000 ppm			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		300.00 KG			

<a href="#">31</a>	3 of 37	NE/146.0	246.2 / -7.88	C.P.I. CANADA INC 45 RIVER DR GEORGETOWN ON L7G 2J4	SCT
<b>Established:</b> <b>Plant Size (ft²):</b>		1955 0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>		200			
<b>--Details--</b>					
<b>Description:</b>		ELECTRON TUBES			
<b>SIC/NAICS Code:</b>		3671			
<b>Description:</b>		ELECTRONIC COMPONENTS, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3679			
<b>Description:</b>		LABORATORY AND ANALYTICAL INSTRUMENTS			
<b>SIC/NAICS Code:</b>		3826			
<a href="#">31</a>	4 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER IND. CANADA INC. 45 RIVER DRIVE, GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	CA
<b>Certificate #:</b>		8-3184-96-			
<b>Application Year:</b>		96			
<b>Issue Date:</b>		6/17/1996			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		INSTALL PAINT SPRAY BOOTH			
<b>Contaminants:</b>		Toluene(Pentyl Methane)(Methyl Benzene), Xylene			
<b>Emission Control:</b>					
<a href="#">31</a>	5 of 37	NE/146.0	246.2 / -7.88	CPI Canada Inc. 45 River Dr Georgetown ON L7G 2J4	SCT
<b>Established:</b>		01-JUN-55			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Measuring, Medical and Controlling Devices Manufacturing			
<b>SIC/NAICS Code:</b>		334512			
<b>Description:</b>		Semiconductor and Other Electronic Component Manufacturing			
<b>SIC/NAICS Code:</b>		334410			
<b>Description:</b>		Semiconductor and Other Electronic Component Manufacturing			
<b>SIC/NAICS Code:</b>		334410			
<a href="#">31</a>	6 of 37	NE/146.0	246.2 / -7.88	VARIAN CANADA INC., MICROWAVE PRODUCTS 45 RIVER DRIVE, GEORGETOWN HALTON HILLS TOWN ON L7G 2J4	CA
<b>Certificate #:</b>		8-3413-95-006			
<b>Application Year:</b>		95			
<b>Issue Date:</b>		10/26/95			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b> (8) EXHAUST FANS, (2) PASSIVE EXH.STACKS					
<b>Contaminants:</b> Suspended Particulate Matter, Ethylene Glycol Butyl Ether ( Butyl Cellosolve ), Diethylene Glycol Monobutyl Ether, Nitrogen Oxides, Sodium Hydroxide					
<b>Emission Control:</b> No Controls					

<a href="#">31</a>	7 of 37	NE/146.0	246.2 / -7.88	<b>Communications &amp; Power Ind. Canada Inc. 45 RIVER DRIVE, GEORGETOWN, HALTON HILLS TOWN TOWN OF HALTON HILLS ON</b>	<b>EBR</b>
<b>EBR Registry No:</b> IA6E0568					
<b>Ministry Ref No:</b> 8318496 19960410					
<b>Notice Type:</b> Instrument Decision					
<b>Notice Stage:</b>					
<b>Notice Date:</b> August 16, 2001					
<b>Proposal Date:</b> April 22, 1996					
<b>Year:</b> 1996					
<b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)					
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b> Communications & Power Ind. Canada Inc.					
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b> 45 River Drive, Georgetown Ontario, L7G 2J4					
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
45 RIVER DRIVE, GEORGETOWN, HALTON HILLS TOWN TOWN OF HALTON HILLS					

<a href="#">31</a>	8 of 37	NE/146.0	246.2 / -7.88	<b>VARIAN CANADA LTD. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4</b>	<b>OPCB</b>
<b>Year:</b> 1995					
<b>Site Number:</b> 30285A003					
<b>Name Owner:</b>					
<b>Additional Site Information:</b>					
<b>--Details--</b>					
<b>Quantity:</b> 6.00					
<b>Address Site:</b>					
<b>Description:</b> Number of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<b>Quantity:</b> 1200.00					
<b>Address Site:</b>					
<b>Description:</b> Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg					
<b>Quantity:</b> 32.00					
<b>Address Site:</b>					
<b>Description:</b> Number of Capacitors with High Level PCBs (>1000 ppm)					
<b>Quantity:</b> 800.00					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Address Site:</b>					
<b>Description:</b> Weight of Capacitors with High Level PCBs (>1000 ppm) kg					

<a href="#">31</a>	9 of 37	NE/146.0	246.2 / -7.88	VARIAN CANADA INC 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
<b>Generator No:</b>	ON0180500			<b>Status:</b>	
<b>SIC Code:</b>	3351			<b>Co Admin:</b>	
<b>SIC Description:</b>	TELECOMMUNICATIONS			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS

<a href="#">31</a>	10 of 37	NE/146.0	246.2 / -7.88	VARIAN CANADA(SEE & USE ON2019700)40-013 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
<b>Generator No:</b>	ON0180500			<b>Status:</b>	
<b>SIC Code:</b>	3351			<b>Co Admin:</b>	
<b>SIC Description:</b>	TELECOMMUNICATIONS			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	92,93,95,96,97			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCB'S			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

[31](#)    11 of 37    **NE/146.0**    **246.2 / -7.88**    **VARIAN CANADA INC. 40-013  
45 RIVER DRIVE  
GEORGETOWN ON L7G 2J4**    **GEN**

<b>Generator No:</b>	ON0180500	<b>Status:</b>	
<b>SIC Code:</b>	3351	<b>Co Admin:</b>	
<b>SIC Description:</b>	TELECOMMUNICATIONS	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	94	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

[31](#)      12 of 37      **NE/146.0**      **246.2 / -7.88**      **VARIAN CANADA(SEE & USE ON2019700)**  
**45 RIVER DRIVE**  
**GEORGETOWN ON L7G 2J4**      **GEN**

<b>Generator No:</b>	ON0180500	<b>Status:</b>	
<b>SIC Code:</b>	3351	<b>Co Admin:</b>	
<b>SIC Description:</b>	TELECOMMUNICATIONS	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	98	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S
<b>Waste Class:</b>	251
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES

[31](#)      13 of 37      **NE/146.0**      **246.2 / -7.88**      **COMMUNICATIONS & POWER INDUSTRIES**  
**45 RIVER DRIVE**      **GEN**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

GEORGETOWN ON L7G 2J4

<b>Generator No:</b>	ON2019700	<b>Status:</b>
<b>SIC Code:</b>	3351	<b>Co Admin:</b>
<b>SIC Description:</b>	TELECOMMUNICATIONS	<b>Choice of Contact:</b>
<b>Approval Years:</b>	95,96,97,98,99,00,01	<b>Phone No Admin:</b>
<b>PO Box No:</b>		<b>Contam. Facility:</b>
<b>Country:</b>		<b>MHSW Facility:</b>

Detail(s)

<b>Waste Class:</b>	142
<b>Waste Class Desc:</b>	SMELTING WASTES
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S
<b>Waste Class:</b>	251
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS

<a href="#">31</a>	14 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
--------------------	----------	----------	---------------	--	-----

<b>Generator No:</b>	ON2019700	<b>Status:</b>
<b>SIC Code:</b>		<b>Co Admin:</b>
<b>SIC Description:</b>		<b>Choice of Contact:</b>
<b>Approval Years:</b>	02	<b>Phone No Admin:</b>
<b>PO Box No:</b>		<b>Contam. Facility:</b>
<b>Country:</b>		<b>MHSW Facility:</b>

Detail(s)

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		142			
<b>Waste Class Desc:</b>		SMELTING WASTES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

**31**      15 of 37      **NE/146.0**      **246.2 / -7.88**      **COMMUNICATIONS & POWER INDUSTRIES CANADA INC.**      **GEN**  
**45 RIVER DRIVE**  
**GEORGETOWN ON**

<b>Generator No:</b>	ON2019700	<b>Status:</b>	
<b>SIC Code:</b>	334290	<b>Co Admin:</b>	
<b>SIC Description:</b>	Other Communications Equipment Mfg.	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	03,04,05,06,07,08	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	131
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		142			
<i>Waste Class Desc:</i>		SMELTING WASTES			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		232			
<i>Waste Class Desc:</i>		POLYMERIC RESINS			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i>		253			
<i>Waste Class Desc:</i>		EMULSIFIED OILS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			

[31](#)    16 of 37    *NE/146.0*    *246.2 / -7.88*    **COMMUNICATIONS AND POWER INDUSTRIES  
45 RIVER DR  
GEORGETOWN ON L7G 2J4**    **NPCB**

*Company Code:*    0005033  
*Industry:*    OTHER  
*Site Status:*  
*Transaction Date:*  
*Inspection Date:*

[31](#)    17 of 37    *NE/146.0*    *246.2 / -7.88*    **45 River Drive  
Georgetown ON L7G 2J4**    **EHS**

<i>Order No:</i>	20100401028	<i>Nearest Intersection:</i>	
<i>Status:</i>	C	<i>Municipality:</i>	
<i>Report Type:</i>	Standard Report	<i>Client Prov/State:</i>	ON
<i>Report Date:</i>	4/13/2010	<i>Search Radius (km):</i>	0.25
<i>Date Received:</i>	4/1/2010	<i>X:</i>	-79.912925
<i>Previous Site Name:</i>		<i>Y:</i>	43.65943
<i>Lot/Building Size:</i>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans; Title Search; Aerial Photos; City Directory			
<a href="#">31</a>	18 of 37	NE/146.0	246.2 / -7.88	<b>Communications &amp; Power Industries Canada Inc. 45 River Drive Halton Hills, Regional Municipality of Halton L7G 2J4 TOWN OF HALTON HILLS ON</b>	<b>EBR</b>
<b>EBR Registry No:</b>		011-0224		<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>		1514-85YQBD		<b>Exception Posted:</b>	
<b>Notice Type:</b>		Instrument Decision		<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>		October 05, 2016		<b>Act 2:</b>	
<b>Proposal Date:</b>		June 07, 2010		<b>Site Location Map:</b>	
<b>Year:</b>		2010			
<b>Instrument Type:</b>		(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		Communications & Power Industries Canada Inc.			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		45 River Drive, Georgetown Ontario, Canada L7G 2J4			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
45 River Drive Halton Hills, Regional Municipality of Halton L7G 2J4 TOWN OF HALTON HILLS					
<a href="#">31</a>	19 of 37	NE/146.0	246.2 / -7.88	<b>CPI International Inc. 45 River Dr Georgetown ON L7G 2J4</b>	<b>SCT</b>
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Pharmaceutical and Medicine Manufacturing			
<b>SIC/NAICS Code:</b>		325410			
<b>Description:</b>		Testing Laboratories			
<b>SIC/NAICS Code:</b>		541380			
<b>Description:</b>		Measuring, Medical and Controlling Devices Manufacturing			
<b>SIC/NAICS Code:</b>		334512			
<a href="#">31</a>	20 of 37	NE/146.0	246.2 / -7.88	<b>45 River Drive Georgetown ON L7G 2J4</b>	<b>EHS</b>
<b>Order No:</b>		20101116046		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Standard Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		11/25/2010		<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>		11/16/2010 11:25:19 PM		<b>X:</b> -79.913156	
<b>Previous Site Name:</b>				<b>Y:</b> 43.659914	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<a href="#">31</a>	21 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
<b>Generator No:</b>	ON2019700			<b>Status:</b>	
<b>SIC Code:</b>	334290			<b>Co Admin:</b>	
<b>SIC Description:</b>	Other Communications Equipment Manufacturing 2009			<b>Choice of Contact:</b>	
<b>Approval Years:</b>				<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	121				
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Class:</b>	142				
<b>Waste Class Desc:</b>	SMELTING WASTES				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">31</a>	22 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC 45 RIVER DRIVE GEORGETOWN, HALTON HILLS ON L7G 2J4	EASR
<b>Approval No:</b>	R-003-3980976425			<b>SWP Area Name:</b>	
<b>Status:</b>	REGISTERED			<b>MOE District:</b>	
<b>Date:</b>	2012-04-13			<b>Municipality:</b>	GEORGETOWN, HALTON HILLS
<b>Record Type:</b>	EASR			<b>Latitude:</b>	
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	
<b>Project Type:</b>	Heating System			<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Heating System				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=982">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=982</a>				
<b>PDF URL:</b>					
<b>PDF Site Location:</b>					

<a href="#">31</a>	23 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC 45 RIVER DRIVE GEORGETOWN, HALTON HILLS ON L7G 2J4	EASR
<b>Approval No:</b>	R-002-3981079722			<b>SWP Area Name:</b>	
<b>Status:</b>	REGISTERED			<b>MOE District:</b>	
<b>Date:</b>	2012-04-13			<b>Municipality:</b>	GEORGETOWN, HALTON HILLS
<b>Record Type:</b>	EASR			<b>Latitude:</b>	
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	
<b>Project Type:</b>	Standby Power System			<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Standby Power System				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=983">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=983</a>				
<b>PDF URL:</b>					
<b>PDF Site Location:</b>					

<a href="#">31</a>	24 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
<b>Generator No:</b>	ON2019700			<b>Status:</b>	
<b>SIC Code:</b>	334290			<b>Co Admin:</b>	
<b>SIC Description:</b>	Other Communications Equipment Manufacturing			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2010			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		142			
<b>Waste Class Desc:</b>		SMELTING WASTES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			

<a href="#">31</a>	25 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
<b>Generator No:</b>	ON2019700			<b>Status:</b>	
<b>SIC Code:</b>	334290			<b>Co Admin:</b>	
<b>SIC Description:</b>	Other Communications Equipment Manufacturing			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2011			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		142			
<b>Waste Class Desc:</b>		SMELTING WASTES			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			

<a href="#">31</a>	26 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
--------------------	----------	----------	---------------	---	-----

<b>Generator No:</b>	ON2019700	<b>Status:</b>	
<b>SIC Code:</b>	334290	<b>Co Admin:</b>	
<b>SIC Description:</b>	Other Communications Equipment Manufacturing	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2012	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		142			
Waste Class Desc:		SMELTING WASTES			

<a href="#">31</a>	27 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA 45 RIVER Drive GEORGETOWN ON L7G2J4	NPRI
NPRI ID:	8800000624			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type:	MED
Report Type:				Contact Title:	Mr.
Rpt Type ID:				Cont First Name:	Gerald
Report Year:	2004			Cont Last Name:	Paranczuk
Not-Current Rpt?:				Contact Position:	Plant Engineer
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	COMMUNICATIONS & MEDICAL PRODUCTS DIVISION			Cont Area Code:	905
Fac Address1:				Contact Tel.:	8770161
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	905
Facility Lat:				Contact Fax:	8775327
Facility Long:				Contact Email:	gerry.paranczuk@cmp.cpii.com
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:	www.cpii.com			UTM Easting:	
No of Empl.:	350			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	31-33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3342				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS 4 Description:</b>				Communications Equipment Manufacturing	
<b>NAICS Code (6 digit):</b>			334220		
<b>NAICS 6 Description:</b>				Radio and Television Broadcasting and Wireless Communications Equipment Manufacturing	
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>		NA - M16			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Volatile Organic Compounds (VOCs)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M08			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM - Total Particulate Matter			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M09			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		74-82-8			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Methane			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		10024-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrous oxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>CAS No:</b>		11104-93-1			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrogen oxides (expressed as NO2)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		124-38-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		630-08-0			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon monoxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>31</b>	<b>28 of 37</b>	<b>NE/146.0</b>	<b>246.2 / -7.88</b>	<b>COMMUNICATIONS &amp; POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON2019700			<b>Status:</b>	
<b>SIC Code:</b>	334290			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER COMMUNICATIONS EQUIPMENT MANUFACTURING			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2013			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		142			
<b>Waste Class Desc:</b>		SMELTING WASTES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			

**31**      **29 of 37**      **NE/146.0**      **246.2 / -7.88**      **Communications & Power Industries Canada Inc.**      **ECA**  
**45 River Dr**  
**Halton Hills ON L7G 2J4**

<b>Approval No:</b>	8860-ADKLHS	<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2016-09-29	<b>City:</b>	
<b>Status:</b>	Approved	<b>Longitude:</b>	-79.91283
<b>Record Type:</b>	ECA	<b>Latitude:</b>	43.65918
<b>Link Source:</b>	IDS	<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Credit Valley	<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR		
<b>Project Type:</b>	AIR		
<b>Business Name:</b>	Communications & Power Industries Canada Inc.		
<b>Address:</b>	45 River Dr		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1514-85YQBD-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1514-85YQBD-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">31</a>	30 of 37	NE/146.0	246.2 / -7.88	<b>Communications &amp; Power Industries Canada Inc.</b> <b>45 River Dr</b> <b>Halton Hills ON L7G 2J4</b>	ECA
<b>Approval No:</b> 9939-99AK82 <b>MOE District:</b> Halton-Peel <b>Approval Date:</b> 2013-09-27 <b>City:</b> <b>Status:</b> Approved <b>Longitude:</b> -79.91283 <b>Record Type:</b> ECA <b>Latitude:</b> 43.65918 <b>Link Source:</b> IDS <b>Geometry X:</b> <b>SWP Area Name:</b> Credit Valley <b>Geometry Y:</b> <b>Approval Type:</b> ECA-INDUSTRIAL SEWAGE WORKS <b>Project Type:</b> INDUSTRIAL SEWAGE WORKS <b>Business Name:</b> Communications & Power Industries Canada Inc. <b>Address:</b> 45 River Dr <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6590-95XLXK-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6590-95XLXK-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">31</a>	31 of 37	NE/146.0	246.2 / -7.88	<b>COMMUNICATIONS &amp; POWER INDUSTRIES CANADA INC.</b> <b>45 RIVER DRIVE</b> <b>GEORGETOWN ON L7G 2J4</b>	GEN
<b>Generator No:</b> ON2019700 <b>Status:</b> <b>SIC Code:</b> 334290 <b>Co Admin:</b> <b>SIC Description:</b> OTHER COMMUNICATIONS EQUIPMENT MANUFACTURING <b>Choice of Contact:</b> CO_OFFICIAL <b>Approval Years:</b> 2015 <b>Phone No Admin:</b> <b>PO Box No:</b> <b>Contam. Facility:</b> No <b>Country:</b> Canada <b>MHSW Facility:</b> No					
<b>Detail(s)</b>					
<b>Waste Class:</b> 263					
<b>Waste Class Desc:</b> ORGANIC LABORATORY CHEMICALS					
<b>Waste Class:</b> 232					
<b>Waste Class Desc:</b> POLYMERIC RESINS					
<b>Waste Class:</b> 145					
<b>Waste Class Desc:</b> PAINT/PIGMENT/COATING RESIDUES					
<b>Waste Class:</b> 212					
<b>Waste Class Desc:</b> ALIPHATIC SOLVENTS					
<b>Waste Class:</b> 213					
<b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<b>Waste Class:</b> 331					
<b>Waste Class Desc:</b> WASTE COMPRESSED GASES					
<b>Waste Class:</b> 148					
<b>Waste Class Desc:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Class:</b> 264					
<b>Waste Class Desc:</b> PHOTOPROCESSING WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		142			
<b>Waste Class Desc:</b>		SMELTING WASTES			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			

[31](#)    32 of 37    **NE/146.0**    **246.2 / -7.88**    **COMMUNICATIONS & POWER INDUSTRIES CANADA INC.  
45 RIVER DRIVE  
GEORGETOWN ON L7G 2J4**    **GEN**

<b>Generator No:</b>	ON2019700	<b>Status:</b>	
<b>SIC Code:</b>	334290	<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER COMMUNICATIONS EQUIPMENT MANUFACTURING	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2016	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	No

**Detail(s)**

<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	142
<b>Waste Class Desc:</b>	SMELTING WASTES
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			

**31**      33 of 37      **NE/146.0**      **246.2 / -7.88**      **COMMUNICATIONS & POWER INDUSTRIES CANADA INC.  
45 RIVER DRIVE  
GEORGETOWN ON L7G 2J4**      **GEN**

<b>Generator No:</b>	ON2019700	<b>Status:</b>	
<b>SIC Code:</b>	334290	<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER COMMUNICATIONS EQUIPMENT MANUFACTURING	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	No

**Detail(s)**

<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	251
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	142
<b>Waste Class Desc:</b>	SMELTING WASTES
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	112

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			

<a href="#">31</a>	34 of 37	NE/146.0	246.2 / -7.88	<b>COMMUNICATIONS &amp; POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4</b>	<b>GEN</b>
--------------------	----------	----------	---------------	---	------------

<b>Generator No:</b>	ON2019700	<b>Status:</b>	Registered
<b>SIC Code:</b>		<b>Co Admin:</b>	
<b>SIC Description:</b>		<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	121 C
<b>Waste Class Desc:</b>	Alkaline slutions - containing heavy metals
<b>Waste Class:</b>	121 H
<b>Waste Class Desc:</b>	Alkaline slutions - containing heavy metals
<b>Waste Class:</b>	142 T
<b>Waste Class Desc:</b>	Primary lead, zinc, and copper smelting wastes
<b>Waste Class:</b>	145 I
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	145 L
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	146 T
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids
<b>Waste Class:</b>	148 C
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i> <i>Waste Class Desc:</i>		148 L Misc. wastes and inorganic chemicals			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		148 R Misc. wastes and inorganic chemicals			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		211 B Aromatic solvents and residues			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		212 H Aliphatic solvents and residues			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		212 L Aliphatic solvents and residues			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		232 H Polymeric resins			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		241 L Halogenated solvents and residues			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		252 L Waste crankcase oils and lubricants			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		253 L Emulsified oils			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		263 I Misc. waste organic chemicals			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		263 L Misc. waste organic chemicals			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		264 L Photoprocessing wastes			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		331 I Waste compressed gases including cylinders			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		112 C Acid solutions - containing heavy metals			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		112 I Acid solutions - containing heavy metals			

[31](#)    35 of 37    *NE/146.0*    *246.2 / -7.88*    **COMMUNICATIONS & POWER INDUSTRIES CANADA INC.  
45 RIVER DRIVE  
GEORGETOWN ON L7G 2J4**    **GEN**

<b>Generator No:</b>	ON2019700	<b>Status:</b>	Registered
<b>SIC Code:</b>		<b>Co Admin:</b>	
<b>SIC Description:</b>		<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jul 2020	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	145 L
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	212 H
<b>Waste Class Desc:</b>	Aliphatic solvents and residues

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>			121 C		
<b>Waste Class Desc:</b>			Alkaline slutions - containing heavy metals		
<b>Waste Class:</b>			148 L		
<b>Waste Class Desc:</b>			Misc. wastes and inorganic chemicals		
<b>Waste Class:</b>			241 L		
<b>Waste Class Desc:</b>			Halogenated solvents and residues		
<b>Waste Class:</b>			146 T		
<b>Waste Class Desc:</b>			Other specified inorganic sludges, slurries or solids		
<b>Waste Class:</b>			263 I		
<b>Waste Class Desc:</b>			Misc. waste organic chemicals		
<b>Waste Class:</b>			253 L		
<b>Waste Class Desc:</b>			Emulsified oils		
<b>Waste Class:</b>			212 L		
<b>Waste Class Desc:</b>			Aliphatic solvents and residues		
<b>Waste Class:</b>			252 L		
<b>Waste Class Desc:</b>			Waste crankcase oils and lubricants		
<b>Waste Class:</b>			211 B		
<b>Waste Class Desc:</b>			Aromatic solvents and residues		
<b>Waste Class:</b>			112 C		
<b>Waste Class Desc:</b>			Acid solutions - containing heavy metals		
<b>Waste Class:</b>			267 L		
<b>Waste Class Desc:</b>			Organic acids		
<b>Waste Class:</b>			331 I		
<b>Waste Class Desc:</b>			Waste compressed gases including cylinders		
<b>Waste Class:</b>			264 L		
<b>Waste Class Desc:</b>			Photoprocessing wastes		
<b>Waste Class:</b>			148 C		
<b>Waste Class Desc:</b>			Misc. wastes and inorganic chemicals		
<b>Waste Class:</b>			145 I		
<b>Waste Class Desc:</b>			Wastes from the use of pigments, coatings and paints		
<b>Waste Class:</b>			212 I		
<b>Waste Class Desc:</b>			Aliphatic solvents and residues		
<b>Waste Class:</b>			263 L		
<b>Waste Class Desc:</b>			Misc. waste organic chemicals		
<b>Waste Class:</b>			142 T		
<b>Waste Class Desc:</b>			Primary lead, zinc, and copper smelting wastes		
<b>Waste Class:</b>			232 H		
<b>Waste Class Desc:</b>			Polymeric resins		
<b>Waste Class:</b>			112 I		
<b>Waste Class Desc:</b>			Acid solutions - containing heavy metals		
<b>Waste Class:</b>			121 H		
<b>Waste Class Desc:</b>			Alkaline slutions - containing heavy metals		
<b>Waste Class:</b>			148 R		
<b>Waste Class Desc:</b>			Misc. wastes and inorganic chemicals		



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<a href="#">31</a>	36 of 37	NE/146.0	246.2 / -7.88	COMMUNICATIONS & POWER INDUSTRIES CANADA INC. 45 RIVER DRIVE GEORGETOWN ON L7G 2J4	GEN
<b>Generator No:</b>	ON2019700			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	146 T				
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids				
<b>Waste Class:</b>	112 C				
<b>Waste Class Desc:</b>	Acid solutions - containing heavy metals				
<b>Waste Class:</b>	263 L				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	331 I				
<b>Waste Class Desc:</b>	Waste compressed gases including cylinders				
<b>Waste Class:</b>	148 R				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Class:</b>	112 I				
<b>Waste Class Desc:</b>	Acid solutions - containing heavy metals				
<b>Waste Class:</b>	212 I				
<b>Waste Class Desc:</b>	Aliphatic solvents and residues				
<b>Waste Class:</b>	148 A				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Class:</b>	121 H				
<b>Waste Class Desc:</b>	Alkaline slutions - containing heavy metals				
<b>Waste Class:</b>	211 B				
<b>Waste Class Desc:</b>	Aromatic solvents and residues				
<b>Waste Class:</b>	232 H				
<b>Waste Class Desc:</b>	Polymeric resins				
<b>Waste Class:</b>	241 L				
<b>Waste Class Desc:</b>	Halogenated solvents and residues				
<b>Waste Class:</b>	121 C				
<b>Waste Class Desc:</b>	Alkaline slutions - containing heavy metals				
<b>Waste Class:</b>	264 L				
<b>Waste Class Desc:</b>	Photoprocessing wastes				
<b>Waste Class:</b>	253 L				
<b>Waste Class Desc:</b>	Emulsified oils				
<b>Waste Class:</b>	145 I				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	212 L				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		145 L			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		148 L			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		142 T			
<b>Waste Class Desc:</b>		Primary lead, zinc, and copper smelting wastes			
<b>Waste Class:</b>		148 C			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		212 H			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		267 L			
<b>Waste Class Desc:</b>		Organic acids			
<a href="#">31</a>	37 of 37	NE/146.0	246.2 / -7.88	45 River Drive Georgetown ON L7G 2J4	EHS
<b>Order No:</b>	21081200164			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	17-AUG-21			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	12-AUG-21			<b>X:</b>	-79.9133869
<b>Previous Site Name:</b>				<b>Y:</b>	43.6591704
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory; Aerial Photos				
<a href="#">32</a>	1 of 2	SW/147.1	259.9 / 5.74	59-63 King Street Halton Hills ON	EHS
<b>Order No:</b>	21022300014			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	RSC Report (Urban)			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	26-FEB-21			<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	23-FEB-21			<b>X:</b>	-79.91635758
<b>Previous Site Name:</b>				<b>Y:</b>	43.65534249
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">32</a>	2 of 2	SW/147.1	259.9 / 5.74	59-63 King Street Halton Hills ON	EHS
<b>Order No:</b>	21022300014			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	RSC Report (Urban)			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	26-FEB-21			<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	23-FEB-21			<b>X:</b>	-79.91635758
<b>Previous Site Name:</b>				<b>Y:</b>	43.65534249
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">33</a>	1 of 1	E/150.6	261.8 / 7.64	127 MOUNTAINVIEW RD NORTH GEORGETOWN ON	WWIS
<b>Well ID:</b> 7200037 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z168548 <b>Tag:</b> A145998 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/9/2013 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 127 MOUNTAINVIEW RD NORTH <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7200037.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7200037.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> 2013/03/25 <b>Year Completed:</b> 2013 <b>Depth (m):</b> 7.62 <b>Latitude:</b> 43.6578431491722 <b>Longitude:</b> -79.9114718484471 <b>Path:</b> 720\7200037.pdf					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004272952 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 25-Mar-2013 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587772.00 <b>North83:</b> 4834447.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004804640 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		8.0			
<b>Formation End Depth:</b>		25.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004804639			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		8.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004804650			
<b>Layer:</b>		3			
<b>Plug From:</b>		14.0			
<b>Plug To:</b>		25.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004804648			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004804649			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		14.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004804647			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1004804638  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1004804643  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0.0  
 Depth To: 15.0  
 Casing Diameter: 2.0  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1004804644  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 15.0  
 Screen End Depth: 25.0  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.25

**Water Details**

Water ID: 1004804642  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1004804641  
 Diameter: 6.0  
 Depth From: 0.0  
 Depth To: 25.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">34</a>	1 of 1	NE/156.7	248.2 / -5.93	45 RIVER DR lot 18 con 10 Halton Hills ON	WWIS
--------------------	--------	----------	---------------	--	------

Well ID: 7191474  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z160551  
 Tag: A119258

Data Entry Status:  
 Data Src:  
 Date Received: 11/14/2012  
 Selected Flag: TRUE  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 45 RIVER DR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-005442
<b>Depth to Bedrock:</b>				<b>Lot:</b>	018
<b>Well Depth:</b>				<b>Concession:</b>	10
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/719\7191474.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7191474.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2012/11/03  
**Year Completed:** 2012  
**Depth (m):** 4.572  
**Latitude:** 43.6590373352445  
**Longitude:** -79.9130129173011  
**Path:** 719\7191474.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004203374	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587646.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834578.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	03-Nov-2012 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	gis
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004523878  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 01  
**Mat3 Desc:** FILL  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 7.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004523879

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		66			
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		7.0			
<b>Formation End Depth:</b>		15.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523888			
<b>Layer:</b>		2			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		0.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523887			
<b>Layer:</b>		1			
<b>Plug From:</b>		15.0			
<b>Plug To:</b>		4.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004523889			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004523886			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004523877			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004523882			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.0			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004523883			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		5.0			
<b>Screen End Depth:</b>		15.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004523881			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004523880			
<b>Diameter:</b>		2.25			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		15.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">35</a>	1 of 1	E/158.6	260.8 / 6.72	127 MOUNTAINVIEW RD NORTH GEORGETOWN ON	WWIS
<b>Well ID:</b>		7200038		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 4/8/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z168549		<b>Owner:</b>	
<b>Tag:</b>		A145997		<b>Street Name:</b> 127 MOUNTAINVIEW RD NORTH	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> HALTON HILLS TOWN (ESQUESING)	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 2013/03/25  
 Year Completed: 2013  
 Depth (m): 6.7056  
 Latitude: 43.6574519111866  
 Longitude: -79.9110448602823  
 Path:

Bore Hole Information

Bore Hole ID:	1004272955	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	587807.00
Code OB Desc:		North83:	4834404.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	25-Mar-2013 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1004804846  
 Layer: 2  
 Color: 2  
 General Color: GREY  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Mat2 Desc: SAND  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 9.0  
 Formation End Depth: 22.0  
 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004804845  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 01  
 Mat2 Desc: FILL  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 0.0  
 Formation End Depth: 9.0  
 Formation End Depth UOM: ft

Annular Space/Abandonment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1004804854			
<i>Layer:</i>		1			
<i>Plug From:</i>		0.0			
<i>Plug To:</i>		1.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1004804855			
<i>Layer:</i>		2			
<i>Plug From:</i>		1.0			
<i>Plug To:</i>		11.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1004804856			
<i>Layer:</i>		3			
<i>Plug From:</i>		11.0			
<i>Plug To:</i>		22.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004804853			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004804844			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004804849			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		12.0			
<i>Casing Diameter:</i>		2.0			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004804850			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		12.0			
<i>Screen End Depth:</i>		22.0			
<i>Screen Material:</i>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1004804848			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004804847			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		22.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<a href="#">36</a>	1 of 1	W/166.7	248.2 / -5.94	SERVICE FOR 25 CAROLINE STREET GEORGETOWN ON L7G 2J5	HINC
External File Num:		FS INC 0906-03088			
Fuel Occurrence Type:		Pipeline Strike			
Date of Occurrence:		6/1/2009			
Fuel Type Involved:		Natural Gas			
Status Desc:		Completed - Causal Analysis(End)			
Job Type Desc:		Incident/Near-Miss Occurrence (FS)			
Oper. Type Involved:		Construction Site (pipeline strike)			
Service Interruptions:		Yes			
Property Damage:		No			
Fuel Life Cycle Stage:		Transmission, Distribution and Transportation			
Root Cause:		Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:Yes Management:Yes Human Factors:No			
<b>Reported Details:</b>					
Fuel Category:		Gaseous Fuel			
Occurrence Type:		Incident			
Affiliation:		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
County Name:		Halton			
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					
<a href="#">37</a>	1 of 2	ENE/182.7	261.8 / 7.67	M FUDA CONTRACTING INC 24 STEWART MACLAREN RD.,GEORGETOWN, ON,L7G 5L8,CA ON	PINC
Incident ID:					
Incident No:		1533544			
Incident Reported Dt:		12/2/2014			
Type:		FS-Pipeline Incident			
Status Code:					
Tank Status:		Pipeline Damage Reason Est			
Task No:		5278659			
Spills Action Centre:					
Fuel Type:					
Pipe Material:					
Fuel Category:		Natural Gas			
Health Impact:					
Environment Impact:					
Property Damage:		Yes			
Service Interrupt:					
Enforce Policy:		Yes			
Public Relation:					
Pipeline System:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fuel Occurrence Tp:</b> <b>Date of Occurrence:</b> <b>Occurrence Start Dt:</b> 2014/12/02 <b>Depth:</b> <b>Customer Acct Name:</b> M FUDA CONTRACTING INC <b>Incident Address:</b> 24 STEWART MACLAREN RD., GEORGETOWN, ON, L7G 5L8, CA <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> 24 STEWART MACLAREN ROAD, GEORGETOWN - PIPELINE HIT - 2" <b>Reported By:</b> Jeremy Getson - UNION GAS <b>Affiliation:</b> <b>Occurrence Desc:</b> <b>Damage Reason:</b> Excavation practices not sufficient <b>Notes:</b>					
<a href="#">37</a>	2 of 2	ENE/182.7	261.8 / 7.67	Union Gas Limited 24 Stewat McLaren, Georgetown Halton Hills ON	SPL
<b>Ref No:</b> 3462-9RDTXP <b>Site No:</b> NA <b>Incident Dt:</b> 2014/12/01 <b>Year:</b> <b>Incident Cause:</b> Leak/Break <b>Incident Event:</b> <b>Contaminant Code:</b> 35 <b>Contaminant Name:</b> NATURAL GAS (METHANE) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> Air <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> N <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2014/12/01 <b>Dt Document Closed:</b> 2014/12/20 <b>Incident Reason:</b> Operator/Human Error <b>Site Name:</b> Line Strike<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Union Gas: 2" plastic main struck, made safe <b>Contaminant Qty:</b> 0 other - see incident description <b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Pipeline/Components <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 24 Stewat McLaren, Georgetown <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Halton Hills <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill <b>Source Type:</b>					
<a href="#">38</a>	1 of 1	WNW/188.3	237.1 / -17.00	ON	WWIS
<b>Well ID:</b> 7363978 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z338516 <b>Tag:</b> A296358 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 8/6/2020 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7472 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008414861 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 11-Jun-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587261.00 <b>North83:</b> 4834533.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	

[39](#) 1 of 1 WNW/192.9 237.2 / -16.92 ON WWIS

<b>Well ID:</b> 7363979 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z338517 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 8/6/2020 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7472 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
--	--	--	--	---	--

**Bore Hole Information**

<b>Bore Hole ID:</b> 1008414864 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 11-Jun-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b>				<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587251.00 <b>North83:</b> 4834521.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
---	--	--	--	---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<a href="#">40</a>	1 of 2	W/197.5	260.6 / 6.50	1 Rosetta Street Georgetown ON L7G 3P1	EHS
<b>Order No:</b>	20200705002			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	08-JUL-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	05-JUL-20			<b>X:</b>	-79.91834968
<b>Previous Site Name:</b>				<b>Y:</b>	43.65669856
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory				
<a href="#">40</a>	2 of 2	W/197.5	260.6 / 6.50	1 Rosetta Street Georgetown ON L7G 3P1	EHS
<b>Order No:</b>	20200705002			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	08-JUL-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	05-JUL-20			<b>X:</b>	-79.91834968
<b>Previous Site Name:</b>				<b>Y:</b>	43.65669856
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory				
<a href="#">41</a>	1 of 1	NNW/215.5	234.9 / -19.20	179 MOUNTAIN VIEW ROAD NORTH GEORGETOWN ON	WWIS
<b>Well ID:</b>	7175472			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	1/24/2012
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	1660
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z114533			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	179 MOUNTAIN VIEW ROAD NORTH
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7177175472.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7177175472.pdf</a>				
<b>Additional Detail(s) (Map)</b>					
<b>Well Completed Date:</b>	2011/08/29				
<b>Year Completed:</b>	2011				
<b>Depth (m):</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Latitude:</b>		43.660315995055			
<b>Longitude:</b>		-79.9158671588153			
<b>Path:</b>		717\7175472.pdf			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003636040	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587414.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834717.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	29-Aug-2011 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1004141302
<b>Layer:</b>	4
<b>Plug From:</b>	3.799999952316284
<b>Plug To:</b>	1.0
<b>Plug Depth UOM:</b>	ft

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1004141299
<b>Layer:</b>	1
<b>Plug From:</b>	22.0
<b>Plug To:</b>	4.800000190734863
<b>Plug Depth UOM:</b>	ft

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1004141303
<b>Layer:</b>	5
<b>Plug From:</b>	1.0
<b>Plug To:</b>	0.0
<b>Plug Depth UOM:</b>	ft

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1004141301
<b>Layer:</b>	3
<b>Plug From:</b>	4.400000095367432
<b>Plug To:</b>	3.799999952316284
<b>Plug Depth UOM:</b>	ft

**Annular Space/Abandonment  
Sealing Record**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		1004141300			
<i>Layer:</i>		2			
<i>Plug From:</i>		4.800000190734863			
<i>Plug To:</i>		4.400000095367432			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004141298			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004141292			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004141296			
<i>Layer:</i>					
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004141297			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>					
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004141295			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1004141294			
<i>Diameter:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Hole Depth UOM:</i>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter UOM:</b>		inch			
<a href="#">42</a>	1 of 26	WSW/217.2	259.9 / 5.74	PROVINCIAL PAPERS DIV. OF ABITIBI-PRICE; 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NPCB
<b>Company Code:</b>		O0081			
<b>Industry:</b>		Forestry/Pulp/Paper			
<b>Site Status:</b>					
<b>Transaction Date:</b>		10/25/1990			
<b>Inspection Date:</b>					
<a href="#">42</a>	2 of 26	WSW/217.2	259.9 / 5.74	1 Rosetta Street Halton Hills ON L7G 3P1	RSC
<b>RSC ID:</b>					
<b>RA No:</b>					
<b>RSC Type:</b>					
<b>Curr Property Use:</b>					
<b>Ministry District:</b>		Halton Peel			
<b>Filing Date:</b>		09/17/01			
<b>Date Ack:</b>		09/25/01			
<b>Date Returned:</b>					
<b>Restoration Type:</b>		Generic			
<b>Soil Type:</b>		Coarse			
<b>Criteria:</b>		Res/parkland Potable			
<b>CPU Issued Sect 1686:</b>					
<b>Asmt Roll No:</b>					
<b>Prop ID No (PIN):</b>					
<b>Property Municipal Address:</b>					
<b>Mailing Address:</b>					
<b>Latitude &amp; Latitude:</b>					
<b>UTM Coordinates:</b>					
<b>Consultant:</b>		G.K. Bell and Associates			
<b>Legal Desc:</b>					
<b>Measurement Method:</b>					
<b>Applicable Standards:</b>					
<b>RSC PDF:</b>					
<a href="#">42</a>	3 of 26	WSW/217.2	259.9 / 5.74	1 Rosetta Street Halton Hills ON L7G 3P1	RSC
<b>RSC ID:</b>					
<b>RA No:</b>					
<b>RSC Type:</b>					
<b>Curr Property Use:</b>					
<b>Ministry District:</b>		Halton Peel			
<b>Filing Date:</b>		07/30/01			
<b>Date Ack:</b>					
<b>Date Returned:</b>		09/11/01			
<b>Restoration Type:</b>					
<b>Soil Type:</b>					
<b>Criteria:</b>					
<b>CPU Issued Sect 1686:</b>					
<b>Asmt Roll No:</b>					
<b>Prop ID No (PIN):</b>					
<b>Property Municipal Address:</b>					
<b>Mailing Address:</b>					
<b>Latitude &amp; Latitude:</b>					
<b>UTM Coordinates:</b>					
<b>Cert Date:</b>					
<b>Cert Prop Use No:</b>					
<b>Intended Prop Use:</b>					
<b>Qual Person Name:</b>					
<b>Stratified (Y/N):</b>		N			
<b>Audit (Y/N):</b>		Y			
<b>Entire Leg Prop. (Y/N):</b>					
<b>Accuracy Estimate:</b>					
<b>Telephone:</b>					
<b>Fax:</b>					
<b>Email:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Consultant:</b>		G.K. Bell & Associates			
<b>Legal Desc:</b>					
<b>Measurement Method:</b>					
<b>Applicable Standards:</b>					
<b>RSC PDF:</b>					
<a href="#">42</a>	4 of 26	WSW/217.2	259.9 / 5.74	ABITIBI/PROVINCIAL PAPERS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	GEN
<b>Generator No:</b>	A210207			<b>Status:</b>	
<b>SIC Code:</b>	002			<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	86			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<a href="#">42</a>	5 of 26	WSW/217.2	259.9 / 5.74	ABITIBI-PRICE INC. PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	GEN
<b>Generator No:</b>	ON0008606			<b>Status:</b>	
<b>SIC Code:</b>	2791			<b>Co Admin:</b>	
<b>SIC Description:</b>	COATED & TREATED PAP.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	211				
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<a href="#">42</a>	6 of 26	WSW/217.2	259.9 / 5.74	ABITIBI-PRICE (OUT OF BUS) 01-001 PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	GEN
<b>Generator No:</b>	ON0008606			<b>Status:</b>	
<b>SIC Code:</b>	2791			<b>Co Admin:</b>	
<b>SIC Description:</b>	COATED & TREATED PAP			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCB'S			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			

[42](#)      7 of 26      WSW/217.2      259.9 / 5.74      ABITIBI-PRICE (OUT OF BUS)  
PROVINCIAL PAPERS DIVISION 1 ROSETTA  
STREET  
HALTON HILLS ON L7C 3P1      GEN

<b>Generator No:</b>	ON0008606	<b>Status:</b>	
<b>SIC Code:</b>	2791	<b>Co Admin:</b>	
<b>SIC Description:</b>	COATED & TREATED PAP.	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	98	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	211
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS

[42](#)      8 of 26      WSW/217.2      259.9 / 5.74      Kingsbury Technologies  
1 Rosetta St., Unit 4  
Georgetown ON L7G 3P1      GEN

<b>Generator No:</b>	ON9454835	<b>Status:</b>	
<b>SIC Code:</b>	339990	<b>Co Admin:</b>	
<b>SIC Description:</b>	All Other Miscellaneous Mfg.	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	03,04,06	<b>Phone No Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>PO Box No:</b> <b>Country:</b>		<b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		211 AROMATIC SOLVENTS			
<a href="#">42</a>	9 of 26	WSW/217.2	259.9 / 5.74	<b>Abitibi- Price (was PROVINCIAL PAPERS)</b> <b>1 ROSETTA STREET DIV. OF ABITIBI- PRICE</b> <b>Georgetown ON L7G 3P1</b>	<b>NPCB</b>
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		O0081 Forestry/Pulp/Paper Stored for Disposal 11/9/1989			
<b><u>--Details--</u></b>					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>		Askarel/Askarel      Stored for disposal			
<a href="#">42</a>	10 of 26	WSW/217.2	259.9 / 5.74	<b>Toronto Ornamental Precast Inc</b> <b>1 Rosetta St Unit 7</b> <b>Georgetown ON L7G 3P1</b>	<b>SCT</b>
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		01-AUG-01 30000			
<b><u>--Details--</u></b>					
<b>Description:</b> <b>SIC/NAICS Code:</b>		Other Ornamental and Architectural Metal Product Manufacturing 332329			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Other Plate Work and Fabricated Structural Product Manufacturing 332319			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Other Concrete Product Manufacturing 327390			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Other Concrete Product Manufacturing 327390			
<b>Description:</b> <b>SIC/NAICS Code:</b>		All Other Miscellaneous Wood Product Manufacturing 321999			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Wood Window and Door Manufacturing 321911			
<a href="#">42</a>	11 of 26	WSW/217.2	259.9 / 5.74	<b>ABITIBI-PRICE(WAS PROVINCIAL PAPERS)</b> <b>DIV. OF ABITIBI-PRICE 1 ROSETTA STREET</b> <b>GEORGETOWN ON L7G 3P1</b>	<b>NPCB</b>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Company Code:</b>		O0081			
<b>Industry:</b>		FORESTRY/PULP/PAPER			
<b>Site Status:</b>		STORAGE ONLY (NON FEDERAL)			
<b>Transaction Date:</b>		10/25/1990			
<b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>		OR00153			
<b>Serial No.:</b>		578C291A13			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00151			
<b>Serial No.:</b>		66L393CY			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00150			
<b>Serial No.:</b>		66M171AX			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00145			
<b>Serial No.:</b>		66M157AX			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00145			
<b>Serial No.:</b>		66M157AX			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00143			
<b>Serial No.:</b>		1800			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		51 L			
<b>Label:</b>		OR00144			
<b>Serial No.:</b>		1801			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				51 L	
<b>Label:</b>				OR00154	
<b>Serial No.:</b>				578C291A14	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				4.5 L	
<b>Label:</b>				OR00149	
<b>Serial No.:</b>				578C291A13	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				4.5 L	
<b>Label:</b>				OR04010	
<b>Serial No.:</b>				X2689/61	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				1.15 L	
<b>Label:</b>				OR00146	
<b>Serial No.:</b>				66M173AX	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				4.5 L	
<b>Label:</b>				OR00159	
<b>Serial No.:</b>				P18398	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				4.5 L	
<b>Label:</b>				OR04006	
<b>Serial No.:</b>				X1037/17	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>				5.5 L	
<b>Label:</b>				OR04007	
<b>Serial No.:</b>				X2925/4	
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		2.76 L			
<b>Label:</b>		OR04008			
<b>Serial No.:</b>		66S290C			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4 L			
<b>Label:</b>		OR04009			
<b>Serial No.:</b>		X2699/61			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1.15 L			
<b>Label:</b>		OR00148			
<b>Serial No.:</b>		662115AY			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00142			
<b>Serial No.:</b>		2492			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		51 L			
<b>Label:</b>		OR00158			
<b>Serial No.:</b>		P19948			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00157			
<b>Serial No.:</b>		P17399			
<b>PCB Type/Code:</b>		MINERAL OIL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>					
		OR00156	60L061BX	MINERAL OIL/ASKAREL	
		CAPACITOR/FULL	1	STORED FOR DISPOSAL	
		4.5 L			
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>					
		OR00155	60L070BX	MINERAL OIL/ASKAREL	
		CAPACITOR/FULL	1	STORED FOR DISPOSAL	
		4.5 L			
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>					
		OR00147	578C291A13	MINERAL OIL/ASKAREL	
		CAPACITOR/FULL	1	STORED FOR DISPOSAL	
		4.5 L			
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>					
		OR00152	664468C7	MINERAL OIL/ASKAREL	
		CAPACITOR/FULL	1	STORED FOR DISPOSAL	
		4.5 L			
<a href="#">42</a>	12 of 26	WSW/217.2	259.9 / 5.74	792873 Ontario Limited 1 Rosetta St Halton Hills ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		1356-7RQPQT	2009	5/11/2009	Waste Management Systems
		Approved			
<a href="#">42</a>	13 of 26	WSW/217.2	259.9 / 5.74	Kingsbury Technologies 1 Rosetta St., Unit 4 Georgetown ON	GEN



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b> ON9454835 <b>SIC Code:</b> 339990 <b>SIC Description:</b> All Other Miscellaneous Manufacturing <b>Approval Years:</b> 2009 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 211 <b>Waste Class Desc:</b> AROMATIC SOLVENTS					
<a href="#">42</a>	14 of 26	WSW/217.2	259.9 / 5.74	792873 Ontario Limited 1 Rosetta St Halton Hills ON L5N 3E7	ECA
<b>Approval No:</b> 1356-7RQPQT <b>Approval Date:</b> 2009-05-11 <b>Status:</b> Amended <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Credit Valley <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Business Name:</b> 792873 Ontario Limited <b>Address:</b> 1 Rosetta St <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4753-7PMJLN-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4753-7PMJLN-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">42</a>	15 of 26	WSW/217.2	259.9 / 5.74	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<b>Generator No:</b> ON3913154 <b>SIC Code:</b> 321999 <b>SIC Description:</b> ALL OTHER MISCELLANEOUS WOOD PRODUCT MANUFACTURING <b>Approval Years:</b> 2015 <b>PO Box No:</b> <b>Country:</b> Canada					
<b>Status:</b> <b>Co Admin:</b> MARIO CABRAL <b>Choice of Contact:</b> CO_ADMIN <b>Phone No Admin:</b> (905)877-9471 Ext. <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No					
<b>Detail(s)</b>					
<b>Waste Class:</b> 211 <b>Waste Class Desc:</b> AROMATIC SOLVENTS					
<a href="#">42</a>	16 of 26	WSW/217.2	259.9 / 5.74	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<b>Generator No:</b> ON3913154 <b>SIC Code:</b> 321999 <b>SIC Description:</b> ALL OTHER MISCELLANEOUS WOOD PRODUCT MANUFACTURING <b>Approval Years:</b> 2014 <b>PO Box No:</b> <b>Country:</b> Canada					
<b>Status:</b> <b>Co Admin:</b> MARIO CABRAL <b>Choice of Contact:</b> CO_ADMIN <b>Phone No Admin:</b> (905)877-9471 Ext. <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<a href="#">42</a>	17 of 26	WSW/217.2	259.9 / 5.74	Byron Equities Inc 1 Rosetta St Unit 1 Georgetown ON L7G 3P1	GEN
<b>Generator No:</b>	ON7223382			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2017			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		251 T			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			
<a href="#">42</a>	18 of 26	WSW/217.2	259.9 / 5.74	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<b>Generator No:</b>	ON3913154			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		211 L			
<b>Waste Class Desc:</b>		Aromatic solvents and residues			
<a href="#">42</a>	19 of 26	WSW/217.2	259.9 / 5.74	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<b>Generator No:</b>	ON3913154			<b>Status:</b>	
<b>SIC Code:</b>	321999			<b>Co Admin:</b> MARIO CABRAL	
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS WOOD PRODUCT MANUFACTURING			<b>Choice of Contact:</b> CO_ADMIN	
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b> (905)877-9471 Ext.	
<b>PO Box No:</b>				<b>Contam. Facility:</b> No	
<b>Country:</b>	Canada			<b>MHSW Facility:</b> No	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<a href="#">42</a>	20 of 26	WSW/217.2	259.9 / 5.74	Furniture Renew Inc 1 Rosetta St. Unit 12 Georgetown ON L7G 3P1	GEN
<b>Generator No:</b>	ON9889412			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b> <b>Approval Years:</b> As of Jul 2020 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 241 H <b>Waste Class Desc:</b> Halogenated solvents and residues					
<a href="#">42</a>	21 of 26	WSW/217.2	259.9 / 5.74	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<b>Generator No:</b> ON3913154 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Jul 2020 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 211 L <b>Waste Class Desc:</b> Aromatic solvents and residues					
<a href="#">42</a>	22 of 26	WSW/217.2	259.9 / 5.74	1 Rosetta Street Georgetown ON L7G 3P1	EHS
<b>Order No:</b> 20200705002 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 08-JUL-20 <b>Date Received:</b> 05-JUL-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> City Directory				<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.91834968 <b>Y:</b> 43.65669856	
<a href="#">42</a>	23 of 26	WSW/217.2	259.9 / 5.74	1 Rosetta Street Georgetown ON L7G 3P1	EHS
<b>Order No:</b> 20200705002 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 08-JUL-20 <b>Date Received:</b> 05-JUL-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> City Directory				<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.91834968 <b>Y:</b> 43.65669856	
<a href="#">42</a>	24 of 26	WSW/217.2	259.9 / 5.74	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<b>Generator No:</b> ON3913154 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Nov 2021 <b>PO Box No:</b>				<b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Country: Canada MHSW Facility:

Detail(s)

Waste Class: 211 L  
Waste Class Desc: Aromatic solvents and residues

<a href="#">42</a>	25 of 26	WSW/217.2	259.9 / 5.74	1 Rosetta Street Georgetown ON L7G 3P1	EHS
--------------------	----------	-----------	--------------	---	-----

Order No:	20200705002	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	08-JUL-20	Search Radius (km):	.25
Date Received:	05-JUL-20	X:	-79.91834968
Previous Site Name:		Y:	43.65669856
Lot/Building Size:			
Additional Info Ordered:	City Directory		

<a href="#">42</a>	26 of 26	WSW/217.2	259.9 / 5.74	ABITIBI/PROVINCIAL PAPERS 1/2LOT 30 CONC. 5, HALTON HILLS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	REC
--------------------	----------	-----------	--------------	--	-----

ID:		Phone No:	4168772221
Company ID:		Province In:	ONT
Receiver No:	A210207	Province Out:	
County Out:		Co Admin:	
Mail Addr:		Choice of Contact:	
Site PO Box:			
Rec Div:			
Rec Op Div:			
Rec Op Name:			
Site Bldg:			
Facility Type:	PRIV LANDFILL/SLUDGE FARM		
Approval Yrs:	1986; 1987; 1988; 1989; 1990; 1992; 1993; 1994; 1995; 1996; 1997; 1998		

1986 Receiver Manifest Details

Gen Dist:	100
Gen District Office Name:	LONDON, ONT
Gen Region Code:	01
Gen Region Office Name:	SOUTHWESTERN REGION
Gen SIC:	2791
NAICS Desc:	COATED & TREATED PAP.
Wastecode:	112
Waste Class:	ACID WASTE - HEAVY METALS
Waste Chara:	
Waste Count:	1
Qty Recvd:	7962
Gen Dist:	100
Gen District Office Name:	LONDON, ONT
Gen Region Code:	01
Gen Region Office Name:	SOUTHWESTERN REGION
Gen SIC:	2791
NAICS Desc:	COATED & TREATED PAP.
Wastecode:	145
Waste Class:	PAINT/PIGMENT/COATING RESIDUES
Waste Chara:	
Waste Count:	287
Qty Recvd:	1168400

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>1987 Receiver Manifest Details</u></b>					
<b>Gen Dist:</b>		100			
<b>Gen District Office Name:</b>		ONTARIO			
<b>Gen Region Code:</b>		00			
<b>Gen Region Office Name:</b>		**UNDEFINED*			
<b>Gen Sic:</b>		2791			
<b>NAICS Desc:</b>		COATED & TREATED PAP			
<b>Waste Code:</b>		145			
<b>Waste Class:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>No Wastes:</b>		235			
<b>Quantity:</b>		1198080			
<b>Waste Type:</b>		INORGANIC MISCELL.			
<b>Date From:</b>		870101			
<b>Date To:</b>		871231			
<b>Rec Date:</b>		880226			
<b><u>1988 Receiver Manifest Details</u></b>					
<b>Gen Dist:</b>		100			
<b>Gen District Office Name:</b>		ONTARIO			
<b>Gen Region Code:</b>		00			
<b>Gen Region Office Name:</b>		**UNDEFINED*			
<b>Gen SIC:</b>		2791			
<b>NAICS Desc:</b>		COATED & TREATED PAP			
<b>Waste Code:</b>		145			
<b>Waste Class:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Quantity:</b>		728000.01			
<b>Waste Type:</b>		INORGANIC MISCELL.			
<b>Date From:</b>		880101			
<b>Date To:</b>		881231			
<b>Rec Date:</b>		890501			
<b><u>1989 Receiver Manifest Details</u></b>					
<b>Gen Dist:</b>		100			
<b>Distname:</b>		ONTARIO			
<b>Gen Region Code:</b>		00			
<b>Gen Region Office Name:</b>		**UNDEFINED*			
<b>Gen SIC:</b>		2791			
<b>NAICS Desc:</b>		COATED & TREATED PAP			
<b>Waste Code:</b>		145			
<b>Waste Class:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>No Wastes:</b>		17			
<b>Quantity:</b>		925080			
<b>NAICS 2 Desc:</b>					
<b>NAICS 3 Desc:</b>					
<b>Waste Type:</b>		INORGANIC MISCELL.			
<b>Date From:</b>		890101			
<b>Date To:</b>		891231			
<b>Rec Date:</b>		900419			
<b><u>1990 Receiver Manifest Details</u></b>					
<b>Conumber:</b>		A210207			
<b>Gen Dist:</b>		100			
<b>Gen District Office Name:</b>		ONTARIO			
<b>Gen Region Code:</b>		00			
<b>Gen Region Office Name:</b>		**UNDEFINED*			
<b>Gen Sic:</b>		2791			
<b>NAICS Desc:</b>		COATED & TREATED PAP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b> <b>Waste Class:</b> <b>No Wastes:</b> <b>Quantity:</b> <b>Old New:</b> <b>Waste Type:</b> <b>Date From:</b> <b>Date To:</b> <b>Rec Date:</b>		145 PAINT/PIGMENT/COATING RESIDUES 14 898560 N INORGANIC MISCELL. 900101 901231 910411			
<a href="#">43</a>	1 of 1	W/221.6	255.0 / 0.92	R.M. OF HALTON CAROLINE ST/ROSETTA ST. HALTON HILLS TOWN ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		7-0277-97- 97 4/21/1997 Municipal water Approved			
<a href="#">44</a>	1 of 1	E/225.0	259.9 / 5.74	OVING PROPERTY MAINTENANCE 74 MAPLE AVE GEORGETOWN ON L7G 1X7	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b> <b>PDF Site Location:</b>		Operator 02		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	
<a href="#">45</a>	1 of 1	NE/228.3	244.5 / -9.63	45 RIVER DR GEORGETOWN ON	WWIS
<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b>		7159586 Other Other Status		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b>	2/24/2011 TRUE 7215

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z114512			<b>Owner:</b>	
<b>Tag:</b>	A100096			<b>Street Name:</b>	45 RIVER DR
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/715\7159586.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7159586.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2010/04/26  
**Year Completed:** 2010  
**Depth (m):** 7.9248  
**Latitude:** 43.6598098927339  
**Longitude:** -79.9128253489694  
**Path:** 715\7159586.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003478504	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587660.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834664.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	26-Apr-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock Materials Interval**

**Formation ID:** 1003799199  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Mat2 Desc:** SILT  
**Mat3:** 68  
**Mat3 Desc:** DRY  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 26.0  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1003799209			
<i>Layer:</i>		3			
<i>Plug From:</i>		1.0			
<i>Plug To:</i>		0.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1003799207			
<i>Layer:</i>		1			
<i>Plug From:</i>		26.0			
<i>Plug To:</i>		23.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1003799208			
<i>Layer:</i>		2			
<i>Plug From:</i>		23.0			
<i>Plug To:</i>		1.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1003799205			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1003799198			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1003799202			
<i>Layer:</i>					
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1003799203			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		22.5			
<i>Screen End Depth:</i>		0.0			
<i>Screen Material:</i>		5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>		ft inch 1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b> <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b>		1003799201     ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		1003799200 8.0 0.0 26.0 ft inch			
<a href="#">46</a>	1 of 2	WNW/232.2	235.7 / -18.41	The Regional Municipality of Halton 68 John Street Halton Hills ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		4434-5FZMS4 2002 12/23/2002 Municipal and Private Sewage Works Approved			
<a href="#">46</a>	2 of 2	WNW/232.2	235.7 / -18.41	The Regional Municipality of Halton 68 John Street Halton Hills ON L6M 3L1	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <b>PDF Site Location:</b>		4434-5FZMS4 2002-12-23 Approved ECA IDS Halton  ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS The Regional Municipality of Halton 68 John Street		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
				Halton-Peel  -79.67465 43.440697	
<a href="#">47</a>	1 of 1	WNW/234.8	237.7 / -16.46	60 John St Georgetown ON L7G 2J8	HINC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>External File Num:</b>		FS INC 0807-03834			
<b>Fuel Occurrence Type:</b>		Fire			
<b>Date of Occurrence:</b>		7/4/2008			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Private Dwelling			
<b>Service Interruptions:</b>		No			
<b>Property Damage:</b>		Yes			
<b>Fuel Life Cycle Stage:</b>		Utilization			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:Yes Design:No Training:No Management:No Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Peel			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

<a href="#">48</a>	1 of 1	NE/234.8	243.6 / -10.49	45 RIVER DRIVE GEORGETOWN ON	WWIS
<b>Well ID:</b>	7117190			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	1/5/2009
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7383
<b>Casing Material:</b>				<b>Form Version:</b>	4
<b>Audit No:</b>	Z79065			<b>Owner:</b>	
<b>Tag:</b>	A072201			<b>Street Name:</b>	45 RIVER DRIVE
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/7117117190.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7117117190.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2008/10/31  
**Year Completed:** 2008  
**Depth (m):** 8  
**Latitude:** 43.6599091552822  
**Longitude:** -79.9128483619414  
**Path:** 7117117190.pdf

**Bore Hole Information**

**Bore Hole ID:** 1001934813 **Elevation:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	587658.00
<b>Code OB Desc:</b>				<b>North83:</b>	4834675.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	31-Oct-2008 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002538292			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		34			
<b>Mat3 Desc:</b>		TILL			
<b>Formation Top Depth:</b>		3.0			
<b>Formation End Depth:</b>		8.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002538291			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		3.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002538294			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		4.800000190734863			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002538299			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002538290			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002538296			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		8.0			
<b>Casing Diameter:</b>		0.02500000037252903			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002538297			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1002538295			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		7.0			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002538293			
<b>Diameter:</b>		21.0			
<b>Depth From:</b>					
<b>Depth To:</b>		8.0			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[49](#) 1 of 1 NE/238.4 248.7 / -5.41 45 RIVER ST. GEORGETOWN ON WWIS

<b>Well ID:</b>	7040387	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	1/29/2007
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>	
<b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	Z54947 A033983			<b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>Street Name:</b> <b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	6607 3 45 RIVER ST. HALTON HALTON HILLS TOWN (ESQUESING)	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7040387.pdf				
<b><u>Additional Detail(s) (Map)</u></b>						
<b>Well Completed Date:</b> <b>Year Completed:</b> <b>Depth (m):</b> <b>Latitude:</b> <b>Longitude:</b> <b>Path:</b>	2006/10/02 2006					
<b><u>Bore Hole Information</u></b>						
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	11762822			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	17 587720.00 4834620.00 UTM83 3 margin of error : 10 - 30 m wwr	
<b><u>Overburden and Bedrock</u></b>						
<b><u>Materials Interval</u></b>						
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Mat2 Desc:</b> <b>Mat3:</b> <b>Mat3 Desc:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	933090737 2 6 BROWN 28 SAND 06 SILT					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933090736			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933313294			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		5.800000190734863			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		967040387			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11770512			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930895367			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		6.0			
<b>Casing Diameter:</b>		1.899999976158142			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933422945			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		6.0			
<b>Screen End Depth:</b>		9.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		2.700000047683716			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934083852			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		8.0			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11848938			
<b>Diameter:</b>		16.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		12.0			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<u>50</u>	1 of 1	NE/240.3	244.1 / -10.01	ON	WWIS
<b>Well ID:</b>	7373851			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	12/1/2020
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7731
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z349148			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	HALTON HILLS TOWN (ESQUESING)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1008514324	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	587670.00
<b>Code OB Desc:</b>		<b>North83:</b>	4834671.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	10-Nov-2020 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">51</a>	1 of 1	NE/241.7	244.1 / -10.01	ON	WWIS
<b>Well ID:</b> 7373850 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z349149 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 12/1/2020 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7731 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008514321 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 10-Nov-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587670.00 <b>North83:</b> 4834673.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr			
<a href="#">52</a>	1 of 1	NNE/245.8	243.1 / -11.03	45 RIVER DR. GEORGETOWN ON	WWIS
<b>Well ID:</b> 7153277 <b>Construction Date:</b> <b>Primary Water Use:</b> Other <b>Sec. Water Use:</b> <b>Final Well Status:</b> 0 <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z116356 <b>Tag:</b> A103097 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 10/22/2010 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7215 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 45 RIVER DR. <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b>			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7153277.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2010/07/28			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>		8.2296			
<b>Latitude:</b>		43.6600897934506			
<b>Longitude:</b>		-79.9129071130297			
<b>Path:</b>		715\7153277.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1003352590		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 587653.00	
<b>Code OB Desc:</b>				<b>North83:</b> 4834695.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 3	
<b>Date Completed:</b>		28-Jul-2010 00:00:00		<b>UTMRC Desc:</b> margin of error : 10 - 30 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003451298			
<b>Layer:</b>		3			
<b>Color:</b>		7			
<b>General Color:</b>		RED			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		20.0			
<b>Formation End Depth:</b>		27.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003451296			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		3.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003451297			
<b>Layer:</b>		2			
<b>Color:</b>		7			
<b>General Color:</b>		RED			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3.0			
<b>Formation End Depth:</b>		20.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003451303			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003451302			
<b>Layer:</b>		2			
<b>Plug From:</b>		21.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003451301			
<b>Layer:</b>		1			
<b>Plug From:</b>		27.0			
<b>Plug To:</b>		21.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003451308			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003451295			
<b>Casing No:</b>		0			
<b>Comment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

**Construction Record - Casing**

Casing ID: 1003451305  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 24.0  
 Depth To: 0.0  
 Casing Diameter: 1.25  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1003451306  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 24.0  
 Screen End Depth: 27.0  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 1.25

**Water Details**

Water ID: 1003451304  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1003451300  
 Diameter: 8.0  
 Depth From: 2.0  
 Depth To: 0.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

**Hole Diameter**

Hole ID: 1003451299  
 Diameter: 4.25  
 Depth From: 27.0  
 Depth To: 2.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

[53](#) 1 of 1 NNE/247.2 243.1 / -11.03 ON WWIS

Well ID:	7373853	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	12/1/2020
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:		Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z349146 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Contractor:</b> 7731 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008514330 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 10-Nov-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587655.00 <b>North83:</b> 4834695.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b>54</b>	1 of 1	<b>NNE/247.8</b>	<b>243.2 / -10.89</b>	<b>ON</b>	<b>WWIS</b>
<b>Well ID:</b> 7373852 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z349147 <b>Tag:</b> A103097 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 12/1/2020 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7731 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (GEORGETOWN) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008514327 <b>DP2BR:</b> <b>Spatial Status:</b>				<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10-Nov-2020 00:00:00			East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	587658.00 4834693.00 UTM83 4 margin of error : 30 m - 100 m wwr

<a href="#">55</a>	1 of 2	NNE/247.8	243.2 / -10.89	ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	7373854			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	Yes  12/1/2020 TRUE  7731 7   HALTON HALTON HILLS TOWN (ESQUESING)

**Bore Hole Information**

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1008514333			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 587657.00 4834694.00 UTM83 4 margin of error : 30 m - 100 m wwr
---	------------	--	--	---	--

<a href="#">55</a>	2 of 2	NNE/247.8	243.2 / -10.89	ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status:	7373855			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec:	Yes  12/1/2020 TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z349153 <b>Tag:</b> A308675 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Contractor:</b> 7731 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008514336 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 10-Nov-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 587657.00 <b>North83:</b> 4834694.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr					
<a href="#">56</a>	1 of 1	WNW/249.2	235.2 / -18.95	68 JOHN STREET GEORGETOWN ON	WWIS
<b>Well ID:</b> 7046688 <b>Construction Date:</b> <b>Primary Water Use:</b> Not Used <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z64544 <b>Tag:</b> A049061 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 7/17/2007 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7215 <b>Form Version:</b> 3 <b>Owner:</b> <b>Street Name:</b> 68 JOHN STREET <b>County:</b> HALTON <b>Municipality:</b> HALTON HILLS TOWN (ESQUESING) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7046688.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7046688.pdf</a>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> 2007/03/22					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Year Completed:</b>		2007			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.6592307826884			
<b>Longitude:</b>		-79.9182182603539			
<b>Path:</b>		704\7046688.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	23046688			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	587226.00
<b>Code OB Desc:</b>				<b>North83:</b>	4834594.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	22-Mar-2007 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		44001443			
<b>Layer:</b>		2			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		44001442			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		25946688			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		29046688			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		42146688			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		43146688			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5.0			
<b>Screen End Depth:</b>		15.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.0			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		46000850			
<b>Diameter:</b>		8.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		15.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">57</a>	1 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b>		20200204014		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Standard Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		07-FEB-20		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		04-FEB-20		<b>X:</b> -79.9141096	
<b>Previous Site Name:</b>				<b>Y:</b> 43.6606327	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans			
<a href="#">57</a>	2 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b>		20200204014		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Standard Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		07-FEB-20		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		04-FEB-20		<b>X:</b> -79.9141096	
<b>Previous Site Name:</b>				<b>Y:</b> 43.6606327	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans			
<a href="#">57</a>	3 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b>		20200204014		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Standard Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		07-FEB-20		<b>Search Radius (km):</b> .25	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Received:</b> 04-FEB-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<a href="#">57</a>	4 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b> 20200204014 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 07-FEB-20 <b>Date Received:</b> 04-FEB-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.9141096 <b>Y:</b> 43.6606327					
<hr/>					
<a href="#">57</a>	5 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b> 20200204014 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 07-FEB-20 <b>Date Received:</b> 04-FEB-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.9141096 <b>Y:</b> 43.6606327					
<hr/>					
<a href="#">57</a>	6 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b> 20200204014 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 07-FEB-20 <b>Date Received:</b> 04-FEB-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.9141096 <b>Y:</b> 43.6606327					
<hr/>					
<a href="#">57</a>	7 of 7	N/249.6	237.3 / -16.80	7 Pine Valley Trail Georgetown ON L7G 5A3	EHS
<b>Order No:</b> 20200204014 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 07-FEB-20 <b>Date Received:</b> 04-FEB-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.9141096 <b>Y:</b> 43.6606327					

# Unplottable Summary

Total: **23** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	336560 ONTARIO LTD.	ROSSET VALLEY COURT	HALTON HILLS TOWN ON	
CA	L. ROBERTS	TOWNHOUSE SITE MOUNTAINVIEW RD	HALTON HILLS TOWN ON	
CA	HALTON HILLS TOWN	SARAH ST./GREENWOOD CEMETERY	HALTON HILLS TOWN ON	
CA	336560 ONTARIO LTD.	ROSSET VALLEY COURT	HALTON HILLS TOWN ON	
CA	Mountainview Road, Halton Hills	Mountainview Road	Halton Hills ON	
CA		Within the R.O.W. of River Drive	Halton Hills ON	
CA		Within the R.O.W. of River Drive	Halton Hills ON	
CA		King Street	Halton Hills ON	
CA	R.M. OF HALTON	MOUNTAINVIEW RD.	HALTON HILLS TOWN ON	
CA	The Regional Municipality of Halton	Sarah Street	Halton Hills ON	
CA	The Regional Municipality of Halton	Rosetta Street Georgetown	Halton Hills ON	
CA	R.M. OF HALTON	MOUNTAINVIEW RD.	HALTON HILLS TOWN ON	
EBR	Maple Leaf Foods Inc.	Elgin Street Halton Hills Ontario Halton Hills	ON	
EBR	Maple Leaf Foods Inc.	Elgin Street Halton Hills Ontario Halton Hills	ON	
EBR	Maple Leaf Foods Inc.	Elgin Street Halton Hills Ontario Halton Hills	ON	
ECA	The Regional Municipality of Halton	Mountainview Rd	Halton Hills ON	L6M 3L1
ECA	The Regional Municipality of Halton	Within the R.O.W. of River Dr	Halton Hills ON	L6M 3L1

ECA	The Regional Municipality of Halton	Sarah St from 45 metres south of King Street to Durham Street	Halton Hills ON	L6M 3L1
ECA	The Regional Municipality of Halton	Rosetta Street Georgetown	Halton Hills ON	L6M 3L1
ECA	The Regional Municipality of Halton	Rosetta Street Georgetown	Halton Hills ON	L6M 3L1
GEN	CANADIAN NATIONAL RAILWAY	VARIOUS SITES WITHIN THE MOEE CENTRAL REGION	(SEE SCHEDULE "B") ON	
GEN	CANADIAN NATIONAL RAILWAY	VARIOUS SITES WITHIN THE MOEE CENTRAL REGION	(SEE SCHEDULE "B") ON	
REC	GEORGETOWN WPCP	MOUNTAINVIEW ROAD SOUTH	GEORGETOWN ON	L6J 6E1

# Unplottable Report

---

**Site:** 336560 ONTARIO LTD.  
ROSSET VALLEY COURT HALTON HILLS TOWN ON

**Database:**  
CA

**Certificate #:** 3-1461-86-  
**Application Year:** 86  
**Issue Date:** 9/22/1986  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** L. ROBERTS  
TOWNHOUSE SITE MOUNTAINVIEW RD HALTON HILLS TOWN ON

**Database:**  
CA

**Certificate #:** 7-0674-87-  
**Application Year:** 87  
**Issue Date:** 6/11/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** HALTON HILLS TOWN  
SARAH ST./GREENWOOD CEMETERY HALTON HILLS TOWN ON

**Database:**  
CA

**Certificate #:** 3-0061-94-  
**Application Year:** 94  
**Issue Date:** 1/31/1994  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** 336560 ONTARIO LTD.  
ROSSET VALLEY COURT HALTON HILLS TOWN ON

**Database:**  
CA

**Certificate #:** 7-1165-86-

**Application Year:** 86  
**Issue Date:** 10/22/1986  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Mountainview Road, Halton Hills*  
*Mountainview Road Halton Hills ON*

**Database:**  
[CA](#)

**Certificate #:** 9081-4ZPJBP  
**Application Year:** 01  
**Issue Date:** 8/17/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** The Corporation of the Regional Municipality of Halton  
**Client Address:** 1151 Bronte Road  
**Client City:** Oakville  
**Client Postal Code:** L6M 3L1  
**Project Description:** This application is for the installation of a sanitary sewer on Mountainview Road from Armstrong Avenue to Maple Avenue.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Within the R.O.W. of River Drive Halton Hills ON*

**Database:**  
[CA](#)

**Certificate #:**  
**Application Year:** 00  
**Issue Date:** 6/9/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Returned  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Regional Municipality of Halton  
**Client Address:** 1151 Bronte Road  
**Client City:** Oakville  
**Client Postal Code:** L6M 3L1  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Within the R.O.W. of River Drive Halton Hills ON*

**Database:**  
[CA](#)

**Certificate #:** 1545-4J9RU4  
**Application Year:** 00  
**Issue Date:** 4/13/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Regional Municipality of Halton  
**Client Address:** 1151 Bronte Road  
**Client City:** Oakville  
**Client Postal Code:** L6M 3L1  
**Project Description:** Watermains to be constructed in the Town of Halton Hills  
**Contaminants:**  
**Emission Control:**

---

**Site:** King Street Halton Hills ON **Database:** CA

**Certificate #:** 4770-4T9RYU  
**Application Year:** 01  
**Issue Date:** 1/24/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Town of Halton Hills  
**Client Address:** 1 Halton Hills Drive, P.O. Box 128  
**Client City:** Halton Hills  
**Client Postal Code:** L7G 5G2  
**Project Description:** Installation of storm sewers on King Street  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF HALTON MOUNTAINVIEW RD. HALTON HILLS TOWN ON **Database:** CA

**Certificate #:** 3-0801-86-  
**Application Year:** 86  
**Issue Date:** 6/27/1986  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** The Regional Municipality of Halton Sarah Street Halton Hills ON **Database:** CA

**Certificate #:** 0548-6KAQK8  
**Application Year:** 2005  
**Issue Date:** 12/23/2005  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** The Regional Municipality of Halton Rosetta Street Georgetown Halton Hills ON **Database:** CA

**Certificate #:** 1670-72NF8R  
**Application Year:** 2007  
**Issue Date:** 5/4/2007  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**

---

**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF HALTON  
MOUNTAINVIEW RD. HALTON HILLS TOWN ON

**Database:**  
CA

**Certificate #:** 7-1844-87-  
**Application Year:** 87  
**Issue Date:** 12/18/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Maple Leaf Foods Inc.  
Elgin Street Halton Hills Ontario Halton Hills ON

**Database:**  
EBR

**EBR Registry No:** IA02E1509  
**Ministry Ref No:** 9921-5D9LMU  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** October 20, 2006  
**Proposal Date:** November 29, 2002  
**Year:** 2002  
**Instrument Type:** (EPA s. 27) - Approval for a waste disposal site.  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Maple Leaf Foods Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 30 St. Clair Avenue West , 1500, Toronto Ontario, M4V 3A2  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

Elgin Street Halton Hills Ontario Halton Hills

---

**Site:** Maple Leaf Foods Inc.  
Elgin Street Halton Hills Ontario Halton Hills ON

**Database:**  
EBR

**EBR Registry No:** IA05E1791  
**Ministry Ref No:** 2327-6JEQX8  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** June 15, 2006  
**Proposal Date:** April 24, 2006  
**Year:** 2006  
**Instrument Type:** (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Maple Leaf Foods Inc.

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 30 St. Clair Avenue West , 1500, Toronto Ontario, M4V 3A2  
**Comment Period:**  
**URL:**

**Site Location Details:**

Elgin Street Halton Hills Ontario Halton Hills

---

**Site:** **Maple Leaf Foods Inc.**  
**Elgin Street Halton Hills Ontario Halton Hills ON**

**Database:**  
**EBR**

**EBR Registry No:** IA02E1008  
**Ministry Ref No:** 7923-5D8TGV  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** October 29, 2002  
**Proposal Date:** August 28, 2002  
**Year:** 2002  
**Instrument Type:** (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Maple Leaf Foods Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 30 St. Clair Avenue West , 1500, Toronto Ontario, M4V 3A2  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

Elgin Street Halton Hills Ontario Halton Hills

---

**Site:** **The Regional Municipality of Halton**  
**Mountainview Rd Halton Hills ON L6M 3L1**

**Database:**  
**ECA**

**Approval No:** 9081-4ZPJBP  
**Approval Date:** 2001-08-17  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** The Regional Municipality of Halton  
**Address:** Mountainview Rd  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0893-4ZMJG3-14.pdf>  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **The Regional Municipality of Halton**  
**Within the R.O.W. of River Dr Halton Hills ON L6M 3L1**

**Database:**  
**ECA**

**Approval No:** 1545-4J9RU4  
**Approval Date:** 2000-04-13  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**



**Approval Type:** ECA-Municipal and Private Water Works  
**Project Type:** Municipal and Private Water Works  
**Business Name:** The Regional Municipality of Halton  
**Address:** Within the R.O.W. of River Dr  
**Full Address:**  
**Full PDF Link:**  
**PDF Site Location:**

---

**Site:** *The Regional Municipality of Halton*  
*Sarah St from 45 metres south of King Street to Durham Street Halton Hills ON L6M 3L1*

**Database:**  
*ECA*

**Approval No:** 0548-6KAQK8  
**Approval Date:** 2005-12-23  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** The Regional Municipality of Halton  
**Address:** Sarah St from 45 metres south of King Street to Durham Street  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/8252-6K4R6T-14.pdf>  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *The Regional Municipality of Halton*  
*Rosetta Street Georgetown Halton Hills ON L6M 3L1*

**Database:**  
*ECA*

**Approval No:** 1670-72NF8R  
**Approval Date:** 2007-05-04  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** The Regional Municipality of Halton  
**Address:** Rosetta Street Georgetown  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1578-72KK96-14.pdf>  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *The Regional Municipality of Halton*  
*Rosetta Street Georgetown Halton Hills ON L6M 3L1*

**Database:**  
*ECA*

**Approval No:** 6691-72NFE8  
**Approval Date:** 2007-05-04  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-Municipal Drinking Water Systems  
**Project Type:** Municipal Drinking Water Systems  
**Business Name:** The Regional Municipality of Halton  
**Address:** Rosetta Street Georgetown  
**Full Address:**  
**Full PDF Link:**  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *CANADIAN NATIONAL RAILWAY*  
*VARIOUS SITES WITHIN THE MOEE CENTRAL REGION (SEE SCHEDULE "B") ON*

**Database:**  
*GEN*

**Generator No:** ONR000703  
**SIC Code:** 482113  
**SIC Description:** MAINLINE FREIGHT RAIL  
TRANSPORTATION  
**Approval Years:** 2013  
**PO Box No:**  
**Country:**

**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contam. Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 243  
**Waste Class Desc:** PCBS

**Waste Class:** 148  
**Waste Class Desc:** INORGANIC LABORATORY CHEMICALS

**Waste Class:** 113  
**Waste Class Desc:** ACID WASTE - OTHER METALS

**Waste Class:** 145  
**Waste Class Desc:** PAINT/PIGMENT/COATING RESIDUES

**Waste Class:** 221  
**Waste Class Desc:** LIGHT FUELS

**Waste Class:** 252  
**Waste Class Desc:** WASTE OILS & LUBRICANTS

**Waste Class:** 121  
**Waste Class Desc:** ALKALINE WASTES - HEAVY METALS

**Waste Class:** 262  
**Waste Class Desc:** DETERGENTS/SOAPS

**Waste Class:** 146  
**Waste Class Desc:** OTHER SPECIFIED INORGANICS

**Waste Class:** 266  
**Waste Class Desc:** PHENOLIC WASTES

**Waste Class:** 253  
**Waste Class Desc:** EMULSIFIED OILS

**Waste Class:** 135  
**Waste Class Desc:** REACTIVE ANION WASTES

**Waste Class:** 268  
**Waste Class Desc:** AMINES

**Waste Class:** 232  
**Waste Class Desc:** POLYMERIC RESINS

**Waste Class:** 241  
**Waste Class Desc:** HALOGENATED SOLVENTS

**Waste Class:** 251  
**Waste Class Desc:** OIL SKIMMINGS & SLUDGES

**Waste Class:** 211  
**Waste Class Desc:** AROMATIC SOLVENTS

**Waste Class:** 254  
**Waste Class Desc:** TRANSFER STATION OILS WASTES

**Waste Class:** 213  
**Waste Class Desc:** PETROLEUM DISTILLATES

**Waste Class:** 122

**Waste Class Desc:** ALKALINE WASTES - OTHER METALS  
**Waste Class:** 263  
**Waste Class Desc:** ORGANIC LABORATORY CHEMICALS  
**Waste Class:** 269  
**Waste Class Desc:** NON-HALOGENATED PESTICIDES  
**Waste Class:** 270  
**Waste Class Desc:** OTHER SPECIFIED ORGANICS  
**Waste Class:** 112  
**Waste Class Desc:** ACID WASTE - HEAVY METALS  
**Waste Class:** 114  
**Waste Class Desc:** OTHER INORGANIC ACID WASTES  
**Waste Class:** 222  
**Waste Class Desc:** HEAVY FUELS  
**Waste Class:** 231  
**Waste Class Desc:** LATEX WASTES  
**Waste Class:** 312  
**Waste Class Desc:** PATHOLOGICAL WASTES  
**Waste Class:** 212  
**Waste Class Desc:** ALIPHATIC SOLVENTS  
**Waste Class:** 331  
**Waste Class Desc:** WASTE COMPRESSED GASES

**Site:** CANADIAN NATIONAL RAILWAY  
 VARIOUS SITES WITHIN THE MOEE CENTRAL REGION (SEE SCHEDULE "B") ON

**Database:**  
 GEN

<b>Generator No:</b>	ONR000703	<b>Status:</b>
<b>SIC Code:</b>	482113	<b>Co Admin:</b>
<b>SIC Description:</b>	Mainline Freight Rail Transportation	<b>Choice of Contact:</b>
<b>Approval Years:</b>	2012	<b>Phone No Admin:</b>
<b>PO Box No:</b>		<b>Contam. Facility:</b>
<b>Country:</b>		<b>MHSW Facility:</b>

**Detail(s)**

**Waste Class:** 148  
**Waste Class Desc:** INORGANIC LABORATORY CHEMICALS  
**Waste Class:** 222  
**Waste Class Desc:** HEAVY FUELS  
**Waste Class:** 252  
**Waste Class Desc:** WASTE OILS & LUBRICANTS  
**Waste Class:** 212  
**Waste Class Desc:** ALIPHATIC SOLVENTS  
**Waste Class:** 263  
**Waste Class Desc:** ORGANIC LABORATORY CHEMICALS  
**Waste Class:** 221  
**Waste Class Desc:** LIGHT FUELS  
**Waste Class:** 312  
**Waste Class Desc:** PATHOLOGICAL WASTES  
**Waste Class:** 243  
**Waste Class Desc:** PCBS

**Waste Class:** 122  
**Waste Class Desc:** ALKALINE WASTES - OTHER METALS

**Waste Class:** 146  
**Waste Class Desc:** OTHER SPECIFIED INORGANICS

**Waste Class:** 251  
**Waste Class Desc:** OIL SKIMMINGS & SLUDGES

**Waste Class:** 253  
**Waste Class Desc:** EMULSIFIED OILS

**Waste Class:** 213  
**Waste Class Desc:** PETROLEUM DISTILLATES

**Waste Class:** 262  
**Waste Class Desc:** DETERGENTS/SOAPS

**Waste Class:** 270  
**Waste Class Desc:** OTHER SPECIFIED ORGANICS

**Waste Class:** 114  
**Waste Class Desc:** OTHER INORGANIC ACID WASTES

**Waste Class:** 231  
**Waste Class Desc:** LATEX WASTES

**Waste Class:** 232  
**Waste Class Desc:** POLYMERIC RESINS

**Waste Class:** 266  
**Waste Class Desc:** PHENOLIC WASTES

**Waste Class:** 121  
**Waste Class Desc:** ALKALINE WASTES - HEAVY METALS

**Waste Class:** 241  
**Waste Class Desc:** HALOGENATED SOLVENTS

**Waste Class:** 268  
**Waste Class Desc:** AMINES

**Waste Class:** 269  
**Waste Class Desc:** NON-HALOGENATED PESTICIDES

**Waste Class:** 135  
**Waste Class Desc:** REACTIVE ANION WASTES

**Waste Class:** 331  
**Waste Class Desc:** WASTE COMPRESSED GASES

**Waste Class:** 112  
**Waste Class Desc:** ACID WASTE - HEAVY METALS

**Waste Class:** 113  
**Waste Class Desc:** ACID WASTE - OTHER METALS

**Waste Class:** 211  
**Waste Class Desc:** AROMATIC SOLVENTS

**Waste Class:** 145  
**Waste Class Desc:** PAINT/PIGMENT/COATING RESIDUES

**Waste Class:** 254  
**Waste Class Desc:** TRANSFER STATION OILS WASTES

---

**Site:** GEORGETOWN WPCP

**Database:**  
**REC**

**MOUNTAINVIEW ROAD SOUTH GEORGETOWN ON L6J 6E1**

<b>ID:</b>		<b>Phone No:</b>	
<b>Company ID:</b>		<b>Province In:</b>	ONTARIO
<b>Receiver No:</b>	W110294	<b>Province Out:</b>	
<b>County Out:</b>		<b>Co Admin:</b>	
<b>Mail Addr:</b>		<b>Choice of Contact:</b>	
<b>Site PO Box:</b>			
<b>Rec Div:</b>			
<b>Rec Op Div:</b>			
<b>Rec Op Name:</b>			
<b>Site Bldg:</b>			
<b>Facility Type:</b>	WATER POLL. CONTROL PLANT		
<b>Approval Yrs:</b>	2001; 2002; 2003; 2004; 2005; 2006; 2007; 2008		

## Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

### **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

### **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Nov 2021**

### **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

### **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

### **Aboveground Storage Tanks:**

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

### **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Sep 30, 2021**

### **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**

**Certificates of Approval:**

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2019**

**Commercial Fuel Oil Tanks:**

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Sep 30, 2021**

**Compressed Natural Gas Stations:**

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -Nov 2021**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Jul 2021**

**Certificates of Property Use:**

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994 - Dec 31, 2021**

**Drill Hole Database:**

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Sep 2020**

**Delisted Fuel Tanks:**

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: May 31, 2021**

**Environmental Activity and Sector Registry:**

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011- Dec 31, 2021**

**Environmental Registry:**

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994 - Dec 31, 2021**

**Environmental Compliance Approval:**

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011- Dec 31, 2021**

**Environmental Effects Monitoring:**

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Nov 30, 2021**

**Environmental Issues Inventory System:**

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***



**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**Environmental Penalty Annual Report:**

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2020**

**List of Expired Fuels Safety Facilities:**

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2020**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date: Jun 2000-Nov 2021**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2019**

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date: May 31, 2018**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Fuel Storage Tank - Historic:**

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Nov 30, 2021**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date: 2013-Dec 2019**

**TSSA Historic Incidents:**

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**Fuel Oil Spills and Leaks:**

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Landfill Inventory Management Ontario:**

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Feb 28, 2019**

**Canadian Mine Locations:**

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Dec 2020**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2019**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Jun 30, 2021**

**National Energy Board Wells:**

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

**NEES**

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

**NPCB**

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

**NPRI**

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

**OGWE**

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Nov 30, 2021**

**Ontario Oil and Gas Wells:**

Provincial

**OOGW**

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Jan 2021**

**Inventory of PCB Storage Sites:**

Provincial

**OPCB**

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial

**ORD**

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994 - Dec 31, 2021**

**Canadian Pulp and Paper:**

Private

**PAP**

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal

**PCFT**

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: Oct 2011- Dec 31, 2021**

**Pipeline Incidents:**

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Private and Retail Fuel Storage Tanks:**

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994 - Dec 31, 2021**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-1990, 1992-2019**

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Dec 2021**

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Sep 30, 2021**

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Sep 2020**

**Wastewater Discharger Registration Database:**

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2018**

**Anderson's Storage Tanks:**

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970 - Dec 2020**

**Variances for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011- Dec 31, 2021**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Sep 30, 2021**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.